
Assembly Instructions

General Assembly Guidelines

Acacia Wood Care and Maintenance:

Like any natural wood, acacia wood will maintain its attractive appearance for much longer when given proper care.

- I. To extend the life of your outdoor furniture, avoid placing acacia wood furniture in direct sunlight for an extended period of time, as the sun's ultraviolet rays can cause the wood to dry out. Position acacia patio furniture underneath an umbrella or canopy to minimize damage due to sun and rain. It is ideal to keep it covered when not in use, during in-climate weather, or while in storage.
- II. Cleaning Clean spills from acacia wood furniture with a soft cloth moistened with warm, soapy water. Dry the furniture with a second soft cloth or allow it to air-dry.
- III. Maintenance- Rub the acacia wood furniture with a furniture wax or wood preservative product (we recommend Teak Wood Oil products). Apply the teak oil according to the instructions found on the product label. Apply additional applications, as needed, to restore the vitality of the wood.



Hardware List

Α	<	Ø4x30mm	Small Wood Screw	12	pcs
В	(f)	Ø4x40mm	Large Wood Screw	5	pcs
С		Ø8x55mm	Large Bolt	4	pcs
D			Sleeve nut	4	pcs
E		Ø6x40mm	Small Bolt	16	pcs
F	-ammma—@	Ø7x60mm	Small Screw	10	pcs
G		Ø7x90mm	Large Screw	24	pcs
Н	Account.		Large Screw	16	pcs
I			Draw pull latch	4	pcs
J			Wrench	2	pcs




Philips head screwdriver required for assembly (not included)

The hardware quantities listed above are required for proper assembly. Some extra hardware may also have been included.


TWO ASSEMBLY OPTIONS

Option A




Option B






Secure slat 15 to legs (13,14) using large screws (G). Tighten large screws (G) with wrench (J). Repeat this step for the second set of legs (13,14).




Secure slat (16) to legs (13,14) using large screws (G). Secure supports (17) to legs (13,14) using small screws (F). Tighten all screws with wrench (J). Repeat this step for the second set of legs (13,14).

Step 3




Secure umbrella supports (19) to slats (18) using large screws (G). Tighten large screws (G) with wrench (J).




Attach slats (18) to slats (15) using large screws (G). Tighten large screws (G) with wrench (J).






Attach slat (5,6) as per diagram.

Step 6




Use small bolts (E), wrench (J) to secure the slat (7) as per diagram.




Secure slat (12) to slats (8,9) using small screws (F). Tighten small screws (F) with wrench (J).

Step 8




Secure slat (11) to slats (8,9) using small wood screws (A). Tighten small wood screws (A) with a screwdriver.







Construct the inner frame of the table by securing the slat (6) assemblies from Step 6 to slats (8,9,10) using large screws (G). Tighten large screws (G) with wrench (J).




Carefully slide the leg assembly from Step 4 into place along the inner frame assembly from the previous step.




Secure supports (17) to the inner frame assembly using small screws (F). Tighten small screws (F) with wrench (J). Secure each leg to the inner frame assembly using large bolts (C) and sleeve nuts (D). Tighten large bolts (C) and sleeve nuts (D) onto each other using wrenches (J).




Carefully slide table top sections (1,3) into place.




Carefully slide table top sections (2) into place.




Carefully flip table over onto a soft surface. Attach draw pull latches (I) to all tablel top sections using latch screws (H) as shown above. Tighten screws (H) with a screwdriver. (Ensuer that draw pull latches (I) can appropriately lock and unlock.) Lock draw pull latches (I).




Secure slat (12) to table top section (2) using large wood screws (B). Tighten large wood screws (B) with a screwdriver.




Attach blocks (4) to all table top sections using small wood screws (A) as shown above. Tighten small wood screws (A) with a screwdriver.




Step 18



To put the extendable leaf of the table away, unlock the draw pull latches. (You do not need to flip the table over to unlock the draw pull latches. The diagram is shown as such for illustration purposes only.)





Carefully and simultaneously slide table top sections (1,3) together. Lock draw pull latches of table top sections (1,3) together.

