



Bellhop F, Brown - Specification Sheet
by E. Barber and J. Osgerby, 2021

| | |
|-----------------------------------|--|
| Mounting | Free Standing |
| Lamp (Bulb) Description | LED 26W 1232lm 2700K CRI 90 |
| Environment | Indoor - Dry Location |
| Finish | Brown |
| Technical and Product Description | <p>Bellhop F is an uplight floor lamp that produces diffuse light with a glass diffuser.</p> <p>Floor lamp with indirect light. Concrete base. Steel in white, brick, chocolate, green glossy painted aluminium. Reflector in opal glossy white and grey blown glass.</p> <p>Foot Switch Dimmer located on the cord, ON/OFF functions and 10-100% luminous flux adjustment. Power supply on plug with interchangeable plugs.</p> |

Electrical

| | |
|-----------|------------------------|
| Switching | Switch dimmer on cable |
| IP Rating | IP20 |

Physical

| | |
|-----------------------|---------------------------|
| Cord Length (inches) | 106" - Black |
| Construction Material | Aluminum, glass, concrete |
| Weight | 15.21 lbs |



● F1070026 Brown

Dimensional Image



Certifications





Bellhop F - Specification Sheet
by E. Barber and J. Osgerby, 2021

| | |
|-----------------------------------|--|
| Mounting | Free Standing |
| Lamp (Bulb) Description | LED 26W 1232lm 2700K CRI 90 |
| Environment | Indoor - Dry Location |
| Finish | White |
| Technical and Product Description | <p>Bellhop F is an uplight floor lamp that produces diffuse light with a glass diffuser.</p> <p>Floor lamp with indirect light. Concrete base. Steel in white, brick, chocolate, green glossy painted aluminium. Reflector in opal glossy white and grey blown glass.</p> <p>Foot Switch Dimmer located on the cord, ON/OFF functions and 10-100% luminous flux adjustment. Power supply on plug with interchangeable plugs.</p> |



Electrical

| | |
|-----------|------------------------|
| Switching | Switch dimmer on cable |
| IP Rating | IP20 |

Physical

| | |
|-----------------------|---------------------------|
| Cord Length (inches) | 106" - Black |
| Construction Material | Aluminum, glass, concrete |
| Weight | 15.21 lbs |

○ F1070009 White

Dimensional Image



Certifications





Bellhop F, Red - Specification Sheet
by E. Barber and J. Osgerby, 2021

| | |
|-----------------------------------|--|
| Mounting | Free Standing |
| Lamp (Bulb) Description | LED 26W 1232lm 2700K CRI 90 |
| Environment | Indoor - Dry Location |
| Finish | Red |
| Technical and Product Description | <p>Bellhop F is an uplight floor lamp that produces diffuse light with a glass diffuser.</p> <p>Floor lamp with indirect light. Concrete base. Steel in white, brick, chocolate, green glossy painted aluminium. Reflector in opal glossy white and grey blown glass.</p> <p>Foot Switch Dimmer located on the cord, ON/OFF functions and 10-100% luminous flux adjustment. Power supply on plug with interchangeable plugs.</p> |




Electrical

| | |
|-----------|------------------------|
| Switching | Switch dimmer on cable |
| IP Rating | IP20 |

Physical

| | |
|-----------------------|---------------------------|
| Cord Length (inches) | 106" - Black |
| Construction Material | Aluminum, glass, concrete |
| Weight | 15.21 lbs |

 F1070075 Red

Dimensional Image



Certifications





Bellhop F, Green - Specification Sheet
by E. Barber and J. Osgerby, 2021

| | |
|-----------------------------------|--|
| Mounting | Free Standing |
| Lamp (Bulb) Description | LED 26W 1232lm 2700K CRI 90 |
| Environment | Indoor - Dry Location |
| Finish | Green |
| Technical and Product Description | <p>Bellhop F is an uplight floor lamp that produces diffuse light with a glass diffuser.</p> <p>Floor lamp with indirect light. Concrete base. Steel in white, brick, chocolate, green glossy painted aluminium. Reflector in opal glossy white and grey blown glass.</p> <p>Foot Switch Dimmer located on the cord, ON/OFF functions and 10-100% luminous flux adjustment. Power supply on plug with interchangeable plugs.</p> |




Electrical

| | |
|-----------|------------------------|
| Switching | Switch dimmer on cable |
| IP Rating | IP20 |

Physical

| | |
|-----------------------|---------------------------|
| Cord Length (inches) | 106" - Black |
| Construction Material | Aluminum, glass, concrete |
| Weight | 15.21 lbs |



 F1070039 Green

Dimensional Image



Certifications

