

# FLOS

## Pochette LED Up/Down, Chrome - Specification Sheet

by Rodolfo Dordoni, 2003

Mounting	Wall
Lamp (Bulb) Description	LED 20W 1707lm (up) + LED 1.5W 37lm (down) 2700K CRI90
Environment	Indoor - Dry Location
Dimming	0-10V (120Vac or 277Vac) or ELV (120Vac Only) or Triac (120Vac Only)
Finish	Chrome
Technical and Product Description	POCHETTE wall light providing indirect and direct light. Pressure die-cast Zamak alloy, matte gray, white or chrome-plated finish. Molded steel, galvanized white back plate contains the wall attachment system as well as the electrical devices.


### Electrical

IP Rating	IP20
-----------	------


### Physical

Construction Material	Zamak (zinc alloy)
Weight	3.5 lbs



 FU970557 Chrome

### Dimensional Image



### Certifications



# FLOS

## Pochette LED Up/Down, Grey - Specification Sheet

by Rodolfo Dordoni, 2003


Mounting	Wall
Lamp (Bulb) Description	LED 20W 1707lm (up) + LED 1.5W 37lm (down) 2700K CRI90
Environment	Indoor - Dry Location
Dimming	0-10V (120Vac or 277Vac) or ELV (120Vac Only) or Triac (120Vac Only)
Finish	Grey
Technical and Product Description	POCHETTE wall light providing indirect and direct light. Pressure die-cast Zamak alloy, matte gray, white or chrome-plated finish. Molded steel, galvanized white back plate contains the wall attachment system as well as the electrical devices.

### Electrical

IP Rating	IP20
-----------	------


### Physical

Construction Material	Zamak (zinc alloy)
Weight	3.5 lbs



● FU970520 Grey

### Dimensional Image



### Certifications



# FLOS

## Pochette LED Up/Down, White - Specification Sheet

by Rodolfo Dordoni, 2003

Mounting	Wall
Lamp (Bulb) Description	LED 20W 1707lm (up) + LED 1.5W 37lm (down) 2700K CRI90
Environment	Indoor - Dry Location
Dimming	0-10V (120Vac or 277Vac) or ELV (120Vac Only) or Triac (120Vac Only)
Finish	White
Technical and Product Description	POCHETTE wall light providing indirect and direct light. Pressure die-cast Zamak alloy, matte gray, white or chrome-plated finish. Molded steel, galvanized white back plate contains the wall attachment system as well as the electrical devices.

### Electrical

IP Rating	IP20
-----------	------


### Physical

Construction Material	Zamak (zinc alloy)
Weight	3.5 lbs



○ FU970509 White

### Dimensional Image



### Certifications

