


Espresso Cocktail Table Assembly Instructions

Max Top Load 80 lbs.

Max Load Inside the Trunk 100 lbs.




Espresso Cocktail Table

Parts List

Please review all parts and hardware before disposing of any packaging.
Call Customer Service if missing hardware. Do not return to store/retailer.
Using a screw that is too long will cause damage. Before beginning assembly,
separate each type of screw. Carefully study the screw diagrams below.

A


1 PC



Top

B


1 PC



Front Panel

C


1 PC



Back Panel

D


1 PC



Left Side Panel

E


1 PC



Bottom Panel

F


4 PCS

















Leg

G


1 PC



Right Side Panel

H <div>8 PCS</div>  <div>Small Cam Screw φ6.8 x 36mm</div>	I <div>8 PCS</div>  <div>Small Cam Lock φ15 x 12mm</div>	J <div>1 PC</div>  <div>Wrench</div>
K <div>8 PCS</div>  <div>Dowel φ8 x 30mm</div>	L <div>8 PCS</div>  <div>Bolt φ 1/4" x 2 3/4"</div>	M <div>35 PCS</div>  <div>Screw φ 3.5 x 16mm</div>
N <div>1 PC</div>  <div>Left-Support</div>	O <div>1 PC</div>  <div>Handle-A</div>	P <div>1 PC</div>  <div>Handle-B</div>
Q <div>2 PCS</div>  <div>Handle</div>	R <div>1 PC</div>  <div>Right Support</div>	S <div>10 PCS</div>  <div>Sponge Cushion</div>
T <div>2 PCS</div>  <div>Hinge</div>		
Care and Cleaning Instructions: Before using, wipe with a clean dry cloth. Periodically apply furniture wax to renew the finish. Avoid rubbing or scratching the surface with rough or abrasive objects.		
Assembly Tool Required No.2 Phillips Screwdriver		

Espresso Cocktail Table Assembly Instructions




**PLEASE DO NOT OVER-TIGHTEN
CAMBOLTS. PLEASE STOP WHEN
YOU FEEL TIGHT**

Step 1:


Put all parts on a soft surface to prevent scratches.

Attach handle-A (O) to the top (A) using screws (M) and tighten with Phillips screwdriver as shown.




Step 2:

Attach handle-B (P) to front panel (B) using screws (M) and tighten with Phillips screwdriver as shown.




Step 3:


Screw small cam screws (H) into front panel (B) as shown.



Step 4:
 Attach handle (Q) to left side panel (D) and right side panel (G) using screws (M) and tighten with phillips screwdriver as shown.




Step 5:
 Screw small cam screws (H) into back panel (C) as shown.



Step 6:
 Insert dowels (K) into left side panel (D) and right side panel (G) as shown.


Assemble left side panel (D), right side panel (G), front panel (B), back panel (C) and bottom panel (E) together using small cam screws (H), small cam locks (J), dowels (K) and sponge cushions (S) as shown.

Make sure the edges of bottom panel (E) are inserted into the grooves of all panels.




Step 7:

Turn the trunk base upside down and attach legs (F) to the bottom of trunk using screws (L) as shown.



Step 8:

Attach Hinge (T) to back panel (C) and top panel (A) by using screws (M) as shown and then tighten all screw by phillips screwdriver(not included)



Step 9:

Attach left support (N) and right support (R) to the top (A) and trunk base using screws (M) and tighten with Phillips screwdriver as shown. Then put sponge cushions (S) on front panel (B) as shown. Close the top. Top will close slowly.

Parts Replacement Form

Customer Information

Name

Address

City/State/Zip Code

Phone Number

Please indicate where you purchased this item: Store/Website/Catalog

Please indicate color/size/style number:

Style No	Parts Letter	Parts Description	Quantity Needed
----------	--------------	-------------------	-----------------

Please immediately examine this product carefully. Any request for missing parts or damage replacement must be received within 90 days of your receipt of the product. Replacement, if available, will be honored within this time frame. Parts will not be available for items arriving fully assembled. We do not recommend modifying product(s) and we are not responsible for any damages due to product modification(s). If damages or missing parts are not reported within 90 days of your receipt, we are under no obligation to provide parts or replacement merchandise.