FLOS Diabolo, Brown - Specification Sheet by Achille Castiglioni, 1998/2020

Mounting Suspension

Lamp (Bulb) Description 1 X 15W LED E26 2700K - 1600lm (Included)

Environment Indoor - Dry Location

Dimming Phase-cut Dimming / Triac Type

Finish Brown

Technical and Product Description A vertically adjustable pendant lamp produces direct lighting, composed of a

ceiling canopy and diffuser.

The re-edition is made of aluminum with external paint in 3 finish options: shiny $\frac{1}{2}$

white, brown, and cherry red, while the inside of the diffuser is white.

The diffuser may be moved vertically from 37 to 94 inches using the cable reel

within the ceiling canopy.

Electrical

IP Rating IP20

Physical


Cord Length (inches) 94" - Black
Construction Material Aluminium
Weight 6.39 lbs





FU212126 Brown

Dimensional Image



Certifications



Lamping (Bulb)



15W LED A19 2700K 1600 lm E26 120V DIMMABLE

FLOS Diabolo, White - Specification Sheet by Achille Castiglioni, 1998/2020

Mounting Suspension

Lamp (Bulb) Description 1 X 15W LED E26 2700K - 1600lm (Included)

Environment Indoor - Dry Location

Dimming Phase-cut Dimming / Triac Type

Finish White

Technical and Product Description A vertically adjustable pendant lamp produces direct lighting, composed of a

ceiling canopy and diffuser.

The re-edition is made of aluminum with external paint in 3 finish options: shiny

white, brown, and cherry red, while the inside of the diffuser is white.

The diffuser may be moved vertically from 37 to 94 inches using the cable reel

within the ceiling canopy.

Electrical

IP Rating IP20

Physical


Cord Length (inches) 94" - Black
Construction Material Aluminium
Weight 6.39 lbs





O FU212109 White

Dimensional Image



Certifications



Lamping (Bulb)



15W LED A19 2700K 1600 lm E26 120V DIMMABLE

FLOS

Diabolo, Cherry Red - Specification Sheet by Achille Castiglioni, 1998/2020

Mounting Suspension

Lamp (Bulb) Description 1 X 15W LED E26 2700K - 1600lm (Included)

Environment Indoor - Dry Location

Dimming Phase-cut Dimming / Triac Type

Finish Cherry Red

Technical and Product Description A vertically adjustable pendant lamp produces direct lighting, composed of a

ceiling canopy and diffuser.

The re-edition is made of aluminum with external paint in 3 finish options: shiny

white, brown, and cherry red, while the inside of the diffuser is white.

The diffuser may be moved vertically from 37 to 94 inches using the cable reel

within the ceiling canopy.

Electrical

IP Rating IP20

Physical


Cord Length (inches) 94" - Black
Construction Material Aluminium
Weight 6.39 lbs





FU212135 Cherry Red

Dimensional Image



Certifications



Lamping (Bulb)



15W LED A19 2700K 1600 lm E26 120V DIMMABLE