

GENERAL INFORMATION AND POLICY

ORDERING: Please state the quantity, part number and description of each item, preferably in that order, to avoid any delays and help speed up the processing of your order. Whenever possible, always order by standard carton packs. This will speed up the processing of your order as well as give you the benefit of the quantity pricing and packaging.

STOCK ITEMS: Illustrations are for identification purposes only and do not necessarily represent the product of a specific manufacturer.


SHIPMENTS: Please advise us as to how you prefer shipment. If no instructions are received we will use our best judgement. (See inside back cover for complete shipping policy.)

REPLACEMENT FIXTURE CHAIN REFERENCE CHART

Code	Description	10Gauge	8Guage	4Gauge
(PB)	Polished Brass	R30	R11	R60
(AB)	Antique Brass	R32	R22	R63
(TB)	Tuscan Bronze	-	R270-12	R280-12
(CH)	Chrome Plated	-	R27	R62
(SA)	Satin Aluminum	-	-	-
(AW)	Antique White	-	-	-
(AP)	Ancient Parchment	-	R270-23	-
(VG)	Verde Green	-	-	-
(TW)	Textured White	R261-29	R270-29	-
(WH)	White	R36	R18	R64
(BK)	Black	R31	R19	R61
(RT)	Rust	-	-	-
(TH)	Tuscan Highlight	-	R270-38	R280-38
(ATB)	Antique Bronze	R261-39	R270-39	R280-39
(OB)	Oil Rubbed Bronze	-	-	-
(BS)	Brushed Steel	-	-	-
(SNP)	Satin Nickel Painted	-	-	-
(SN)	Satin Nickel	R261-53	R270-53	R280-53
(RB)	Rubbed Bronze	R261-62	R270-62	R280-62
(TS)	Tuscan Silver	-	-	-
(BB)	Bamboo	-	-	-
(FB)	Forest Bronze	R261-72	R270-72	-

TABLE OF CONTE	NTS	COLOR FINISH CODES			
GENERAL INFORMATION POLICY	2	(PB)	Polished Brass		
TABLE OF CONTENTS	4	(AB)	Antique Brass		
COLOR FINISH CODES	4	(TB)	Tuscan Bronze		
FAMILIES	5	(PC)	Polished Chrome		
PENDANTS	81	(SA)	Satin Aluminum		
MINI PENDANTS	84	(AW)	Antique White		
FLUSH MOUNTS	93	(AP)	Ancient Parchment		
BATH LIGHTING	101	(VG)	Verde Green		
TRACK LIGHTING	116	(TI)	Tique		
EXTERIOR LIGHTING	125	(TW)	Textured White		
Architectural	126	(WH)	White		
Lanterns	127	(BK)	Black		
Craftsman	130 131		e with Polished Brass Pull-Chain		
Cast Aluminum	131	(WW)	Appliance White		
Polystyrene Lanterns Outdoor Lanterns	140	` '	Rust		
Bulk Heads	149	(RT)	Natural Iron		
ROPE LIGHT	151	(NI)			
BUILDERS SELECTION	156	(TH)	Tuscan Hi-Lite		
Chandeliers	158	(ATB)	Antique Bronze		
Pendants	160	(PB/SN)	Polished Brass/Satin Nickel		
Wall Sconces	163	(ORB)	Oil Rubbed Bronze		
Wall Mounts	166	(OB)	Oil Bronze		
Ceiling Mounts	167	(SI)	Sienna		
Outdoor Builders	171	(CT)	Corinthian		
ENERGY EFFICIENT LIGHTING	173	(ST)	Stainless Steel Finish		
Electric Clouds & Linears	174	(BS)	Brushed Steel		
Electric Drums & Mushrooms	176	(SNP)	Satin Nickel Painted		
Electric Undercabinet Lighting	178	(SN)	Satin Nickel (Fixtures)		
Recessed Cans & Trims	181	(PPW)	Painted Pewter		
HID Wall Packs & Ballasts	185	(MA)	Mahogany		
Fluorescent Outdoor Flood Fixtures	186 187	(RB)	Rubbed Bronze		
HID Flood Fixtures	188	(VB)	Venetian Bronze		
LANDSCAPE LIGHTING	189	(TS)	Tuscan Silver		
ADDRESS LIGHTS	196	(BB)	Bamboo		
ABBRESS EIGHTS	100	(WB)	Woodland Bark		
		(FB)	Forest Bronze		
		(BSN)	Bright Satin Nickel		
		(BO)	Black Onyx		
			BULB CODES		
		MB	Medium Base		
		СВ	Candelabra Base		
		MR	Mirrored Reflector		
		GU	Pin Base		
		DIMENSION CODES			
		D	Diameter		
		L	Length		
		W	Width		
		SQ	Square		
		H	Height		

Extension





NINE LIGHT CHANDELIER

37-1/4"D - 25-5/8"H 9-60W CB



ONE LIGHT WALL SCONCE

6-1/8"W - 16"H 1-60W CB



TWO LIGHT WALL SCONCE

15-3/8"W - 16"H 2-60W CB



FOUR LIGHT ISLAND

41-3/4"W - 27"H 4-60W CB



THREE LIGHT WALL SCONCE

8"W - 30"H 3-60W CB



THREE LIGHT CHANDELIER

23-7/8"W - 23"H 3-60W CB



FOUR LIGHT CHANDELIER

23-7/8"W - 23"H 4-60W CB



SIX LIGHT CHANDELIER

37-1/4"W - 22-3/8"H 6-60W CB



TWO LIGHT FLUSH MOUNT

13-3/8"W - 16"H 2-60W CB



FINISH PC - Polished Chrome GLASS Milk White Glass SHADE N/A

> 32"W - 30-1/2"H 9-60W MB

NINE LIGHT CHANDELIER



ONE LIGHT WALL SCONCE

5"W - 10-1/2"H - 7-1/8"E 1-100W MB



TWO LIGHT WALL SCONCE

13-1/2"W - 10-1/2"H - 7-1/8"E 2-100W MB



TWO LIGHT FLUSH MOUNT

14-1/2"W - 6-1/4"H 2-100W MB



TWO LIGHT SEMI FLUSH MOUNT

13-3/4"W - 12"H 2-100W MB



THREE LIGHT CHANDELIER

18"W - 20-1/2"H 3-100W MB



FOUR LIGHT WALL SCONCE

29-1/2"W - 10-1/2"H - 7-1/8"E 4-100W MB




THREE LIGHT WALL SCONCE

21-3/4"W - 10-1/2"H - 7-1/8"E 3-100W MB



FIVE LIGHT CHANDELIER

23-1/4"W - 22-1/2"H 5-100W MB





DOUBLE PENDANT

26-1/2"D - 69"OH Stem: 6" or 12" 4-60W MB



FLUSH MOUNT

21-1/2"D - 10-1/2"H 3-60W MB



1 LIGHT WALL SCONCE

12"D - 13"H - 19"E 1-60W MB



HALF SCONCE

23"W - 5"H - 6"E 1-60W T10 Bulb



SINGLE PENDANT

17-1/2"D - 65"OH 3-60W MB



ISLAND PENDANT

44"W - 64"H 4-60W MB





NINE LIGHT CHANDELIER

(SN) (RB) 33"D - 33-1/2"H 9-60W MB



ONE LIGHT WALL SCONCE

(SN) 7"W - 16"H - 9-1/2"E (RB) 1-100W MB



TWO LIGHT SCONCE

(SN) 21-3/4"W - 8-1/2"H - 9"E (RB) 2-100W MB



THREE LIGHT SCONCE

(SN) 26-3/4"W - 8-1/2"H - 9"E (RB) 3-100W MB



FOUR LIGHT SCONCE

(SN) 36-1/2"W - 8-1/2"H - 9"E (RB) 4-100W MB



FIVE LIGHT CHANDELIER

(SN) (RB) 25"D - 25-3/4"H 5-100W MB



THREE LIGHT CHANDELIER

(SN) (RB)

19-1/4"D - 18"H 3-100W MB



FIVE LIGHT DOWN CHANDELIER

(SN) (RB) 25"D - 24"H 5-100W MB



TWO LIGHT DOWN PENDANT

(SN) (RB) 35-3/4"L - 13-1/4"W - 27"H

2-100W MB



THREE LIGHT BOWL PENDANT

(SN) (RB) 21-1/4"D - 23"H 3-100W MB



EIGHT LIGHT BOWL PENDANT

(RB)

40"D - 40"H 8-60W MB



FIVE LIGHT BOWL PENDANT

(SN) (RB) 29-1/2"D - 29-1/2"H 5-100W MB



EIGHT LIGHT CHANDELIER

(SN) (RB) 27"D - 26"H 8-60W MB



TWO LIGHT FLUSH MOUNT

(SN) (RB)

16"D - 5"E 2-100W MB



THREE LIGHT SEMI-FLUSH

(SN) (RB)

19-1/4"D - 12-1/4"H 3-100W MB



ONE QUARTER LIGHT SCONCE

(SN) 15-3/4"W - 6-1/2"H - 5-1/4"E

(RB) 1-100W MB




ONE LIGHT STEM PENDANT

(SN) (RB)

7-1/2"D - 50-1/4"H

1-100W MB







TWO LIGHT WALL SCONCE

(TI) 14"W - 7"H - 15"E 2-100W MB



TWO LIGHT VANITY SCONCE

(TI) 12"W - 9-1/4"H - 7-3/4"E 2-60W MB



ONE LIGHT WALL SCONCE

5"W - 8"H - 15"E (TI) 1-100W MB



THREE LIGHT VANITY SCONCE

(TI) 19-1/4"W - 9-1/4"H - 7-3/4"E 3-100W MB



FOUR LIGHT VANITY SCONCE

(TI) 26-1/4"W - 9-1/4"H - 7-3/4"E 4-100W MB



FIVE LIGHT DOWN CHANDELIER

(TI) 30"D - 22"H 5-100W MB



FIVE LIGHT CHANDELIER

(TI) 25"D - 28"H 5-100W MB



NINE LIGHT CHANDLIER

(TI) 36"D - 49"H 9-60W MB



THREE LIGHT DOWN CHANDELIER

(TI) 25"D - 18"H 3-100W MB



THREE LIGHT BOWL PENDANT

(TI) 22"D - 29"H 3-100W MB



ONE LIGHT PENDANT

(TI) 15"D - 18"H 1-100W MB



THREE LIGHT BOWL PENDANT

(TI) 31"D - 31-1/2"H 5-100W MB



EIGHT LIGHT CHANDELIER

(TI) 28"D - 31"H 8-60W MB



ONE LIGHT QUARTER SCONCE

(TI) 13"W - 5-3/4"H - 6-1/2"E 1-100W MB



THREE LIGHT ISLAND PENDANT

(TI) 40"L - 10"W - 22"H 3-100W MB



15"D - 8"E

3-100W MB

14"D - 8"E

2-100W MB

(TI)



TWO LIGHT SEMI FLUSH

(TI) 16-1/4"D - 14-1/2"H 2-100W MB



(TI)



ONE LIGHT STEM PENDANT

(TI) 6"D - 50-3/4"H 1-100W MB





(MA) 31-3/4"D - 37-3/4"H 12-60W MB



TWO LIGHT VANITY SCONCE

(MA)

21"W - 12-1/2"H - 8"E 2-100W MB



ONE LIGHT SCONCE

(MA)

7-1/4"W - 18-3/4"H - 8"E 1-100W MB



THREE LIGHT VANITY SCONCE

(MA)

27"W - 12-1/2"H - 8"E 3-100W MB



TWO LIGHT SCONCE

(MA)

16"W - 18-3/4"H - 8-1/2"E 2-100W MB



FOUR LIGHT VANITY SCONCE

(MA)

36"W - 12-1/2"H - 8E 4-100W MB



ONE LIGHT QUARTER SCONCE

(MA)

12"W - 7"H - 6"E 1-100W MB



TWO LIGHT FLUSH MOUNT

(MA)

15"D - 8-1/4"E 2-100W MB



TWO LIGHT SEMI FLUSH

(MA)

18-1/2"D - 16-1/2"H 2-100W MB



EIGHT LIGHT CHANDELIER

(MA)

26"D - 32-1/2"H 8-60W MB



FIVE LIGHT DOWN CHANDELIER

(MA)

22-3/4"D - 25"H 5-100W MB



NINE LIGHT CHANDELIER

(MA)

29"D - 33-1/4"H 9-60W MB



FIVE LIGHT CHANDELIER

(MA)

24"D - 26-1/2"H 5-100W MB



THREE LIGHT BOWL PENDANT

(MA)

30"D - 34-1/2"H 3-100W MB



ONE LIGHT PENDANT

(MA)

15"D - 14-1/4"H 1-100W MB



ONE LIGHT STEM PENDANT

(MA)


6"D - 50-1/4"H 1-100W MB



TWO LIGHT ISLAND PENDANT

(MA)

32"L - 13"W - 19-3/4"H 2-100W MB





NINE LIGHT CHANDELIER

(SN) (RB) 30-3/8"D - 28-1/8"H 9-60W MB



TWO LIGHT VANITY SCONCE

(SN) (RB) 16"W - 8-7/8"H - 8-3/4"E 2-100W MB



THREE LIGHT VANITY SCONCE

(SN) (RB) 24"W - 8-7/8"H - 8-3/4"E 3-100W MB

(SN)*

3-13W GU-24*





FOUR LIGHT VANITY SCONCE

(SN) (RB) 30"W - 8-7/8"H - 8-3/4"E 4-100W MB

(SN)* (RB)* 4-13W GU-24*



(SN)

36"W - 8-7/8"H - 8-3/4"E

(RB)

5-100W MB



FOUR LIGHT SCONCE

(SN) (RB) 12"W - 8-7/8"H - 7-1/8"E 2-100W MB





FOUR LIGHT SCONCE

(SN) (RB)

5-1/8"W - 8-7/8"H - 7-1/8"E 1-100W MB

(SN)*

1-13W GU-24*

(RB)*





ONE LIGHT QUARTER SCONCE

(SN) 17-1/4"W - 7-5/8"H - 5-1/4"E (RB) (SN)* 1-13W GU-24*

(RB)*

1-100W MB



ONE LIGHT STEM PENDANT

(SN) (RB) 5-1/8"D - 52"H 1-100W MB (SN)* (RB)* 1-13W GU-24*





THREE LIGHT BOWL PENDANT

(SN) 20"D - 23"H (RB) 3-100W MB (SN)* 2-18W GU-24* (RB)*





(RB)*

THREE LIGHT SEMI-FLUSH

(SN) 16"D - 10"H (RB) 3-100W MB (SN)* 2-18W GU-24*





THREE LIGHT CHANDELIER


(SN) 17-7/8"D - 19"H (RB) 3-100W MB (SN)* 3-13W GU-24* (RB)*





FIVE LIGHT CHANDELIER

(SN) 23"D - 22-3/4"H (RB) 5-100W MB (SN)* 5-13W GU-24* (RB)*





NINE LIGHT CHANDELIER

(SN) 31"D - 30"H (RB) 9-60W MB



TWO LIGHT SCONCE

(SN) 19-1/2"W - 11-1/4"H - 9-1/4"E (RB) 2-100W MB



TWO LIGHT FLUSH MOUNT

(SN) 11"D - 6"E (RB) 2-60W MB (A-15)



ONE LIGHT SCONCE

(SN) 7"W - 11-1/4"H - 10"E (RB) 1-100W MB



TWO LIGHT FLUSH MOUNT

(SN) 13"D - 6"E (RB) 2-60W MB



THREE LIGHT FLUSH MOUNT

(SN) 15"D - 6"E (RB) 3-60W MB



THREE LIGHT BOWL PENDANT

(SN) (RB) 23"D - 23-3/4"H 3-100W MB



(SN) (RB) 27"D - 24-1/4"H 5-100W MB



THREE LIGHT CHANDELIER

(SN) (RB) 21-1/2"D - 18-1/4"H 3-100W MB





TWO LIGHT SEMI-FLUSH

(SN) (RB) 18-3/4"D - 14"H 2-100W MB

ONE LIGHT QUARTER SCONCE


(SN) (RB) 16-1/2"W - 7-1/4"H - 6"E 1-100W MB



TWO LIGHT ISLAND PENDANT

(SN) (RB)

39"L - 13"W - 27"H 2-100W MB





NINE LIGHT CHANDELIER

(OB) 30-1/2"D - 31"H 9-60W MB



TWO LIGHT VANITY SCONCE

(OB)

14-1/2"W - 11"H - 9"E 2-100W MB



ONE LIGHT STEM PENDANT

(OB)

6"D - 50-1/2"H 1-100W MB



THREE LIGHT VANITY SCONCE

(OB)

23"W - 11"H - 9"E 3-100W MB



ONE LIGHT SCONCE

(OB)

6"W - 11"H - 7-1/2"E 1-100W MB



FOUR LIGHT VANITY SCONCE

(OB)

31-1/2"W - 11"H - 9"E 4-100W MB



THREE LIGHT BOWL PENDANT

(OB)

20"D - 24"H 3-100W MB



ONE LIGHT QUARTER SCONCE

(OB)

12-1/2"W - 14-1/2"H - 5"E 1-100W MB



FIVE LIGHT DOWN CHANDELIER

(OB) 24"D - 26"H 5-100W MB



SIX LIGHT DOWN CHANDELIER

(OB) 24"D - 26"H 6-100W MB



FIVE LIGHT CHANDELIER


(OB) 24-1/2"D - 23-1/4"H 5-100W MB



THREE LIGHT DOWN CHANDELIER

(OB)

20"D - 19-1/2"H 3-100W MB





(RB) 22-1/4"D - 21"H 6-60W MB



FOUR LIGHT SCONCE

(RB) 17-1/8"W - 9-1/2"H - 7-7/8"E 2-100W MB



FOUR LIGHT SCONCE

(RB) 12-1/2"W - 5-1/4"H - 6-1/4"E 1-100W MB



FOUR LIGHT SCONCE

(RB) 7-1/2"W - 9-1/2"H - 10"E 1-100W MB



FOUR LIGHT SCONCE

(RB)

16"D - 21"H 3-60W MB





THREE LIGHT DOWN CHANDELIER

(RB)

22"D - 17-1/2"H 3-60W MB

FIVE LIGHT CHANDELIER

(RB)

22-1/2"D - 18"H 5-100W MB



FIVE LIGHT DOWN CHANDELIER

(RB)

24-1/2"D - 17-1/2"H 5-60W MB



THREE LIGHT CHANDELIER

(RB)

22-1/2"D - 18"H 3-100W MB



TWO LIGHT SCONCE

(SN) 17-1/8"W - 9-1/2"H - 7-7/8"E (RB) 2-100W MB



ONE LIGHT QUARTER SCONCE

(SN) 12-1/2"W - 5-1/4"H - 6-1/4"E (RB) 1-100W MB



ONE LIGHT SCONCE

(SN) 7-1/2"W - 9-1/2"H - 10"E (RB) 1-100W MB



FOUR LIGHT SCONCE

(SN) 16"D - 21"H (RB) 3-60W MB



THREE LIGHT CHANDELIER

(SN) (RB) 22-1/2"D - 18"H 3-100W MB



SIX LIGHT CHANDELIER

(SN) (RB) 24-1/4"D - 21"H 6-60W MB



THREE LIGHT CHANDELIER

(SN) (RB) 22"D - 17-1/2"H 3-60W MB


FIVE LIGHT CHANDELIER


(SN) (RB) 22-1/2"D - 18"H 5-100W MB



FIVE LIGHT CHANDELIER

(SN) (RB) 24-1/2"D - 17-1/2"H 5-60W MB







THREE LIGHT BOWL PENDANT

(SN) (RB) 15-1/4"D - 18"H 3-60W MB



TWO LIGHT SEMI-FLUSH

(SN) (RB) 18"D - 14"H 2-60W MB



ONE LIGHT PENDANT

(SN) (RB) 15-1/2"D - 15"H 1-100W MB



TWO LIGHT FLUSH MOUNT

(SN) (RB)

11"D - 6"E 2-60W MB (A-15)

(WH)

(PB)



TWO LIGHT FLUSH MOUNT

(SN) (RB) 13"D - 6"E 2-60W MB

(WH)

(PB)



THREE LIGHT FLUSH MOUNT

(SN)

15"D - 6"E 3-60W MB

(RB) (WH)

(PB)



FIVE LIGHT CHANDELIER

23"D - 23-3/4"H

(SN) (RB)

5-100W MB

EIGHT LIGHT CHANDELIER


(SN) (RB) 29"D - 29-3/4"H 8-60W MB



THREE LIGHT PENDANT

(RB)

11-3/4"D - 22-1/2"H 3-60W CB





FIVE LIGHT CHANDELIER

(PPW) (RB) 21-1/2"D - 23"H 5-100W MB





(PPW) (RB)

15-1/2"D - 22-1/2"H 3-60W MB

FIVE LIGHT DOWN CHANDELIER

(PPW) (RB)

21-1/2"D - 22-1/2"H 5-60W MB



(PPW) (RB)

21-1/2"D - 23"H 3-100W MB



THREE LIGHT DOWN CHANDLIER

(PPW) (RB)

21-1/2"D - 22-1/2"H 3-60W MB



FINISH

BO - Black Onyx

GLASS

White Sand Glass

SHADE N/A



(BO)

30"D - 33"H 9-60W MB



ONE LIGHT PENDANT

(BO)

7"D - 50"H 1-100W MB



TWO LIGHT VANITY SCONCE

(BO)

16-1/2"W - 10"H - 9-1/2"E 2-100W MB



ONE LIGHT SCONCE

(BO)

7"W - 15"H - 10-1/2"E 1-100W MB



THREE LIGHT VANITY SCONCE

(BO)

26-1/2"W - 10"H - 9-1/2"E 3-100W MB



FOUR LIGHT VANITY SCONCE

(BO)

36-1/2"W - 10"H - 9-1/2"E 4-100W MB



FIVE LIGHT CHANDELIER

(BO)

35"D - 26"H 5-100W MB



THREE LIGHT CHANDELIER

(BO)

19-1/2"D - 20"H 3-100W MB



FIVE LIGHT DOWN CHANDELIER

(BO)

24-1/2"D - 24"H 5-100W MB



THREE LIGHT BOWL PENDANT

(BO)

20-1/2"D - 28"H 3-100W MB





FOUR LIGHT SCONCE

(BO)

(BO)

21-1/2"D - 10-1/2"E 3-100W MB FOUR LIGHT SCONCE

17-1/2"D - 9-1/2"E 2-100W MB



FOUR LIGHT SCONCE

(BO)

17"D - 13-1/2"H 2-100W MB









ENERGY ONE LIGHT INDOOR/OUTDOOR

(OB) (OB)*

9"W - 17"H - 6-1/2"E 1-75W MB 1-13W GU-24 (Incld)*

SAVER ONE LIGHT INDOOR/OUTDOOR


(OB) 8"W - 13"H - 6-1/5"E (OB)* 1-75W MB 1-13W GU-24 (Incld)*



TWO LIGHT FLUSH MOUNT

(OB) (SN) 16-1/2"D - 8-3/4"E 2-60W MB





NINE LIGHT CHANDELIER

(SN)

30"W - 34"H 9-60W MB



TWO LIGHT SEMI-FLUSH

(SN) 16"W - 13-1/2"H 2-60W MB White Brussels Shade



TWO LIGHT FLUSH MOUNT

(SN) 14"W - 8"H 2-60W MB White Brussels Shade



ONE LIGHT VANITY SCONCE

(SN)

6"W - 18"H - 5"E 1-60W MB



TWO LIGHT VANITY SCONCE

(SN)

18"W - 18"H - 5"E 2-60W MB



THREE LIGHT VANITY SCONCE

(SN)

24"W - 18"H - 5"E 3-60W MB



FOUR LIGHT VANITY SCONCE

(SN)

34-1/2"W - 18"H - 5"E 4-60W MB



TWO LIGHT PENDANT

(SN) 30"L - 12"D - 16"E 2-60W MB White Brussels Shade



FOUR LIGHT CHANDELIER

(SN) 24"W - 20"H 4-60W MB



SIX LIGHT CHANDELIER


(SN) 28"W - 20"H 6-60W MB



THREE LIGHT STEM PENDANT

22"D - 21"E (SN) 3-60W MB White Brussels Shade





TWELVE LIGHT CHENDELIER

(PC) (ATB) 36"W - 38-1/2"H 12-60W MB



ONE LIGHT STEM PENDANT

(PC) (ATB) 5-1/2"D - 52-3/4"OL 1-60W MB



ONE LIGHT PORTABLE

(PC) (ATB)

15"W - 32"H 1-150W MB Linen Fabric Shade



ONE LIGHT VANITY SCONCE

(PC) (ATB)


5"W - 13-1/2"H 1-60W MB



TWO LIGHT VANITY SCONCE


(PC) (ATB)

12"W - 13-1/2"H



THREE LIGHT VANITY SCONCE

(PC) (ATÉ) 19"W - 13-1/2"H 3-60W MB



FOUR LIGHT VANITY SCONCE

(PC) (ATÉ) 26"W - 13-1/2"H 4-60W MB



ONE LIGHT FLOOR LAMP

(PC) (ATB) 16"W - 62"H 1-150W MB Linen Fabric Shade



THREE LIGHT CHANDELIER

(PC) (ATB) 23-1/2"W - 24-1/2"H 3-60W MB




SIX LIGHT CHANDELIER

(PC) (ATB) 28-1/2"W - 29-1/2"H 6-60W MB



NINE LIGHT CHANDELIER

(PC) (ATB) 32"W - 32"H 9-60W MB







(SN) 15"D - 17"H 2-60W MB Faux Alabaster Glass

(SN) 24"D - 23"H 3-60W MB Faux Alabaster Glass



(SN)	16"D - 14"H
(PB)	1-150W MB
(RB)	Faux Alabaster Glass



(RB)	16"D - 14"H
	1-100W MB
	Tea Stained Glass




(SN) (PB) (RB) 20"D - 24"H 3-60W MB Faux Alabaster Glass (SN)* (RB)* 20"D - 24"H 2-18W GU-24 Elctrnc Spiral* Fluorescent Lamps Included Faux Alabaster Glass



20"D - 24"H 3-60W MB Tea Stained Glass









(SN) (RB) 7-3/4"D - 51"H 1-100W MB Faux Alabaster Glass (SN) Tea Stained Glass (RB)



(SN) (RB) 4-7/8"D - 50-1/4"H 1-60W MB Frosted Fluted Glass (SN) Tea Stained Fluted Glass (RB)




(SN) (RB) (BSN) (OB)

1-6" Stem Section & 3-12" Stem Sections Use on Glass w/1-5/8" Openning



(SN) 3-5/8"D - 55-1/2"H
(RB) 1-60W CB
White Frosted Opal Glass (SN)
Tea Stained Glass (RB)








(SN) (RB) 6"D - 49-3/4"H 1-100W MB Faux Alabaster Glass (SN) Tea Stained Glass (RB)



(SN)* (RB)* 3-5/8"D - 55-1/2"H 1-13W GU-24 included* White Frosted Opal Glass (SN) Tea Stained Glass (RB)





(SN) 6-1/8"D - 60"OL Glass 14-3/8"H 1-100W MB Merlot Art Glass



(SN) 6-1/8"D - 60"OL Glass 14-3/8"H 1-100W MB Misty Art Glass




(SN) 6-1/8"D - 60"OL Glass 14-3/8"H 1-100W MB Blue Art Glass



(SN) 6-1/8"D - 60"OL Glass 14-3/8"H 1-100W MB Vanilla Cream Art Glass







(SN) 4-1/2"D - 57"OL Glass 10"H 1-100W MB Merlot Art Glass



(SN) 4-1/2"D - 57"OL Glass 10"H 1-100W MB Misty Art Glass



(SN) 4-1/2"D - 57"OL Glass 10"H 1-100W MB Vanilla Cream Art Glass



(SN) 4-1/2"D - 57"OL Glass 10"H 1-100W MB Opal Art Glass



(SN) 4-1/2"D - 57"OL Glass 10"H 1-100W MB Blue Art Glass




(SN) 5-7/8"D - 57"OL Glass 11-7/8"H 1-100W MB Merlot Art Glass



5-7/8"D - 57"OL Glass 11-7/8"H 1-100W MB Misty Art Glass







(SN) 5-7/8"D - 57"OL Glass 11-7/8"H 1-100W MB Swirl Art Glass



(SN)

5-7/8"D - 57"OL Glass 11-7/8"H 1-100W MB Opal Art Glass









11"D - 6"E 2-60W MB (A-15) Linen Glass

2-60W MB

Linen Glass





*
ENERGY STAR

(RB) 15"D - 6"E (RB)* 3-60W MB (SN)* 2-23W GU-24 Base* (WH)* Turismo Glass (RB) Faux Alabaster Glass (SN,WH)



(SN) 15"D - 6"E 3-60W MB Linen Glass



(RB) 11"D - 6"E 2-60W MB (A-15) Tea Stained Glass



(SN) (RB) 11"D - 6"E 2-60W MB (A-15) Frosted Feather Glass



13"D - 6"E 2-60W MB Tea Stained Glass



2-60W MB Frosted Feather Glass



15"D - 6"E 3-60W MB Tea Stained Glass



(SN) 15"D - 6"E (RB) 3-60W MB Frosted Feather Glass



(PB) 11"D - 6"E (WH) 2-60W MB (A-15) (SN) Faux Alabaster Glass (RB)



(PB) 12"D - 4"E (WH) 2-60W MB (A-15) (SN) 1-18W GU-24 Base* (RB) Twist On (PB)* Satin Opal Glass (WH)* (SN)*



(PB) 13"D - 6"E (WH) 2-60W MB (SN) Faux Alabaster Glass (RB)



(RB)*

(RB)*

(RB)*

(PB) 14"D - 4-1/8"E
(WH) 2-60W MB
(SN) 2-13W GU-24 Base*
(RB) Twist On
(PB)* Satin Opal Glass
(WH)*
(SN)*



 (PB)
 15"D - 6"E

 (WH)
 3-60W MB

 (SN)
 Faux Alabaster Glass

 (RB)



 (PB)
 16"D - 5"E

 (WH)
 3-60W MB

 (SN)
 2-23W GU-24 Base*

 (RB)
 Twist On

 (PB)*
 Satin Opal Glass

 (WH)*
 (SN)*





(PB)	12"D - 3-1/2"E
(WH)	2-60W MB (A-15)
(SN)	1-18W GU-24 Base*
(RB)	Twist On
(PB)*	Satin Opal Glass
(WH)*	



(RB) 12"D - 4"E 2-60W MB (A-15) Twist On Tea Stained Glass



(SN)* (RB)*

(SN)* (RB)*

(SN)* (RB)*

(PB)	14"D - 4-1/8"E
(WH)	2-60W MB
(SN)	2-13W GU-24 Base*
(RB)	Twist On
(PB)*	Satin Opal Glass
(WH)*	



(RB)

14"D - 4-1/8"E 2-60W MB Twist On Tea Stained Glass



(PB)	16"D - 5"E
(WH)	3-60W MB
(SN)	2-23W GU-24 Base*
(RB)	Twist On
(PB)*	Satin Opal Glass
(WH)*	



(RB)	16"D - 5"E
	3-60W MB
	Twist On
	Tea Stained Glass



(PB) (WH) (SN) (RB) (PB)* (WH)* (SN)*	12"D - 4"E 2-60W MB (A-15) 1-18W GU-24 Base* Twist On Faux Alabaster Glass
(RB)*	



(PB)	11-3/8"D - 7"E
(WH)	2-60W MB (A-15)
(SN)	1-18W GU-24 Base*
(RB)	Twist On
(PB)*	Frosted Melon Glass
(WH)*	
(SN)*	
(RB)*	



(PB)	14"D - 4-1/8"E
(WH)	2-60W MB
(SN)	2-13W GU-24 Base*
(RB)	Twist On
(PB)*	Faux Alabaster Glass
(WH)*	
(SN)*	
(RB)*	



(PB)	13"D - 7"E
(WH)	2-60W MB
(SN)	2-13W GU-24 Base*
(RB)	Twist On
(PB)*	Frosted Melon Glass
(WH)*	
(SN)*	
(RB)*	



(PB)	16"D - 5"E
(WH)	3-60W MB
(SN)	2-23W GU-24 Base*
(RB)	Twist On
(PB)*	Faux Alabaster Glass
(WH)*	
(SN)*	
(RB)*	



	w	
(PB)		15"D - 7"E
(WH)		3-60W MB
(SN)		2-23W GU-24 Base*
(RB)		Twist On
(PB)*		Frosted Melon Glass
(WH)*		
(SN)*		
(RB)*		



(PB)	12"D - 4"E
(WH)	2-60W MB (A-15)
(SN)	Twist On
(RB)	Faux Alabaster Glass



(PB)	12"D - 7"E
(WH)	2-60W MB (A-15)
(SN)	Clear Prismatic Glass
(RR)	



(PB)	14"D - 4-1/8"E
(WH)	2-60W MB
(SN)	Twist On
(RB)	Faux Alabaster Glass



(PB)	13-3/8"D - 7"E
(WH)	2-60W MB
(SN)	Clear Prismatic Glass
(RB)	



(PB)	16"D - 5"E
(WH)	3-60W MB
(SN)	Twist On
(RB)	Faux Alabaster Glass



(PB)	15-7/8"D - 7"E
(WH)	3-60W MB
(SN)	Clear Prismatic Glass
(RB)	



(WH)	11-3/4"D - 7"F
(SN)	2-60W MB (A-15)
(RB)	1-18W GU-24 Base*
(NB)*	Frosted Prismatic Swirl Glass
(SN)*	Trosted Frismatic Swift Glass
` ,	
(RB)*	



(PB)	13-3/8"D - 7"E
(WH)	2-60W MB
(SN)	Frosted Prismatic Glass
(RB)	



(PB)	13"D - 7"E
(WH)	2-60W MB
(WH)*	1-18W GU-24 Base*
(SN)*	Frosted Prismatic Glass
(RB)*	







(BSN) 20-1/2"W - 8-3/4"H - 5-1/8"E 3-60W MB White Opal Glass



(BSN) 27-1/2"W - 8-3/4"H - 5-1/8"E 4-60W MB White Opal Glass



(BSN) (BSN)*

20-3/4"W - 8-1/2"H - 9"E 3-100W MB 3-13W GU-24 Base* Opal Frosted Glass





26-3/4"W - 8-1/2"H - 9"E 4-100W MB 4-13W GU-24 Base* Opal Frosted Glass





18"W - 8-1/2"H - 7-1/2"E 2-100W MB 2-13W GU-24 Base* Square Milk Glass

5"W - 9-1/2"H - 7-1/2"E (OB) (SN) 1-100W MB 1-13W GU-24 Base* (OB)* (SN)* Square Milk Glass



(OB)

(SN)

(OB)*

(SN)*

(OB) 24"W - 8-1/2"H - 7-1/2"E (SN) 3-100W MB (OB)* 3-13W GU-24 Base* (SN)* Square Milk Glass



(OB) 30"W - 8-1/2"H - 7-1/2"E 4-100W MB 4-13W GU-24 Base* (SN) (OB)*

Square Milk Glass (SN)*









(OB)	18"W - 8"H - 7-1/2"E
(SN)	2-100W MB
(OB)*	2-13W GU-24 Base*
(SN)*	Square Milk Glass

(OB)	5"W - 9-1/4"H - 7-1/2"E
(SN)	1-100W MB
(OB)*	1-13W GU-24 Base*
(SN)*	Square Milk Glass




(OB)	24"W - 8"H - 7-1/2"E
(SN)	3-100W MB
(OB)*	3-13W GU-24 Base*
(SN)*	Square Milk Glass





(OB)	30"W - 8"H - 7-1/2"E
(SN)	4-100W ME
(OB)*	4-13W GU-24 Base*
(SN)*	Square Milk Glass







 (PC)
 15-1/2"W - 9"H - 7"E

 (OB)
 2-100W MB

 (BSN)
 Tea Stained Glass (OB)

 Faux Alabaster Glass (PC,BSN)



 (PC)
 25-1/2"W - 9"H - 7"E

 (OB)
 3-100W MB

 (BSN)
 Tea Stained Glass (OB)

 Faux Alabaster Glass (PC,BSN)



(PC) (OB) (BSN) 33"W - 9"H - 7"E 4-100W MB Tea Stained Glass (OB) Faux Alabaster Glass (PC,BSN)



(PC) (BSN)

17-1/4"W - 8-3/4"H - 7-1/2"E 2-100W MB Faux Alabaster Glass



(PC) (BSN)

25"W - 8-3/4"H - 7-1/2"E 3-100W MB Faux Alabaster Glass



(PC) (BSN)

33"W - 8-3/4"H - 7-1/2"E 4-100W MB Faux Alabaster Glass



(RB) (BSN)

13-1/4"W - 8-1/2"H - 7"E 2-100W MB Faux Alabaster Glass



(RB) (BSN)

21"W - 8-1/2"H - 6-1/2"E 3-100W MB Faux Alabaster Glass



(OB) (BSN)

26"W - 8-1/2"H - 7"E 4-100W MB Faux Alabaster Glass





(BSN) 16"W - 8-1/2"H - 6-1/2"E 2-100W MB Faux Alabaster Glass

(BSN) 5-1/4"W - 8-1/2"H - 6-1/2"E 1-100W MB Faux Alabaster Glass



(BSN) 23"W - 8-1/2"H - 6-1/2"E 3-100W MB Faux Alabaster Glass



(BSN) 30"W - 8-1/2"H - 6-1/2"E 4-100W MB Faux Alabaster Glass



(SN) 5"W - 7"H - 7"E 1-100W MB Prismatic Clear Glass



(OB) 18"W - 7"H - 7"E
(SN) 2-100W MB
Prismatic Tea Stained Glass (OB)
Prismatic Clear Glass (SN)



(OB) 24"W - 7"H - 7"E (SN) 3-100W MB Prismatic Tea Stained Glass (OB) Prismatic Clear Glass (SN)



(OB) 30"W - 7"H - 7"E (SN) 4-100W MB Prismatic Tea Stained Glass (OB) Prismatic Clear Glass (SN)



(OB) 36"W - 7"H - 7"E (SN) 5-100W MB

Prismatic Tea Stained Glass (OB)
Prismatic Clear Glass (SN)





(P	С)	

(OB) (SN)

18"W - 7"H - 7"E 3-100W MB

Tea Stained Glass (OB)

Faux Alabaster Glass (PC,SN)

(PC) (OB)

(SN)

5-1/2"W - 7"H - 7"E 1-100W MB

Tea Stained Glass (OB) Faux Alabaster Glass (PC,SN)



(PC)

(OB)

24"W - 7"H - 7"E 4-100W MB

(SN) Tea Stained Glass (OB)

Faux Alabaster Glass (PC,SN)



(PC)

30"W - 7"H - 7"E

(OB) 5-100W MB

(SN) Tea Stained Glass (OB)

Faux Alabaster Glass (PC,SN)



(PC)

36"W - 7"H - 7"E

(OB)

6-100W MB

(SN)

Tea Stained Glass (OB)

Faux Alabaster Glass (PC,SN)





(PB) (PC)

6"W - 8-1/2"H - 8-3/4"E 1-60W MB Clear Prismatic Glass

(WH)

4-1/2"W - 7"H - 4-1/2"E 1-60W MB with Turn Knob



(WH) with convenience outlet (WH) without convenience outlet

14"W - 4-1/2"H - 4-1/2"E 2-60W MB



(WH) with convenience outlet (WH) without convenience outlet

24"W - 4-1/2"H - 4-1/2"E 4-60W MB



(PC) 4-3/4"W - 4-3/4"H - 7-1/4"E 1-60W MB without conveniance outlet



(PC) 4-3/4"W - 4-3/4"H - 7-1/4"E 1-60W MB with pull chain without conveniance outlet



(PC) 18"W - 4-1/2"H - 2-1/2"E 3-60W MB



(PC)

4-3/4"W - 4-3/4"H - 7-1/4"E 1-60W MB with conveniance outlet



(PC) 24"W - 4-1/2"H - 2-1/2"E 4-60W MB



(PC)

36"W - 4-1/2"H - 2-1/2"E 6-60W MB





(PB)

18"W - 4-1/2"H - 2-1/2"E 3-60W MB

(PB) (AB) 24"W - 4-1/2"H - 2-1/2"E 4-60W MB

(AB)

(PC) (WH) (SN)

(PC)

(WH)

(SN)

(PB)

(AB)

(PC)

(WH)

(SN)

30"W - 4-1/2"H - 2-1/2"E

5-60W MB



(PB)

(AB)

(PC)

(WH)

(SN)

36"W - 4-1/2"H - 2-1/2"E

6-60W MB



(PB)

(AB)

(PC)

(WH)

(SN)

48"W - 4-1/2"H - 2-1/2"E 8-60W MB





(PB) (AB)

(PC) (WH)

(SN)

18"W - 4-1/2"H - 2-1/2"E 3-60W MB (PB) (AB)

(PC)

(SN)

(WH)

24"W - 4-1/2"H - 2-1/2"E 4-60W MB



(PB)

(AB)

(PC)

(WH)

(SN)

30"W - 4-1/2"H - 2-1/2"E 5-60W MB



(PB)

(AB)

(PC)

(WH)

(SN)

36"W - 4-1/2"H - 2-1/2"E 6-60W MB



(PB)

(AB)

(PC)

(WH)

(SN)

48"W - 4-1/2"H - 2-1/2"E

8-60W MB





(PB) (PC)

24"W - 7"H - 5-1/2"E 3-60W MB

(SN)

(RB)

(PB) 4-3/4"W - 8-3/4"H - 5-1/2"E

(SN) 1-60W MB

(RB)



(PB) (PC)

30"W - 7"H - 5-1/2"E

(SN)

(RB)

4-60W MB

(PB)

(PC) (SN)

(RB)



(PB) (PC)

36"W - 7"H - 5-1/2"E

5-60W MB

(SN)

(RB)

NOTE: All Vanities on this page Must use Glass with 1-5/8" Openning. See Product Catalog for Glass Options.



(PB)

42"W - 7"H - 5-1/2"E 7-60W MB

(PC) (SN)

(RB)









(WH) (BSN)

4' Track with Three Heads 3-75W MB PAR-30









(WH) (BSN)

4' Track with Four Heads 4-75W MB PAR-30







(WH) (BS)

4' Track with Three Heads 3-12V 50W MR-16 Included








(WH) (BSN)

4' Track with Three Heads 3-50W GU-10 Line Voltage Includes Bulbs







(WH) (BS) (BSN)

Single Track Head 1-12V 50W MR-16 included



(WH) (BS)

Single Track Head 1-12V 50W MR-16 Included



(WH) (BS) (BSN)

Single Track Head 1-50W GU-10 Included Line Voltage Includes Bulb




(WH)

Single Track Head 1-50W GU-10 Line Voltage Includes Bulb



(WH)

Single Track Head 1-12V 50W MR-16 Included




(WH) (BS) 3-12V 50W MR-16 Included




(WH)















Single Track Head 75W Par-30 or 50W Par-30 MB



(WH) (BS) (BSN)

Single Track Head 65W BR-30 or 50W Par-30 MB



(WH) (BSN)


Single Track Head 65W BR-30 or 50W Par-30 MB



(WH)

Gimbal Ring Track Head 75W MB Par-20

(WH) (BSN) Gimbal Ring Track Head 75W MB Par-30





(WH) (BK) (BSN) Floating Power Feed



(WH) (BK) End Feed




(WH) (BK) Conduit End Feed



(WH) (BK)

Plug In Feed with 15' Power Cord





(BK) 4-3/8"W - 8"H - 6-1/8E (OB) 1-50W MB Par-20 or (BK)* 1-75W A-19 (OB)* 1-23W GU-24 CFL Included*



(BK) 5"W - 8"H - 7-1/8E (OB) 1-75W MB Par-30 or 1-100W A-19 (BK)* (OB)* 1-23W GU-24 CFL Included*



(BK) 5"W - 15"H - 7-1/8E 2-75W MB Par-30 or (OB) (BK)* 2-100W A-19 (OB)* 2-23W GU-24 CFL Included*




(BK) 4-3/8"W - 15"H - 6-1/8E (OB) 2-50W MB Par-20 or (BK)* 2-75W A-19 2-23W GU-24 CFL Included* (OB)*

ENERGY SAVER







10"W - 17"H - 12"E 3-60W CB Champagne Mist Glass (VB) Linen Glass (NI)







8"W - 16"H 1-60W MB Champagne Mist Glass (VB) Linen Glass (NI)



10"W - 19"H 3-60W CB Champagne Mist Glass (VB) Linen Glass (NI)





6-3/8"W - 11-1/2"H - 8-3/8"E (RB) 1-100W MB Honey Glass



10-1/4"W - 10-1/2"H - 7-1/2"E (RB) 1-100W MB Honey Glass



(RB) 10-1/4"W - 12-3/4"H - 7-1/2"E 1-100W MB Honey Glass



(RB) 10-1/4"W - 13"H - 4"E 2-60W CB ADA Approved Honey Glass



(RB) (RB)*

5-1/4"W - 8"H - 4-1/2"E 1-100W MB 1-13W GU-24 Included* Honey Glass



(RB) 9-3/8"W - 18-3/16"H - 9-7/8"E 3-60W CB Clear Beveled Glass



(BK) (RB) 8"W - 18-1/8"H - 7-1/2"E 1-100W MB Clear Beveled Glass



(BK) (RB) 9-3/8"W - 24"H - 9-7/8"E 3-60W CB Clear Beveled Glass



9-3/8"D - 21"H 3-60W CB Clear Beveled Glass





7-/2"W - 18-1/4"H - 8"E 1-100W MB Clear Beveled Glass



(WH) (BK) (RB)

7-1/2"W - 18"H - 9-1/4"E 1-100W MB Clear Beveled Glass



(BK) (RB)

8"D - 21"H 3-60W CB Clear Beveled Glass



(BK) (RB)

8"D - 19-1/2"H 3-60W CB Clear Beveled Glass



(WH)* (BK)* 6-1/2"W - 20-3/4"H - 10"E 1-13W GU-24* (RB)* Frosted Seedy Beveled Glass



(BK) (RB) 6-3/4"D - 18-1/2"H 1-100W MB Clear Beveled Glass



(WH) (BK) (RB) 6-1/2"D - 14-1/4"H 1-13W GU-24 Frosted Seedy Beveled Glass



7"W - 19-3/4"H - 9-1/2"E 1-100W MB Clear Beveled Glass

(WH)

(BK)

(RB)



ENERGY SAVER

(WH)* 7"W - 18-1/4"H - 10-1/4"E (BK)* 1-13W GU-24* (RB)* Frosted Seedy Beveled Glass

(BK) (RB) 7-1/2"W - 21-1/4"H - 8-1/2"E 3-60W CB Clear Beveled Glass



(BK) (RB) 7-1/2"W - 22-1/4"H - 11"E 3-60W CB Clear Beveled Glass



(BK)

(RB)

6-5/8"W - 17"H - 8-1/16"E 1-100W MB Clear Beveled Glass



(WH) (BK)

(RB)

6-5/8"W - 17"H - 8-1/16"E 1-100W MB Clear Beveled Glass





8"W - 15-1/2"H - 8-1/2"E 1-100W MB Clear Beveled Glass



(BK) (RB)

8"W - 21"H - 8-1/2"E 1-100W MB Clear Beveled Glass



(BK) (RB)

10-3/4"D - 6-1/8"E 2-60W MB Clear Beveled Glass



(BK) (RB)

12-3/4"D - 7"E 3-60W MB Clear Beveled Glass



(BK) 8"D - 20"H 1-100W MB Textured Frosted Glass



(WH) 6"SQ - 17-7/8"H
(BK) 1-100W MB
(RB) 1-13W GU-24 Tri Tube Incld*
(BZ) Textured Frosted Glass
(WH)*
(BK)*



ENERGY SAVER

ENERGY SAVER (WH) 6"W - 14-1/4"H - 7-1/4"E (BK) 1-100W MB (RB) 1-13W GU-24 Tri Tube Incld* (WH)* Textured Frosted Glass (BK)* (RB)*



(WH)* 6"W - 19"H - 7-1/4"E (BK)* 1-13W GU-24* (RB)* Frosted Lens

(RB)*

ENERGY SAVER



(BK) (RB)

8"W - 13-3/4"H - 7-1/4"E 1-100W MB Clear Glass



(WH) (BK) (RB)

8"W - 13-3/4"H - 7-1/4"E 1-100W MB Clear Glass



(BK) (RB)

8"W - 15-3/8"H - 9-1/2"E 1-100W MB Clear Beveled Glass



(WH) (BK) (RB)

6"W - 15"H - 8"E wo/Tail 6"W - 18"H - 8"E w/Tail 1-100W MB Clear Beveled Glass



(BK)* 6"W - 15"H - 8"E 1-13W GU-24* Frosted Glass Panels



ENERGY SAVER

ENERGY SAVER

(BK)* 6"W - 16"H - 7"E 1-13W GU-24* Frosted Glass Panels



(WH)* 8"W - 13-3/4"H - 7-1/4"E (BK)* 1-13W GU-24* (RB)* Frosted Glass Panels



(WH)* 4-3/4"W - 10-3/4"H - 6"E (BK)* 1-18W GU-24* (RB)* Frosted Glass Panels




(WH)* (BK)*

3-3/4"W - 8"H - 4-1/2"E 1-13W GU-24* Frosted Glass Panels

ENERGY SAVER







(WH)* (BK)* 8"W - 15-3/8"H - 9-1/2"E 1-13W GU-24* White Plastic Lens



(WH)* (BK)*

ENERGY SAVER

6"W - 15"H - 8"E 1-13W GU-24* White Plastic Lens



(WH)* (BK)* (RB)*

7"W - 14-1/2"H - 9"E 1-13W GU-24* Frosted Glass



(PB)	9"W - 14"H - 8-1/2"E
(BK)	1-100W MB
(SN)	Clear Beveled Glass
(DD)	



(PB)	11"W - 21-3/4"H - 11"E
(BK)	3-60W CB
(SN)	Clear Beveled Glass
(RB)	



(PB) 11"W - 18-1/2"H
(BK) 3-60W CB
(SN) Clear Beveled Glass
(RB)



(PB)	8"W - 12-1/2"H - 7"E
(BK)	1-100W MB
(SN)	Clear Beveled Glass
(RB)	



(PB) 12"W - 23-1/2"H - 11"E (BK) 3-60W CB (SN) Clear Beveled Glass (RB)



 (PB)
 12"W - 22-1/2"H

 (BK)
 3-60W CB

 (SN)
 Clear Beveled Glass

 (RB)



ENERGY SAVER

ENERGY SAVER

(PB)* 11"W - 21-3/4"H - 11"E (BK)* 1-18W GU-24* (SN)* (RB)* Frosted Seedy Beveled Glass



(BK)* (SN)* 8"W - 12-1/2"H - 7"E 1-13W GU-24* (RB)* Frosted Seedy Beveled Glass



(PB)* 12"D - 22-1/2"H (BK)* 1-18W GU-24* (SN)* Frosted Seedy Beveled Glass (RB)*



(PB)* 7"W - 16-3/4"H - 7"E wo/Tail (SN)* 7"W - 24-1/4"H - 7"E w/Tail 1-13W GU-24* (RB)* Frosted Seedy Beveled Glass





5-1/4"W - 8-3/4"H - 6"E 1-100W MB Clear Glass



(WH) (BK) (RB)

4-3/4"W - 8-3/4"H - 6"E 1-100W MB Clear Beveled Glass



(WH) 6-5/8"W - 12-1/16"H - 8-1/16"E (BK) 1-100W MB (RB) Clear Beveled Glass



(BK) 5-5/8"W - 10"H - 6-1/8"E (RB) 1-100W MB Clear Beveled Glass



(WH) (BK)

6"W - 8-1/2"H - 7"E 1-100W MB Frosted Glass



ENERGY SAVER

(WH)* 6"W - 10"H - 6-3/4"E (BK)* 1-13W GU-24 Included* (RB)* White Plastic Lens



(BK)* 3-3/4"W - 8-1/2"H - 5-11/16"E 1-13W GU-24* Frosted Glass Panels



ENERGY SAVER

(RB)* 8"W - 5-1/4"H - 4-1/2"E 1-13W GU-24* Honey Glass



7-3/4"W - 9-3/4"H - 4-1/4"E (WH)* (BK)* 1-13W GU-24* (RB)* White Acrylic Lens



7-3/4"W - 9-3/4"H - 4-1/4"E (WH) (BK) 1-60W MB (RB) White Acrylic Lens



(BK)* 5-11/16"W - 8-11/16"H - 4-3/8"E 1-13W GU-24* Frosted Glass Panel



(BK)* 7-7/8"W - 9-11/16"H - 4-3/8"E 1-13W GU-24* Frosted Glass Panel





4-3/8"W - 8"H - 5-1/2"E 1-100W MB Clear Beveled Glass



(PB) 7"W - 24-1/4"H - 7"E wo/Tail (SN) 7"W - 16-3/4"H - 7"E w/Tail 1-100W MB Clear Beveled Glass



(PB) (SN) (RB)

4-3/8"W - 8"H - 5-1/2"E 1-100W MB Frosted Beveled Glass



(BK) 4-3/4"W - 15"H - 5-5/8"E 1-60W MB Clear Glass



(PB)

(SN)

(RB)

7"W - 13"H - 6-1/2"E 1-100W MB Clear Beveled Glass



(WH) 6"W - 7"H - 6-3/4"E (BK) (WH)* 1-60W MB Opal Glass Globe (BK)* Opal Acrylic Globe*



(WH) (BK) 6"W - 7-3/4"H - 6-1/2"E 1-60W MB Poly Globe



EN	ERGY	*
SAV	ER 🙈	

(SA)	4-1/2"W - 7"H - 6"E
(BK)	1-100W MB
(SA)*	1-13W GU-24 Included*
(BK)*	Opal Glass



4-1/2"W - 7-1/4"H - 6-1/2"E (WH) 1-60W MB Acrylic Globe



(WH) 6"D - 7"H - 7"E (BK) 1-100W MB Opal Glass Globe



(SA) 6"D - 7"H (WH) 1-100W MB Opal Glass Globe



(WH) 6"W - 13-1/2"H 1-150W BR-40 or Par-38 MB



(WH) 12"W - 13-1/2"H 1-150W BR-40 or Par-38 MB



(BK) 8"SQ - 11-1/2"H 1-60W MB Clear Flemish Panels



(BK) 7-3/4"W - 17-1/2"H - 8-1/2"E 1-60W MB Clear Flemish Panels



(WH) 4-1/2"W - 6-1/4"H - 5-1/2"E (BK) 1-60W MB Clear Glass



(BK) 5"W - 9-1/2"H - 5"E 1-60W MB Frosted Panels



(BK) (RB) 1-13W GU-24 (Incld) Frosted Glass Panels



(BK) 8"SQ - 5-1/2"H 1-13W PL 4100K Lamp (Incld) Frosted Acrylic Lens Damp Location



(BK) 4-5/8"W - 8-1/2"H - 6-5/8"E 1-13W GU-24 Lamp (Incld) Clear Acrylic Prismatic Lens Wet Location



(BK) 5"W - 9-1/2"H - 5"E 1-7W PL 4100K Lamp (Incld) Wet Location





(WH) 4-1/2"W - 13-1/4"H - 3-5/8"E (WH) 1-13W PL 4100K Lamp (Incld) Clear Acrylic Lens (F7204-30) White Acrylic Lens (F7205-30) UL Damp Location



(BK) 5-3/4"W - 10-1/4"H - 4"E 1-13W PL 4100K Lamp (Incld) White Acrylic Lens Wet Location



6"W - 7"H - 6-3/4"E (BK) 1-7W PL Lamp Incld. (F4316-31) 1-9W PL Lamp Incld. (F4317-31) Polycarbonate Housing Clear Acrylic Prismatic Globe Wet Location



(WH) (BK)

10"D - 5-1/8"H 1-60W MB Frosted Prismatic Glass



(WH) (BK)

7-1/4"D - 4-1/2"H 1-60W MB Frosted Prismatic Glass



(WH) (BK)

4-3/8"W - 8-1/2"H - 4"E 1-60W MB Frosted Prismatic Glass



(WH) (BK)


6-5/8"W - 11"H - 5"E 1-60W MB Frosted Prismatic Glass




(BK)* (RB)* 10"D - 5-1/8"H 1-26W GU-24* Frosted Prismatic Glass









ATTENTION: Do Not Power up while still rolled up.

5-Watt / 120V Solid Rope Light 150 Foot Maximum Run per Circuit • Can be cut at 18" (per Designated Markers) Clear • 1/2" Diameter

10 Foot Roll 25 Foot Roll 50 Foot Roll 150 Foot Roll 300 Foot Roll


All connectors shown below and on the next page are to be used with these five rope lights, ONLY!

ROPE LIGHT FEATURES

- 20,000 Hours
- 5 Watts per Foot
- · Solid Core
- Retains Flexibility
- UV Resistant Material
- Bulb Centers 1.1"

GREAT FOR:

- · Store Fronts
- Landscapes
- Kitchens
- Decks
- Boats
- Accents
- Holidays
- Path Lighting
- Step Lighting
- Crown Molding














As with any electrical appliance, use common sense when installing, modifying or repairing Rope Light. Always disconnect or unplug Rope Light. Never cut Rope Light while it is powered.



4-Pin Push-In Connector Use with Heat Shrink Sleeve and/or PVC Glue



Cross Connector Combined Connected Lengths to all ports cannot exceed 150" total



"T" Connector Combined connected lengths to all ports cannot exceed 150" total



PVC Glue Use to seal Rope **Light Connection**



3-Piece Connector



Accessories Kit Includes 4-Pin Push-In Connector, PVC Tube, Heat Shrink-Wrap Sleeve, and PVC Glue

As with any electrical appliance, use common sense when installing, modifying or repairing Rope Light.

Always disconnect or unplug Rope Light. Never cut Rope Light while it is powered.



End Cap



Suction Cup Use for window mounting



Heat Shrink-Wrap Sleeve Use to seal rope light connection



Nail Clip (Nail not included)



Wire Ties 25 per bag

As with any electrical appliance, use common sense when installing, modifying or repairing Rope Light.

Always disconnect or unplug Rope Light. Never cut Rope Light while it is powered.








Male Power Connector




Starter Kit K9920 - 5W/120V SPT-2 K9921 - 3W/120V SJTW



5-Foot Rope Light Power Cord 5W/120V SPT-2 3W/120V SJTW









(PB) 23"D - 11"H 5-60W MB Clear Prismatic Glass

(SN) 22"D - 18"H 5-60W CB



(PB) (SN) 23"D - 13-1/4"H 3-60W MB Clear Prismatic Glass



17"D - 15-1/2"H 5-60W CB



(SN) 23"D - 13-1/4"H 3-60W MB Faux Alabaster Glass



23"D - 13-1/4"H 5-60W MB Faux Alabaster Glass



(PB) (TW) (SN)

23"D - 13-1/4"H 5-60W MB Clear Prismatic Glass



23"D - 13-3/4"H 5-60W MB Faux Alabaster Glass



(SN)

23"D - 13-3/4"H 3-60W MB Faux Alabaster Glass





(PB) (WH) 18-1/2"D - 12"H 1-100W MB Clear Prismatic Glass

(WH) (SN)

16-1/2"D - 7"H 1-150W MB



Opal Glass Globe 8"D 1-75W MB	(WH)
10"D 1-100W MB	(WH)
12"D 1-150W MB	(WH)



Faux Alabaster Glass

Tea Stained Glass







(SN) (RB)

5"W - 8-1/2"H - 7-1/4"E 1-100W MB Faux Alabaster Glass



(SN) (RB)

12"W - 9"H - 6-1/2"E 2-100W MB Faux Alabaster Glass



(SN) (RB)

17-1/8"W - 9-1/2"H - 7-7/8"E 2-100W MB Faux Alabaster Glass



(SN) (RB)

9-1/3"W - 9-2/3"H - 9"E 1-100W MB Faux Alabaster Glass



(SN) (RB)

17-3/4"W - 8-1/2"H - 7-1/4"E 3-100W MB Faux Alabaster Glass



8"W - 9-1/2"H - 4"E (PB/SN/RB)* 1-60W CB 1-13W Fluorescent Spiral (Incld)* Satin Opal Glass



13"W - 6-3/4"H - 6-5/16"E (PB/SN/RB)* 1-13W GU-24 (Incld)* Satin Opal Glass



(WH) 12-3/4"W - 6-1/4"H - 4-1/4"E 1-60W MB Frosted Prismatic Acrylic Lens



(WH) 12-3/4"W - 6-1/4"H - 4-1/4"E 1-60W MB Clear Prismatic Acrylic Lens



(PB/SN/RB)* 12"W - 7"H - 6"E 1-13W GU-24 (Incld)* Frosted Prismatic Glass



(PB/SN/RB) 12"W - 7"H - 6"E 1-60W CB Clear Prismatic Glass



(OB/WH/SN) (ORB/SN/WH)*

8"W - 8-1/4"H - 4"E 1-100W MB 1-13W GU-24 (Incld)* Satin Frost Glass



(PB) 8"W - 6"H - 4"E 1-60W G-16-1/2 CB Clear Prismatic Glass



(TW) 12-1/4"W - 4-5/8"H - 5-3/4"E 1-75W MB Ceramic



(TW) 11-1/8"W - 4-3/8"H - 5-7/8"E 1-75W MB Ceramic




(WH)*

8-1/4"W - 11"H - 4"E 1-26W GU-24 (Incld)* Faux Alabaster Glass



(TW) 11-1/2"W - 6"H - 4-3/4"E 1-75W MB Ceramic







5"W - 9"H - 4"E 1-50W MB R-20



(BSN)* 7-1/2"W - 12-1/4"H - 4"E 1-26W GU-24 (Incld)* Opal Round Glass



(PB) (AB) 4-1/2"W - 7-5/8"H - 4-1/2"E 1-75W MB Turn KNob Switch Grape Pattern Etched Glass



7-1/2"D - 4-1/2 6"Fitt 1-60W N Faux Alabaster Gla	(WH) (SN) (RB)
9-1/2"D - 5-1/4 8"Fitt 2-60W N Faux Alabaster Gla	(PB) (WH) (SN) (RB)
9-1/2"D - 5-1/4 8"Fitt 1-18W GU-24 (Inclo Faux Alabaster Mushroo Gla	(PB)* (WH)* (SN)* (RB)*



(PB)	7-1/2"D - 4-1/4"E
(WH)	6"Fitter
(SN)	1-60W MB
(RB)	Opal Glass
(PB)*	8"D - 5-1/4"E
(WH)*	6"Fitter
(SN)*	1-13W GU-24 (Incld)*
(RB)*	Opal Mushroom Glass
(PB)	9-1/2"D - 5-1/4"E
(WH)	8"Fitter
(SN)	2-60W MB
(RB)	Opal Glass
(WH)	11-1/2"D - 6"E 10"Fitter 2-60W MB



(PB) (WH) (SN)	7-1/2"D - 4-1/2"E 6"Fitter 1-60W MB Clear Prismatic Glass
(PB)	9-1/2"D - 5-1/4"E
(WH)	8"Fitter
(SN)	2-60W MB
(RB)	Clear Prismatic Glass



7-1/2"D - 4-5/8"E 6"Fitter 1-60W MB (PB) (WH) Frosted Prismatic Glass

Opal Glass



7-1/2"D - 4-1/2"E 6"Fitter 1-60W MB Tea Stained Glass	(RB)
9-1/2"D - 5-1/4"E 8"Fitter 2-60W MB Tea Stained Glass	(RB)



H) 8-3/4"D - 4-3/4"E 8"Fitter 2-60W MB Opal Glass	(WH)
H) 10-3/4"D - 5-1/2"E 10"Fitter 2-60W MB Opal Glass	(WH)



6-1/4"D - 4-1/2"E 6" Fitter 1-60W MB Clear/Painted White Glass	(PC) (WH)
8-3/4"D - 4-3/4"E 8"Fitter 2-60W MB Clear/Painted White Glass	(PC) (WH)
10-3/4"D - 5-1/2"E 10"Fitter 2-60W MB Clear/Painted White Glass	(WH)



6"D - 7-1/2"E 1-60W MB Opal Glass	(PB) (WH) (SN) (RB)
6"D - 7-1/2"E 1-60W MB With Pull Chain Opal Glass	(PB) (WH)
8"D - 9"E 1-100W MB Opal Glass	(PB) (WH)



(SN) (RB) 6"D - 7-1/2"E 1-60W MB Faux Alabaster Glass



(RB) 6"D - 7-1/2"E 1-60W MB Tea Stained Glass



(PB) (WH) (SN)	1-60W MB Clear Prismatic Glass
(PB)	6"D - 7-1/2"E 1-60W MB With Pull Chain Clear Prismatic Glass



(PB) 9-3/4"D - 6-1/2"E 3-25W CB Clear Beveled Glass



(WH) 13"D - 4-1/2"E 2-60W MB White Rounded Glass



(WH) 12"SQ - 4-1/2"E 2-60W MB White Square Glass



(PB) 6"D - 7-1/2"E 1-60W MB Clear Teardrop Glass



(WH) 14"D (pan) - 15"D (overall) 7-3/4"E - Three 3-1/4" Fitter 3-60W MB Opal Glass Globes



(BK)	7-1/2"SQ - 5"H
(RB)	1-40W MB
(BK)*	1-13W GU-24 (Incld)*
	Textured Glass



(WH)	9-1/4"SQ - 5"H
(BK)	2-40W MB
(RB)	1-18W GU-24 (Incld)*
(BK)*	Textured Glass



Plastic Pier Mount Top Outside Diameter 3" 2-3/8"H - 4-1/8"Base 4 Mounting Holes 3-1/2"C. to C. for 1/4" Screws for direct use with Fixture Black



(WH)

(BK)

(RB)

Cast Aluminum Pier Mount Top Outside Diameter 3" 3-5/8" H - 5-7/8"Base Square w/4 Mounting Holes 6-3/4"C. to C. for 1/4" Screws on the diagonal



Post Not Included 10"D - 10-1/2"H 1-100W MB White Acrylic Globe	(BK)
Post Not Included 12"D - 12"H 1-100W MB White Acrylic Globe	(BK)





(PB) (AB) (WH) (BK) (SN) (RB)

4-1/2"W - 7-1/4"H - 5"E 1-60W MB Clear Glass




ENERGY SAVER


(SA) (BK) (SA)* (BK)*

4-1/2"W - 7"H - 6"E 1-100W MB 1-13W GU-24 (Incld)* Opal Glass

(PB) (AB) (WH) (BK)

6"W - 8-3/4"H - 6-1/2"E 1-60W MB Opal Glass Globe







(WH)* 11-5/8"W - 52-1/2"L - 4"E 2-32W T-8 or T-12* Lamps Not Included

(WH)* 17-1/8"W - 51-1/4"L - 4-1/2"E 4-32W T-8 or T-12* Lamps Not Included



(BSN)* 16"D - 3-3/4"E 1-22W and 32W T-9 Circline* Electronic Ballast (Lamps Included)



(BSN)* 17"W - 32-1/4"L - 4-3/4"E 2-32W T-9 Circline* Electronic Ballast (Lamps Included)



(BSN)* 11-1/8"W - 48-1/4"L - 4-1/2"E 3-32W T-8* Electronic Ballast (Lamps Not Included)



(BSN)* 11-1/8"W - 24-1/8"L - 4-1/2"E 3-17W T-8* **Electronic Ballast** (Lamps Not Included)



(BSN)* 6"W - 36-1/4"L - 4-1/4"E 2-25W T-8* Electronic Ballast (Lamps Not Inluded)



(BSN)* 6"W - 24-1/4"L - 4-3/8"E 2-17W T-8* Electronic Ballast (Lamps Not Included)










Lamps are included with every fixture on this page




11"D - 3-1/4"E 2-13W GU-24* White Acrylic Lens Snap On



14"D - 3-1/4"E 2-23W GU-24* White Acrylic Lens Snap On




11"D - 3-1/4"E 2-13W GU-24* White Acrylic Lens Snap On



14"D - 3-1/4"E 2-13W GU-24* White Acrylic Lens Snap On

LED undercabinet lights are perfect for kitchens, display cases, book shelves, desks, work stations, trade show booths, or any other linear application. Fixtures can be linked for additional lighting up to 100 watts per string and can be pluged in or hardwired with the proper accessory. The swivel undercabinet light is excellent for directing light where it's needed. If you're looking for more light with less energy consumption, these LED lights are the perfect fit.






(SA) 12" Standard (WH) 2-3/8"W - 12-1/4"L - 1"E 5.5W - 3000K Color Temp 250 Lumen Output Female/Male Connections Clear Lens

(SA) 19" Standard (WH) 2-3/8"W - 19-1/2"L - 1"E 7.5W - 3000K Color Temp 400 Lumen Output Female/Male Connections Clear Lens

Light housing swivels up to 180 degrees when





13" Swivel (SA) 2-3/8"W - 13-1/8"L - 1"E (WH) 5.5W - 3000K Color Temp 250 Lumen Output Female/Male Connections Clear Lens

(SA) 20" Swivel (WH) 2-3/8"W - 20-5/16"L - 1"E 7.5W - 3000K Color Temp 400 Lumen Output Female/Male Connections Clear Lens



Hardware Adapter Box 2-3/8"W - 4"L - 1"E 120V - 60Hz - 5Amp Max 100W Max per String Female Connection Ends



3 Foot White Power Cord Male Connection

6 Foot White Power Cord Male Connection



6" White Jumper Cable Female to Male

12" White Jumper Cable Female to Male



(WH) 12" 8W Fluorescent **Undercabinet Light** 3-1/2"W - 12-1/4"L - 1"H Direct Wire w/Rocker On Off Switch Electroinic Ballast 1-F8T5 - 4100K Lamp (Incld) White ABS Diffuser



(WH) 21" 13W Fluorescent **Undercabinet Lighting** 3-1/2"W - 21-1/4"L - 1"H Direct Wire w/Rocker On Off Switch Electronic Ballast 1-F13T5 - 4100K Lamp (Incld) White ABS Diffuser



(WH) 24" 16W Fluorescent Undercabinet Light 3-1/2"W - 24-1/2"L - 1"H Direct Wire w/Rocker On Off Switch Electroinic Ballast 2-F8T5 - 4100K Lamp (Incld) White ABS Diffuser



(WH)

33" 21W Fluorescent **Undercabinet Light** 3-1/2"W - 33-1/2"L - 1"H Direct Wire w/Rocker On Off Switch Electroinic Ballast 1-F13T5 & 1-F8T5 - 4100K Lamps Included White ABS Diffuser




(WH) 42" 26W Fluorescent Undercabinet Light 3-1/2"W - 42-1/2"L - 1"H Direct Wire w/Rocker On Off Switch Electroinic Ballast 2-F13T5 - 4100K Lamp (Incld) White ABS Diffuser

SHOWER TRIMS:

Wet Location approved when used with recessed can on this page.





PRODUCT SPECIFICATIONS

Lamp: Two 13 Watt quad 4 PIN CFL Lamps.

Sockets: (2) GX24q-1 Attached to side housing.

Ballast: 120V 60Hz Mid Power Factor Electronic with end of life protection • UL Recognized US and Canada · Mounted to side of junction box for easy maintenance and replacement

Labels: UL and CUL approved for damp location E219295

• Non-IC new construction


HANGER BARS:

- · Integral T-bar mounting clamps
- Span 24" T-bar spacing
- · Lock to secure housing

STANDARD FEATURES:

- Housing adjusts from 1/2" to 2-1/2" for thick ceilings
- Full wrap-around plaster frame
- UL and CUL Approved for E219295 Damp Location
- Uses 120V MPF Instant-On Electronic Ballast
- Steel Frame
- Aluminum Can





PRODUCT DESCRIPTION

Can be completely covered with insulation. When used with gasket, stops infiltration and exfiltration of air, reducing heating and air cooling costs. Easy access ballast.

PRODUCT SPECIFICATIONS

Lamp: One 26 Watt quad 4 PIN CFL Lamp.

Socket: (1) GX24q-3 Attached to top of housing.

Ballast: 120V 60Hz Mid Power Factor Electronic with end of life protection • UL Recognized US and Canada • Mounted to side of junction box for easy maintenance and replacement

Labels: Energy Star qualified • UL and CUL approved for damp location E219295 • IC rated for direct contact with insulation • Certified Air Tight per ASTM E283

STANDARD FEATURES:

- 6" IC Air Tight Fixture with Gasket
- Air Tight Trim
- UL and CUL Approved for E219295 Damp Location
- Uses 120V MPF Instant-On Electronic Ballast
- Steel Frame
- Aluminum Can
- Adjustable Hanger Bars
- Energy Star Qualified When Using Listed Bulb



1-26W - 4Pin CFL Lamp (Included) (WH)



1-26W - 4Pin CFL Lamp (Included) (WW)



Clear Reflective Trim 1-26W - 4Pin CFL Lamp (Included) (WH)



6" White Lexan Shower Trim Plastic Drop Opal Len 8"D - 2-1/2"H



6" Lexan Albalite Shower Trim White Glass Len



6"Fresnel Shower Trim Clear Glass Len





P7303 Replacement Lens

(Incld)








G7305 Replacement Lens

	8-1/2"W - 8-3/4"H - 9"E UV Polycarbonate Lens Die-Cast Aluminum Housing Bronze Powder Coat Finish UL Listed - Wet Locations
(BZ)	50W MB - HPS 120V (Incld)
(BZ)	70W MB - HPS 120V (Incld)
(BZ)	100W MB - HPS 120V (Incld)
(BZ)	70W MB - MH 120V/277V (Incld)
(BZ)	100W MB - MH 120V/277V

	13-1/4"W - 10-1/4"H - 7-1/2"E UV Borosilcate Glass Die-Cast Aluminum Housing Bronze Powder Coat Finish UL Listed - Wet Location
(BZ)	150W MB - HPS 120V (Incld)
(BZ)	100W MB - MH 120V/277V (Incld)
(BZ)	175W MB - MH 120V/277V (Incld)
(BZ)	250W MH - Mogul Base (Incld)



Mounting Adapter Plate for Mini Wall Pack 4-1/4"W - 4-1/4"H



Mini Wall Pack Wire Guard

Medium Wall Pack Wire Guard



(WH)	5-1/4"W - 7-5/8"H - 4"E 1-13W Quad PL (Incld) White Acrylic Lens
(WH)	5-1/4"W - 7-5/8"H - 4"E 1-13W Quad PL (Incld) Clear Acrylic Lens



(VVII)	1-13W PL (Incld) White Acrylic Lens
(WH)	6"W - 10-1/2"H - 4"E 1-13W PL (Incld) Clear Acrylic Lens
(WH)	6"W - 10-1/2"H - 4"E 2-13W PL (Incld) White Acrylic Lens



(WH)	5-1/4"W - 7-5/8"H - 4"E 1-7W PL (Incld) White Acrylic Lens
(WH)	5-1/4"W - 7-5/8"H - 4"E 1-7W PL (Incld) Clear Acrylic Lens



(BZ)	Fluorescent 7"W - 11"H - 5-1/4"E 1-28W Quad 120V (Incld) Polycarbonate Housing & Clear Lens UL Listed - Wet Locations
(BZ)	35W - 120V HPS MB (Incld) UV Stabilized Clear Polycarbonate Lens
(BZ)	50W - 120V HPS MB (Incld) UV Stabilized Clear Polycarbonate Lens
(BZ)	70W - 120V HPS MB (Incld) UV Stabilized Clear Polycarbonate Lens



(BZ) Fluorescent Flood Fixture 13"W - 8-1/2"H - 4-1/2"E Die-Cast Aluminum Housing Tempered Glass Lens Bronze Powder Coat Finish 65 Watt T4 4-Pin GX-10q-4 6500K (Lamp Included)



(BZ) Quartz Flood Fixture 14-5/8"W - 10-1/2"H - 5-3/4"E Die-Cast Aluminum Housing Tempered Glass Lens Bronze Powder Coat Finish UL Listed - Wet Locations 1-1500Q Bulb Double Ended Quartz 120V (Bulb Not Included)





Quartz Flood Fixture w/ Glare Shield 9"W - 8"H - 5-5/8"E - 120V Die-Cast Aluminum Housing Tempered Glass Lens Bronze Powder Coat Finish UL Listed - Wet Locations

1-300W Dble Ended Qrtz Bulb (BZ) **Bulb Not Included**

(BZ) 1-500W Dble Ended Qrtz Bulb **Bulb Not Included**







Metal	Hal	lide E	Balla	st
70	МН	120V	//277	7 V
100	МН	120V	//277	7 V
175	МН	Qua	d Tra	a p
250	МН	Qua	d Tra	ap



9"W - 7"H - 8"E Die Cast Aluminum Housing Tempered Glass Lens Bronze Powder Coat Finish UL Listed - Wet Locations
35W MB - HPS 120V (Incld)
50W MB - HPS 120V (Incld)
70W MB - HPS 120V (Incld)
100W MB - HPS 120V (Incld)
150W MB - HPS 120V (Incld)

HPS Compact Flood Fixture

w/Glare Shield



((WH)	Metal Halide Flood Fixture (Large) 10"W - 10-1/2"H - 7"E Die-Cast Aluminum Housing Tempered Glass Lens Bronze Powder Coat Finish UL Listed - Wet Locations
	(BZ)	70W MB - MH 120V/277V (Incld)
((BZ)	175W MB - MH 120V/277V (Incld)


(BZ)

(BZ)

(BZ)

(BZ)

(BZ)







(MB)

(MB) Pyramid Cast Brass Pathway Light Matte Bronze Finish 7-1/2"D - 20"H 20W JC G-4 Halogen Bi-PIN Lamp Included Spike Included

Diamond Head Cast Brass Pathway Light Matte Bronze Finish 6-1/2"D - 20"H 20W JC G-4 Halogen Bi-PIN Lamp Included Spike Included



(MB)

Umbrella Cast Brass Pathway Light Matte Bronze Finish 7"D - 24"H 20W JC G-4 Halogen Bi-PIN Lamp Included Spike Included



Cast Brass Pathway Light Matte Bronze Finish 6"D - 18"H 26W BA15s Included Spike Included

(MB) Cast Brass Pathway Light Matte Bronze Finish 7"D - 20"H 26W BA15s Included Spike Included



Small Tulip Cast Brass Pathway Light Matte Bronze Finish 4"D - 24"H 26W BA15s Included Spike Included



(MB) Little Wash Cast Brass Directional Light Matte Bronze Finish 4"W - 4"H - 2-1/2"Depth 20W JC G-4 Halogen Bi-PIN Lamp Included Spike Included 1/2 IPS Male Thread



(MB) Spot Cast Brass Directional Light Matte Bronze Finish 2-1/2"D - 8"H 35W MR16 Halogen Bi-PIN Lamp Included Spike Included 1/2 IPS Male Thread



(MB) Big Flood Cast Brass Directional Light Matte Bronze Finish 4-1/2"D - 8"H 36W PAR36 Halogen **Bulb Not Included** Spike Included 1/2 IPS Male Thread



Well Light 6"PVC w/36W PAR36 FL Included Brass Hardware/15' 16/2 SPT2



Ground Spike 7-1/2" PVC - 1/2NPT Arrowhead Design w/Wire Way



(MB) Eclipse Cast Brass Wall Step Light Matte Bronze Finish 3.75"D - 2"Depth 20W JC G-4 20 Halogen Bi-PIN Lamp Included



(MB) Eclipse Cast Brass Wall Step Light Matte Bronze Finish 3.75"D - 2"Depth 20W JC G-4 20 Halogen Bi-PIN Lamp Included



Flat Base Cast Brass Matte Bronze Finish 2.75"D Center Hole 1/2"NPT Female



Dome Base Cast Brass Matte Bronze Finish 2.75"D Center Hole 1/2"NPT Female

INDOOR/OUTDOOR MAGNETIC TRANSFORMERS

Secondary Breaker - Photo Cell/Interval Timer 6' Black SJTW Cord - Conforms to UL 1838





100W - 12V

150W - 12V

INDOOR/OUTDOOR MAGNETIC TRANSFORMER WITH GROUND SHIELD

UL Listed for use with Submersible Fixtures Photo Cell/Interval Timer - 6' Black SJTW Cord Conforms to UL 1838



150W - 12V



INDOOR/OUTDOOR MAGNETIC TRANSFORMERS

Secondary Breaker - Photo Cell/Interval Timer Three (3) Conductor 6' Black SJTV Cord - Conforms to UL 1838





300W - 12V Stainless Case



900W 12V-15V (<u>+</u>.5V) Multi Tap Black Painted Steel Case

900W - 12V

900W 12V-15V (±.5V) Multi Tap Stainless Case



600W - 12V
600V 12V-15V (<u>+</u> .5V) Multi Ta _l Black Painted Steel Case
600W - 12N

600W 12V-15V (±.5V) Multi Tap Stainless Case





ADDRESS LIGHTS INCLUDE

- Custom applied numbers
- Low-Voltage plug-in transformer (where indicated)
- · Light bulbs and sockets
- 25' of Low-voltage wire
- · Mounting hardware
- Simple to follow instructions

ADDRESS LIGHTS ARE

- Easy to see, day or night
- Readable from over 100 feet
- Energy Efficient powered for under \$10/year
- Easy to install with common household tools
- Low maintenance install it and forget about it

LARGE BLOCK STYLE FRAME WITH 6" NUMBERS

Four-Lamp Standard Address Light 14-1/2" W x 7-1/2" H x 2" E Uses (4) 4.29 Watt Wedge Base T3.25 Lamps White Acrylic Diffuser



REPLACEMENT PARTS FOR LARGE **BLOCK FRAME WITH 6" NUMBERS** Acrylic Number Panel

(Black Vinyl) (Brown Vinyl)

Please specify font style,

background style and address number/s when ordering this item

Bulbs (4 pack)

L5711

Socket Set (Includes bulbs)

K4511

Transformer Kit K4500

WITH 12-16V TRANSFORMER (included in box)

Vinyl Laminate	Frame Finish
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

WITHOUT TRANSFORMER

Vinyl Laminate	Frame Finish
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

SMALL BLOCK STYLE FRAME WITH 4" NUMBERS

Two-Lamp Standard Address Light 9-1/2" W x 5-1/2" H x 2" E

Uses (2) 5.6 Watts Wedge Base T3.25 Lamps White Acrylic Diffuser



REPLACEMENT PARTS FOR SMALL BLOCK FRAME WITH 4" NUMBERS

Acrylic Number Panel

(Black Vinyl)

(Brown Vinyl)

Please specify font style, background style and address number/s when

ordering this item

Bulbs (2 pack)

L5710

Socket Set (Includes bulbs)

K4510

Transformer Kit

K4500

LARGE BLOCK STYLE FRAME WITH 4" NUMBERS

Four-Lamp Standard Address Light 14-1/2" W x 5-1/2" H x 2" E

Uses (4) 4.29 Watt Wedge Base T3.25 Lamps White Acrylic Diffuser



REPLACEMENT PARTS FOR LARGE BLOCK FRAME WITH 4" NUMBERS

Acrylic Number Panel

(Black Vinyl)

(Brown Vinyl)

Please specify font style, background

style and address number/s when ordering this item

Bulbs (4 pack)

L5711

Socket Set (Includes bulbs)

K4511

Transformer Kit

K4500

WITH 12-16V TRANSFORMER (included in box)

Vinyl Laminate	Frame Finish
Black	Antique Brass
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Antique Brass
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

WITHOUT TRANSFORMER

Vinyl Laminate	Frame Finish
Brown	Antique Brass
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Antique Brass
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

WITH 12-16V TRANSFORMER (included in box)

Vinyl Laminate	Frame Finish
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

WITHOUT TRANSFORMER

Vinyl Laminate	Frame Finish
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

SMALL TIERED FRAME WITH 4" NUMBERS

Two-Lamp Stepped Address Light 10-1/2" W x 6-3/4" H x 2" E

Uses (2) 5.6 Watts Wedge Base T3.25 Lamps White Acrylic Diffuser



REPLACEMENT PARTS FOR SMALL TIERED FRAME WITH 4" NUMBERS

Acrylic Number Panel (Black Vinyl)

(Brown Vinyl)

Please specify font style, background style and address number/s

when ordering this item

Bulbs (2 pack)

L5710

Socket Set (Includes bulbs)

K4510

Transformer Kit

K4500

LARGE TIERED FRAME WITH 4" NUMBERS

Four-Lamp Stepped Address Light 15-1/2" W x 6-3/4" H x 2" E Uses (4) 4.29 Watt Wedge Base T3.25 Lamps

White Acrylic Diffuser



REPLACEMENT PARTS FOR LARGE TIERED FRAME WITH 4" NUMBERS

Acrylic Number Panel

(Black Vinyl)

(Brown Vinyl)

Please specify font style, background style and address number/s

when ordering this item

Bulbs (4 pack)

L5711

Socket Set (Includes bulbs)

K4511

Transformer Kit K4500

WITH 12-16V TRANSFORMER (included in box)

Vinyl Laminate	Frame Finish
Black	Antique Brass
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Antique Brass
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

WITHOUT TRANSFORMER

Vinyl Laminate	Frame Finish
Black	Antique Brass
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Antique Brass
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

WITH 12-16V TRANSFORMER (included in box)

Frame Finish
Tuscan Bronze
White
Black
Antique Bronze
Bronze
Tuscan Silver
Tuscan Bronze
White
Black
Antique Bronze
Bronze
Tuscan Silver

WITHOUT TRANSFORMER

Vinyl Laminate	Frame Finish
Black	Tuscan Bronze
Black	White
Black	Black
Black	Antique Bronze
Black	Bronze
Black	Tuscan Silver
Brown	Tuscan Bronze
Brown	White
Brown	Black
Brown	Antique Bronze
Brown	Bronze
Brown	Tuscan Silver

ADDRESS LIGHT REPLACEMENT PARTS

IMPORTANT: PLEASE INDICATE THE BACKGROUND STYLE, NUMBER STYLE AND ADDRESS WHEN ORDERING REPLACEMENT PANELS.



2 Light Socket Set Double Headed Socket Harness 2 Bulbs Small address light units have a double headed socket that holds a total of 2 bulbs



4 Light Socket Set Dual Double Headed Socket Harness 4 Bulbs Large address light units have 2 double headed socket that holds a total of 4 bulbs



Light Bulbs for Small Address Lights 2-5.6W Wedge Base T3.25 Lamps Pack of 2



Light Bulbs for Large Address Lights 4-4.29W Wedge Base T3.25 Lamps Pack of 4



12-16V Transformer Kit Plug-in type low voltage transformer 25 Feet of Low Voltage Wire Mounting Hardware Easy to follow Instructions

ADDRESS LIGHT REPLACEMENT PARTS

IMPORTANT: PLEASE INDICATE THE BACKGROUND STYLE, NUMBER STYLE AND ADDRESS WHEN ORDERING REPLACEMENT PANELS.

Small Address Panel w/4" Numbers 9-1/4"W - 5-1/4"H White Acrylic Diffuser

Black

Brown



Large Address Panel w/4" Numbers 14-1/4"W - 5-1/4"H White Acrylic Diffuser

Black

Brown



Large Address Panel w/6" Numbers 14-1/4"W - 7-1/4"H White Acrylic Diffuser

Black

Brown

SUNSET ADDRESS LIGHTS ORDERING INSTRUCTIONS

Address lights are custom made and therefore require the following when ordering:

Step 1 - Select the address light by indicating the item number listed on the previous pages

Step 2 - Select your desired custom number panel shown below.

Step 3 - Indicate the address numbers needed

ADDRESS NUMBER PANEL OPTIONS - STEP 2

12345

BLOCK FONT WITH LIGHT **BACKGROUND** 12345

FANCY FONT WITH LIGHT **BACKGROUND**

BLOCK FONT WITH DARK **BACKGROUND**

FANCY FONT WITH DARK **BACKGROUND**

SAMPLE ORDERING INFORMATION




To order the fixture shown first find the number on the previous page. Next, submit your order with the following information



To order the fixture shown first find the number on the previous page. Next, submit your order with the following information

ADDRESS LIGHT FRAME FINISHES



DO-IT-YOURSELF ADDRESS LIGHT



(WH)

White Do-It-Yourself Address Light 12-16V Transformer 12"W - 5-1/4"H - 2"E 2-5.6W Wedge Base T3.25 White Acrylic Diffuser Includes Glue and 3 Foot Wire Numbers Not Included



Black 4" Single Digit Numbers for Do-It-Yourself Address Lights (sold in packs of 10)

