

**ROUGH SOLD
SEPARATELY**



Purchase MultiChoice®
Universal Valve
R10000-UNBXHF to
complete the unit

ADDITIONAL INFORMATION

**NUMBER OF SPRAY
SETTINGS**
1 spray

CARTRIDGE
Included

ADA COMPLIANT
Yes

**WATERSENSE®
LABELED PRODUCT**
Yes



see what Delta can do™

DIMENSIONS

SHOWER ARM LENGTH

5.5 inches



SHOWER HEAD WIDTH

5.25 inches



VALVE TRIM WIDTH

6 inches

HOLES FOR INSTALLATION



ADDITIONAL INFORMATION

MINIMUM CLEARANCE TO BACKSPLASH

2.5 inches

DRAIN ASSEMBLY

Included

SUPPLY LINES

Included

MAXIMUM DECK THICKNESS

2.69 inches

HOLE SIZE

1.13–1.5 inches

WATER SUPPLY CONNECTION

.375 inches



see what Delta can do™

DIMENSIONS

SPOUT REACH 4.81 inches



HEIGHT 6.44 inches



OPTIONAL DECK PLATE

Purchase RP76702BL separately

Covers pre-existing holes

6.13 inches wide

HOLES FOR INSTALLATION



ADDITIONAL INFORMATION

MINIMUM CLEARANCE TO BACKSPASH

2.5 inches

DRAIN ASSEMBLY

Included

SUPPLY LINES

Included

MAXIMUM DECK THICKNESS

2.25 inches

HOLE SIZE

1.25–1.5 inches

WATER SUPPLY CONNECTION

.375 inches



see what Delta can do™

DIMENSIONS

SPOUT REACH 3.5 inches



HEIGHT 5.88 inches



OPTIONAL DECK PLATE

Purchase RP78359BL separately

Covers pre-existing holes

6 inches wide

**ROUGH SOLD
SEPARATELY**



Purchase MultiChoice®
Universal Valve
R10000-UNBXHF to
complete the unit

ADDITIONAL INFORMATION

NUMBER OF SPRAY SETTINGS

4 sprays

CARTRIDGE

Included

HOSE

60–82-inch stretchable,
metal hose

ADA COMPLIANT

Yes

WATERSENSE® LABELED PRODUCT

Yes



see what Delta can do™

DIMENSIONS

SHOWER ARM LENGTH

5.5 inches



**SHOWER HEAD AND
HAND SHOWER LENGTH**
10.38 inches



VALVE TRIM WIDTH

6 inches

**ROUGH SOLD
SEPARATELY**



Purchase MultiChoice®
Universal Valve
R10000-UNBX to
complete the unit

ADDITIONAL INFORMATION

**NUMBER OF SPRAY
SETTINGS**
4 sprays

CARTRIDGE
Included

**TUB SPOUT
INSTALLATION**
Copper sweat

HOSE
60–82-inch stretchable,
metal hose

**WATERSENSE®
LABELED PRODUCT**
Yes



see what Delta can do™

DIMENSIONS

SHOWER ARM LENGTH

5.5 inches



**SHOWER HEAD AND
HAND SHOWER LENGTH**
10.38 inches



VALVE TRIM WIDTH
6 inches




TUB SPOUT LENGTH
7.94 inches

TUB DROP
8-18 inches



HOLES FOR INSTALLATION



ADDITIONAL INFORMATION

**MINIMUM CLEARANCE
TO BACKSPLASH**
1.25 inches

DRAIN ASSEMBLY
Included

SUPPLY LINES
Included

**MAXIMUM DECK
THICKNESS**
2.5 inches

HOLE SIZE
1.25–1.5 inches

**WATER SUPPLY
CONNECTION**
.375 inches



see what Delta can do™

DIMENSIONS

