

BRANHAM_{TM}

Features

- Vitreous china
- Washout stall
- 3/4" top spud
- 0.5 gpf (1.9 lpf) or 1.0 gpf (3.8 lpf)

URINAL **K-4920-T**

ADA

Codes/Standards Applicable

Specified model meets or exceeds the following:

- ADA
- ICC/ANSI A117.1
- ASME A112.19.2/CSA B45.1



Colors/Finishes

- 0: White
- Other: Refer to Price Book for additional colors/finishes

Accessories

- 0: White
- CP: Polished Chrome
- NA: None applicable
- Other: Refer to Price Book for additional colors/finishes

Specified Model

Model	Description	Colors/Finishes		
K-4920-T	3/4" top spud stall urinal	□ 0	☐ Other	
Recommended Accessories				
K-9172	Strainer with china grate	□ NA		
K-9183	Strainer with stainless steel beehive grate	□ NA		
K-10675	WAVE exposed washout urinal flushometer – 0.5 gpf (1.9 lpf)		□ CP	
K-10676	WAVE exposed washout urinal flushometer – 1.0 gpf (3.8 lpf)r		□ CP	
K-10958	Touchless DC washout urinal flushometer – 0.5 gpf (1.9 lpf)		□ CP	
K-10960	Touchless DC washout urinal flushometer – 1.0 gpf (3.8 lpf)		□ CP	
K-13518	Manual washdown urinal flushometer – 1.0 gpf (3.8 lpf)		□ CP	
K-13519	Manual washdown urinal flushometer - 0.5 gpf (1.9 lpf)		□ CP	

Product Specification

Washout stall urinal shall be made of vitreous china with a 3/4" top spud. Urinal shall use 0.5 gpf (1.9 lpf) or 1.0 gpf (3.8 lpf). Urinal shall be Kohler Model K-4920-T-____.

BRANHAM_{TM}

Optional Accessories				
K-4931	Seam cover [for urinal set on 21" (533 mm) centers]	□ 0	☐ Other	
K-4932	Seam cover [for urinal set on 24" (610 mm) centers]	□ 0	☐ Other	
K-13686	Touchless battery-powered urinal flushometer, fixture mounted	□G		

Technical Information

Fixture:			
Configuration	Top spud		
Water per flush	0.5 gal (1.9 L) or 1.0 gal (3.8 L)*		
Spud inlet size	3/4"		
* Designed to the state of the OF and (4 O I) and O and (0 O I)			

^{*} Designed to flush with 0.5 gal (1.9 L) or 1.0 gal (3.8 L) of water when installed with a water-saving flushometer.

Included components:	
Spud	18774


Installation Notes

Install this product according to the installation guide.

For proper drainage, install lip of urinal below floor level.

Refer to manufacturer's instructions and local codes for flushometer requirements.

Will comply with ADA, ICC/ANSI A117.1 when installed per Section 605 Urinals of the Act.



Product Diagram

