

Received Date: November 12, 2024 Report Date: November 19, 2024

PASS

SUBMITTER

Ningbo Jiangbei Fufu Electronic Commerce Co Ltd Room 702, No.1, Huamao Headquarters, Southern Business District, Yinzhou District, Ningbo, Zhejiang, China



WAYFAIR SKU	WA	YF	AIR	SKU	ı
--------------------	----	----	-----	-----	---

JMBB1222

SUPPLIER PART ID

KF250022-01+02

PRODUCT DESCRIPTION

WOODEN SHELF

EXECUTIVE SUMMARY

The submitted sample(s) MEET all the tested requirement(s).

REMARKS

/

GENERAL INFORMATION

Andy Fan / Cici Huang

(+86)755-32980214 / 86135570

Andy.fan@bureauveritas.com Cici.huang@bureauveritas.com

contents.

SIGNATURES

BUREAU VERITAS SHENZHEN CO., LTD




Sure Fu SENIOR TECHNICAL MANAGER HARDLINES DIVISION

Bureau Veritas Shenzhen Co., Ltd 1st Floor, Building 4, Hongchuang Science and Technology Center, Longhua District Shenzhen, Guangdong Province, China.

Tel: 86-755-86185200 Fax: 86-755-

86185206 www.bureauveritas.com/cps







VERITAS	
VENDOR NAME	NINGBO JIANGBEI FUFU ELECTRONIC COMMERCE CO LTD
AGENT NAME	1
FACTORY NAME	DONGGUAN MINGHAO SMART HOME TECHNOLOGY CO.,LTD.
SUPPLIER ID NUMBER	1
RELATED PROJECT NAME	1
PHASE	Testing
TEST TYPE	Pre-Shipment (Production)
REASON FOR TESTING	Wayfair SH/US Request
MANUFACTURER PART ID	KF250022-01+02
UPC CODE	1
PURCHASE ORDER NUMBER	1
COUNTRY OF DESTINATION	UNITED STATES
COLOR(S) SUBMITTED	N/A
LOT NUMBER	1
LABELLED AGE GRADE	NOT PRESENT
APPROPRIATE AGE GRADE	N/A (Adult)
CLIENT SPECIFIED AGE GRADE	/
TESTED AGE GRADE	Adult
SUPPLIER REFERENCE NUMBER	1
COUNTRY OF ORIGIN	CHINA
SUBMITTED FIBER CONTENT	1
ACTUAL FIBER CONTENT	1
SUGGESTED FIBER CONTENT	1
SUBMITTED CARE INSTRUCTION(S)	/
CLIENT EXPECTED CARE INSTRUCTION	/
SUGGESTED CARE INSTRUCTION(S)	/



PROTOCOL NUMBER	WAYF-HL-PTCL-03042-GBL-CABINETS-V14, CPSD-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V140, WAYF-GB-PTCL-08444-USA-CPSIA REQUIREMENTS SUPPLEMENT-V2, WAYF-AN-PTCL-09062.02-GBL-1 STAR ONLY-TPCH SUPPLEMENTAL-V1, WAYF-HL-PTCL-09067-GBL-PACKAGING AND LABELING REQUIREMENTS-V2
PROTOCOL STAR LEVEL	
FAIL RETEST	NO
PREVIOUS REPORT NUMBER	1
RETEST SAMPLE NUMBER	1
REPORT EXPIRATION DATE	1



TEST DES	IIII TE EA	D WOOD	EN SHELF
	ULISIC	Γ	EN SHELL

	REQUIREMENTS	RESULTS	RATING				
Country of origin marki	ng (19 CFR 134)		<u> </u>				
on and the second secon	WAYF-HL-09067-GBL Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.						
PA TSCA title VI-Comp	posite wood-Declaration form and mill cert. (40 CFR 770						
	Meet	PASS					
EPA TSCA Title VI-Com	posite wood-Finished good labeling (40 CFR 770.45(c) 8	& (e))					
	WAYF-HL-09067-GBL Finished goods containing regulated composite wood shall comply with the labeling requirements in 40 CFR 770.45(c) unless qualifies for the de minimis exception in 40 CFR 770.45(e).	Meet	PASS				
ARB-Composite wood	I-Declaration form and mill cert. (Title 17, CCR §93120)						
CARB-Composite wood	H-Declaration form and mill cert. (Title 17, CCR §93120) WAYF-HL-09067-GBL If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form.	Meet	PASS				
CARB-Composite wood	WAYF-HL-09067-GBL If wood of any type is present in the sample, submitter shall	Meet	PASS				
	WAYF-HL-09067-GBL If wood of any type is present in the sample, submitter shall	Meet	PASS				
	WAYF-HL-09067-GBL If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form.	Meet	PASS				
	WAYF-HL-09067-GBL If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. I-Finished good labeling (Title 17, CCR §93120.7(d)) WAYF-HL-09067-GBL Finished goods containing regulated composite wood shall comply with the labeling requirements for fabricators found in						
CARB–Composite wood	WAYF-HL-09067-GBL If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. I-Finished good labeling (Title 17, CCR §93120.7(d)) WAYF-HL-09067-GBL Finished goods containing regulated composite wood shall comply with the labeling requirements for fabricators found in						



_								_					_						_
т	=	91		Œ	311	ΙТ	S		٦E	- 14	IN	n	ח	15	AL.	SI.	-15		F.
	_	-,	_	4-6		_	v		-46			v	_	-		vi		77	

Clothing storage units - Labeling (16 CFR 1261 / ASTM F2057-23)									
	WAYF-HL-03042-GBL Shall comply with labeling requirements as specified in the standard.	Meet See data table	PASS						
	16 CFR 1261 incorporated by reference to the ASTM F2057-23 with no modification.								

Heavy metals in packaging (TPCH)									
	WAYF-AN-09062.02-GBL-1 STAR ONLY Packaging and packaging component(s) shall not exceed 100 mg/kg sum of concentration levels of lead (Pb), cadmium (Cd), mercury (Hg) and hexavalent chromium (Cr VI).	Meet See result table	PASS						

Total lead in surface coating (16 CFR 1303 / Consumer Product Safety Improvement Act of 2008)									
	WAYF-GB-08444-USA, WAYF-HL-03042-GBL Accessible surface coating(s) in the assembled state on adult furniture[Excl. factory applied coating on metal] & household paint(s) shall not exceed 90mg/kg of total Pb.	Meet See result table	PASS						

Clothing storage units - Physical & Mechanical (16 CFR 1261 / ASTM F2057-23)									
	WAYF-HL-03042-GBL Shall comply with physical and mechanical requirements (e.g. interlock, stability, tipover restraints) as specified in the standards. 16 CFR 1261 incorporated by reference to the ASTM F2057-23 with no modification.	Meet See data table	PASS						



Received Date: November 12, 2024 Report Date: November 19, 2024

ADDITIONAL TEST RESULTS FOR WOODEN SHELF

Toxics in Packaging - U.S. CONEG Legislation

Toxics in Packaging - Model Toxics in Packaging Legislation of the Toxics in Packaging Clearinghouse (TPCH)

Parameter	Unit			Maximum Allowable Limit					
		1	2	3	4	5	6	7	
Total Lead (Pb)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Total Cadmium (Cd)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Chromium VI (Cr VI) (see remark)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Total Mercury (Hg)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Sum	mg/kg	<20	<20	<20	<20	<20	<20	<20	100
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS	-

Parameter	Unit				Maximum Allowable Limit				
		8	9	10	11	12	13	14	
Total Lead (Pb)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Total Cadmium (Cd)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Chromium VI (Cr VI) (see remark)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Total Mercury (Hg)	mg/kg	<5	<5	<5	<5	<5	<5	<5	-
Sum	mg/kg	<20	<20	<20	<20	<20	<20	<20	100
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS	-

Sample Description					
	Color / Component	Location	Style		
1	red / black / yellow printed brown paper board	box	All		
2	brown paper board	small box	All		
3	soft brown paper board	flat paper board	All		
4	bright brown paper board	protection pad	All		
5	white paper	paper sheet	All		
6	black printed white paper	instruction	All		
7	black printed white paper sticker	paper sticker	All		
8	white foam	thick foam	All		
9	soft white foam	thin foam	All		
10	clear adhesive tape	adhesive tape	All		
11	red printed transparent plastic	seal bag	All		
12	translucent plastic	zipper seal bag	All		
13	white adhesive tape	adhesive tape	All		
14	transparent plastic	small polybag	All		

Note: mg/kg = milligram per kilogram

"<" = less than

Method: 1. Pb, Cd & Hg: Sample was digested with nitric acid and then analyzed by Inductively Coupled Argon Plasma Spectrometer or Inductively Coupled Argon Plasma Mass Spectrometer.

2. Cr(VI): Sample was digested with alkaline mixtures and then analyzed by UV-VIS spectrophotometer.

Remark: Total chromium was determined.



Received Date: November 12, 2024 Report Date: November 19, 2024

ADDITIONAL TEST RESULTS FOR WOODEN SHELF

TOTAL LEAD CONTENT IN SURFACE COATING

□ Consumer Product Safety Improvement Act (CPSIA) of 2008 Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint",(16 CFR 1303) Canadian Hazardous Products Act (CHPA), R.S., c. H-3, Schedule I, Part 1, Item 2

Gundani Hazardoue i Foddote Not (Gin Ny, Niel, Gin G, Contodute I, Fair I, Roin 2										
	□ NO COMPOSITE ⊠ COMPOSITE									
Ele	ement:			Lead						
Re	quirement: Maximum	allowable limit:								
☐CHPA limit:				☐ 600 mg/kg						
⊠CPSIA limit :										
Sample Description			Result	Cond	clusion					
	Color / Component	Location	Style	(mg/kg)	⊠CPSIA (90ppm)	□CHPA (600ppm)				
1	Golden coating	Handle	All	<10	⊠PASS	□PASS				
	Black coating	Slide	All		□FAIL	□FAIL				

L	T = Less Than
*	= Average of duplicate analyses

mg/kg = milligrams per kilogram (ppm = parts per million) Detection Limit (ppm):10

In some cases, the tested component cannot be tested individually due to overlapped coatings.

CPSIA Third Party Report (☐COULD/ ☐COULDN'T/☒NO COMMENT) be issued.



Received Date: November 12, 2024 Report Date: November 19, 2024

ADDITIONAL TEST RESULTS FOR WOODEN SHELF

Evaluation	Citation / Method	Criteria	Result	Rating
Clothing storage unit safety standard	16 CFR 1261 / ASTM F2057-23	Applicable to all free-standing clothing storage units, including but not limited to chests, chests of drawers, drawer chests, armoires, chifferobes, bureaus, door chests, and dressers, which are 27 in. (686 mm) or greater in height, 30 lb (13.6 kg) or greater in mass, and contain 3.2 ft3 (90.6 dm3) or greater of enclosed storage volume. Shall comply with ALL sections of ASTM F2057-	M	PASS
Clothing storage unit safety	ASTM F2057-23 Section 4,	23. Shall comply with all performance requirements of ASTM F2057-23 when tested to section 4 and 9 with the unit set up in accordance with 8.1 of	М	PASS
standard Clothing storage unit safety standard	Section 9 ASTM F2057-23 Section 10	ASTM F2057-23. Shall comply with all marking and labelling requirements of ASTM F2057-23	М	PASS
Clothing storage unit safety standard	ASTM F3096-23	Shall comply with all performance, labelling and instruction requirements of ASTM F3096-23	М	PASS
Clothing storage units - Anti-tip device – Presence	16 CFR 1261 / ASTM F2057-23 Sec 4.4	An anti-tip device shall be included with each item of furniture covered under the scope of this safety specification for attachment by the consumer.	M	PASS
Clothing storage units - Tipover restraints - Test method	16 CFR 1261 / ASTM F2057-23 Sec. 4.5 / ASTM F3096-23 Section 4	The tip over restraint shall withstand a force of 60 lb when tested to section 4 of ASTM F3096	M	PASS
Clothing storage units - Tipover restraints - Installation instructions	16 CFR 1261 / ASTM F2057-23 Sec. 4.5 / ASTM F3096-23 Section 5.1	Installation instructions shall include at a minimum the following: Illustration showing installation method. Detailed written instructions with step-by-step instructions on how to properly attach the tipover restraint. Parts list including illustrations.	М	PASS
Clothing storage units - Tipover restraints - installation instructions	16 CFR 1261 /ASTM F2057-23 Sec. 4.5 / ASTM F3096-23 Section 5.2	Clear and complete installation instructions for the tipover restraint shall be included.	М	PASS
Clothing storage units - Tipover restraints - Labelling Requirements	16 CFR 1261 / ASTM F2057-23 Sec. 4.5 / ASTM F3096-23 Section 6	The following information shall be provided with each tipover restraint: Manufacturer's name and address. Date of manufacture (capable of identifying at a minimum the month and year of manufacture).	М	PASS
Clothing storage units	16 CFR 1261 / ASTM	Interlocks shall not require additional consumer action to engage during normal operation of the	NA	/



Received Date: November 12, 2024 Report Date: November 19, 2024

ADDITIONAL TEST RESULTS FOR WOODEN SHELF

- Interlock Requirement	F2057-23 Sec 4.6 & 9.1	extendible element Interlocks shall not require consumer assembly and/or installation if the unit is shipped assembled, except as allowed in 4.6.1.1. Consumer assembly and/or installation of interlock components as part of the normal consumer assembly process is allowed for items shipped/sold unassembled. When tested to 9.1, the extendible element shall be considered interlocked to the open extendible element if either: (1) it remains closed during the test and is functional after tested extendible element is closed; or (2) its opening acts to close the extendible element originally open.		
Clothing storage units - Stability Test - Simulated Clothing Load	16 CFR 1261 / ASTM F2057-23 Sec 9.2.1/ASTM F2057-23 Sec 4.1,4.2,4.3	If 50% or more of the storage volume is extended, determine the weight for loading the extendable elements and/or space behind the doors based on the volume calculated in Section 5.4. Load per Section 8.3. 3 If less than 50% of the storage volume is extended, the unit shall remain empty. Open all doors and extend all available extendible elements in accordance with Section 8.1.3. Elements shall remain open for 30 s. The unit shall not tip over during the test	М	PASS
Clothing storage units - Stability test - Simulated Horizontal Dynamic Force	16 CFR 1261 / ASTM F2057-23 Sec 9.2.2/Sec 4.1,4.2,4.3	Open all doors and all available extendable elements Apply 10 lbf (44 N) horizontal force, parallel to the direction of outward motion at the highest hand hold height, not to exceed 56 in on the extended element most likely to cause tip over This can be on an extendable element or door handle, whichever is highest, but not exceeding 56 in The unit shall not tip over during the test	М	PASS
Clothing storage units - Stability test - Simulating a Reaction on Carpet with Child Weight:	16 CFR 1261 /16 CFR 1261 / ASTM F2057-23 Sec 9.2.3/Sec 4.1,4.2,4.3	Place the Test block(s) under the unit's most rear floor support(s), such as a leg, foot or upright Open all doors and all available extendable elements Gradually, over period of 5 seconds, apply the test apparatus with 60lb over the top of the door or extendable element most likely to cause tipover. Allow to rest without support for 30 seconds The unit shall not tip over during the test NOTE: Conduct multiple tests if it is not clear which element is most likely to cause tip over	М	PASS
Clothing storage units - Permanency of Labels and Warnings - Paper	16 CFR 1261 /ASTM F2057-23 Sec 9.3.1	A paper label shall be considered permanent if, during an attempt to remove it without the aid of tools or solvents, it cannot be removed, it tears into pieces upon removal, or such action damages the surface to which it is attached.	M	PASS
Clothing storage units - Permanency of Labels and Warnings —	16 CFR 1261 / ASTM F2057-23 Sec 9.3.2	A non-paper label shall be considered permanent if, during an attempt to remove it without the aid of tools or solvents, it cannot be removed or such action damages the surface to which it is attached.	NA	/



Received Date: November 12, 2024 Report Date: November 19, 2024

ADDITIONAL TEST RESULTS FOR WOODEN SHELF

Non-Paper				
Non-i apei				
Clothing storage units - Permanency of Labels and Warnings — Applied Directly	16 CFR 1261 / ASTM F2057-23 Sec 9.3.3	The warning statements shall be considered permanent if the printing in the area tested per Method B – Cross-Cut Tape Test of Test Methods D3359 eliminating parallel cuts. is still legible and attached after being subjected to this test.	NA	/
Clothing storage units - Warnings on Product:	16 CFR 1261 / ASTM F2057-23 Sec 10.1	Each clothing storage unit shall be permanently marked in at least one place with the warnings from this section. The warnings shall be in a conspicuous location when in use. The warnings shall be applied on one surface, not wrapped or	М	PASS
	16 CFR 1261	folded around or over corners.	M	PASS
Clothing storage units - Warnings Format and Content:	/ASTM F2057-23 Sec 10.2	The warnings shall be formatted in a manner consistent with ANSI Z535.4. see below photo as an example. The contents of the warnings shall not be modified except as specifically indicated above and/or to include languages other than English. The warnings shall be permanent when tested in accordance with 9.3.1, 9.3.2, or 9.3.3 as appropriate. A WARNING Children have died from		7,00
		furniture tipover. To reduce the risk of furniture tipover: -ALWAYS install Anti-tip device providedNEVER put a TV on this productNEVER allow children to stand, climb or hang on drawers, doors, or shelvesNEVER open more than one drawer at a timePlace heaviest items in the lowest drawers. This is a permanent label. Do not remove!		

Enclosed storage volume specification

Evaluation	Data
Overall Height	74.255in
Overall weight	276.5lbs
Total Enclosed Storage Volume	18.19ft ³

Enclosed Storage Component	_		Volume (ft ³)	Total Volume (ft3)	
Shelf x 1	30.5in W x 19.75in D x	14193.46	8.21	18.19	



Received Date: November 12, 2024 Report Date: November 19, 2024

ADDITIONAL TEST RESULTS FOR WOODEN SHELF

	47.125in H		
Shelf x 1	14.75in W x 19.75in D x 13.625in H	1984.57	1.15
Shelf x 1	14.75in W x 19.75in D x 16.125in H	2348.71	1.36
Shelf x 1	14.75in W x 19.75in D x 16.25in H	2366.91	1.37
Drawer x 2	28.375in W x 15.375in D x 8.5in H	3653.72 x 2	2.11 x 2
Drawer x 2	12.625in W x 15.375in D x 8.5in H	1625.67 x 2	0.94 x 2



Received Date: November 12, 2024 Report Date: November 19, 2024

EXHIBIT PHOTO(S)





Received Date: November 12, 2024 Report Date: November 19, 2024



Certificate No. BJ/EPA/2023/02/2001

The Manufacturer

Fujian Yongan Forestry (Group) Joint Stock Co.,Ltd.

福建省永安林业(集团)股份有限公司 永安人造板厂

No 69,Meiyuan Road, Yong An City, Fujian Province, China 中国福建省永安市梅苑路 69 号

for manufacturing of composite wood products listed below has been certified by SGS-CSTC Standards Technical Services Co., Ltd. as meeting section 40 CFR 770.15, Title VI, Toxic Substances Control Act. Certification Model: Type test + initial factory inspection + surveillance after certification Certification Scheme: PC-EPA-SP-001 EPA TSCA Composite Wood Products Certification

The Manufacturer demonstrates composite wood products listed below complying with 40 CFR 770.10, Title VI, Toxic Substances Control Act.

Certified Composite Wood Product: Medium Density Fiberboard Specification: 8.2mm/9mm/12mm/15mm/18mm/25mm Certified Composite Wood Product: Thin Medium Density Fiberboard Specification: 3.8mm/4.5mm/4.7mm/4.8mm/5.8mm/6mm

US EPATSCA TITLE VI www.sgs.com/epa

This certificate is for the composite wood products manufacturing at the production facility stated above. The production facility meets the quality assurance requirements stated in section 40 CFR 770.20-22, 40 CFR 770.24, 40 CFR 770.40 and 40 CFR 770.45, Title VI, Toxic Substance Control Act

This certificate is valid only if subsequent verification is conducted and the manufacturer continuously meet the requirements stated in sections, 40 CFR 770.40-22, 40 CFR 770.44 or CFR 770.45 Title VI, Toxic Substances Control Act

This certificate (Issue1) is issued on 2023-02-24 and valid until 2025-02-23

sections, 0.40 and ontrol Act 中国认可 产品 PRODUCT CNAS C033-P


Authorised by

Product Certification Center SGS-CSTC Standards Technical Services Co., Ltd. (CARB TPC 47) A-16F, Century Yuhui Mansion, No. 73, Fucheng Road, Beijing,China t +(86)(10)6845 6699 www.sgsgroup.com.on






Received Date: November 12, 2024 Report Date: November 19, 2024





Received Date: November 12, 2024 Report Date: November 19, 2024





Manufacturan	Denganon	Winshaa	Smout Home 7	Cashnalagu Ca	T+J		
Manufacturer name:							
Address:	Building	1. Zhiwei	Road, Daojlao	Town, Dongguan	City, Guangdong	Province, China	
Production Date:	10/2024						



Received Date: November 12, 2024 Report Date: November 19, 2024

		CPSD-GB-08616.01-FORM		
	DECLARATION FORM EPA TSCA TITLE VI	Version No.:	5	
UREAU	CARB §93120 ATCM FOR FORMALDEHYDE	Business Line:	GB	

Section A – Sample Information: This section must be completed Sample Description: Wooden shelf Item/SKU Number: KF250022-01+02 Indicate if the sample is a: Panel Finished Good Section B - EPA TSCA Title VI Applicability: This section must be completed. The regulation can be viewed at: http://www.epa.gov/formaldehyde Composite wood is not present in the sample. If checked, proceed directly to Section C □ Composite wood is present in the sample and: If checked, indicate if regulated and/or exempt. Then proceed to Section C. Regulated according to 40 CFR 770 If checked, answer the following three questions and complete the chart in Section D. 1. Indicate the type(s) of regulated composite wood (check all that apply): ☐ Hardwood plywood – veneer core (HWPW-VC) ☐ Hardwood plywood – composite core (HWPW-CC) ✓ Medium-density fiberboard (MDF)✓ Thin medium-density fiberboard (Thin MDF) ☐ Particleboard (PB) 2. Indicate laminated product status under §770.4 (effective after March 22, 2024 for laminated portion): Sample is not a laminated product ☐ Sample is a laminated product and: ☐ Laminated portion is not exempt from the definition of hardwood plywood per §770.4 ☐ Laminated portion is exempt from the definition of hardwood plywood per §770.4(a)(1) ☐ Laminated portion **is** exempt from the definition of hardwood plywood per §770.4(a)(2) 3. For finished goods, indicate if labeling is present according to §770.45(c): Sample is not a finished good Sample is a finished good and: Labeling is not present Labeling is not present and not required per §770.45(e) □ Labeling is present ■ Exempt according to 40 CFR 770 Indicate the type(s) of exempt composite wood (check all that apply): Hardboard Oriented strand board ☐ Curved plywood ☐ §770.1(d) ☐ §770.1(e)(1) ☐ §770.1(e)(2) Other List other type(s) of exempt composite wood and explain exemption:

Page 1 of 3



Cover 1	COMPOSITE WOOD SAMPLE
	DECLARATION FORM
1828	EPA TSCA TITLE VI
ERITAS	CARB §93120 ATCM FOR FORMALDEHYDE

CPSD-GB-08616.01-FORM Version No.: 5

VERTITAS CARB §93120 ATCM FOR FORMALDEHYDE	Business Line:	GB
Section C – CARB §93120 ATCM for Formaldehyde Applicability This section must be completed. The regulation can be viewed at: http://www.arb.ca.gov/tox		wood.htn
Indicate if the sample will be sold in California. If "No" is checked, complete Section D if nec proceed to Section E. If "Yes" is checked, complete the remainder of this section. No Yes	essary from Section E	3, then
Composite wood is not present in the sample. If checked, proceed directly to Section E.		
Composite wood is present in the sample and: If checked, indicate if regulated and/or exempt. Then proceed to Section E.		
Regulated according to the ATCM. If checked, answer the following two questions and complete the chart in Section	D.	
1. Indicate the type(s) of regulated composite wood (check all that apply): Hardwood plywood – veneer core (HWPW-VC) Hardwood plywood – composite core (HWPW-CC) Medium-density fiberboard (MDF) Thin medium-density fiberboard (Thin MDF) Particleboard (PB)		
2. For finished goods, indicate if labeling is present according to §93120.7(d): ☐ Sample is not a finished good ☐ Sample is a finished good and: ☐ Labeling is not present ☐ Labeling is present		
Exempt according to the ATCM. Indicate the type(s) of exempt composite wood (check all that apply): ☐ Hardboard ☐ Oriented strand board ☐ Curved plywood ☐ §93120.7(b)(1) ☐ §93120.7(b)(2)(A) ☐ §93120.7(b)(2)(B) ☐ Other List other type(s) of exempt composite wood and explain exemption	n:	

Page 2 of 3



Received Date: November 12, 2024 Report Date: November 19, 2024

COMPOSITE WOOD SAMPLE **DECLARATION FORM EPA TSCA TITLE VI** CARB §93120 ATCM FOR FORMALDEHYDE

CPSD-GB-08616.01-FORM Version No.: 5 Business Line: GB

Section D -Regulated Composite Wood Details:

od is present in the sample as declared in Section B and/or Section C. Upon completion of this section, proceed to

Panel Types and Emission Limits Reference:
Hardwood plywood (HWPW) ≤ 0.05 ppm
Medium-density fibreboard (MDF) ≤ 0.11 ppm
Thin medium-density fibreboard (Thin MDF) ≤ 0.13 ppm
Particleboard (PB) ≤ 0.09 ppm

Examples of resin type include but are not limited to:

No-added formaldehyde-based (NAF) resin
Ultra low-emitting formaldehyde (ULEF) resin
Phenol-formaldehyde resin

Component of sample where composite wood is found:	Panel Type:	Emission Limit Met (ppm):	Resin Type:	Mill Name:	TPC Name:	TPC #:
Body	MDF	≤ 0.13 ppm	1	Fujian Yongan Forestry (Group) Joint Stock Co., Ltd.	SGS	BJ/EPA/2023/ 02/2001

Section E - Declaration Signature:

and provide a signature/ company chop.

- EPA TSCA Title VI / 40 CFR 770 is understood and if applicable, portions relevant to this sample have been met. CARB §83120 ATCM for Formaldehyde is understood and if applicable, portions relevant to this sample have been met. If a Third Party Certifier (TPC) is identified, it has been recognized by EPA and/or CARB. The required sections of this form have been completed accurately and truthfully.

Company Name:	Dongguan Minghao Smart Home Technology Co.,Ltd.
Company Address:	Building 1.Zhiwei Road,Daojlao Town,Dongguan City,GuangdongProvince,China
Date:	Oct. 30 ,2024
Name:	Zhou Yeping
Title:	MANAGER
Signature:	

Page 3 of 3

END OF REPORT