

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Sensor Operated Royal Water Closet flushometers with True Mechanical Override

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with True Mechanical Override button, Chrome Plated Wall Plate(s) with Vandal Resistant Screws –for Exposed flushometer for 1-1/2" Top Spud Bowls.

3450155	ROYAL 110 ESS TMO	3.5 gpf/13.2 Lpf	640.45	9.04	671254378537
3450065	ROYAL 111 ESS TMO	1.6 gpf/6.0 Lpf	640.45	9.04	671254372870
3450055	ROYAL 111-1.28 ESS TMO	1.28 gpf/4.8 Lpf	640.45	9.04	671254378254
3450265	ROYAL 113-1.6 ESS TMO	1.6 gpf/6.0 Lpf	645.00	9.04	671254385450
3450260	ROYAL 113-1.28 ESS TMO	1.28 gpf/4.8 Lpf	645.00	9.04	671254384569
3450310	ROYAL 115-1.6 ESS TMO	1.6 gpf/6.0 Lpf	654.10	9.04	671254378544
3450406	ROYAL 116-1.6 ESS TMO	1.6 gpf/6.0 Lpf	657.60	9.04	671254378513

Sensor Operated Royal® Water Closet flushometers

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, Chrome Plated Wall Plate(s) with Vandal Resistant Screws – for Exposed flushometer for 1-1/2" Top Spud Bowls.

3450147	ROYAL 110 ES-S	3.5 gpf/13.2 Lpf	607.75	8.60	671254138209
3450047	ROYAL 111 ES-S	1.6 gpf/6.0 Lpf	607.75	8.70	671254138193
3450049	ROYAL 111-1.28 ES-S	1.28 gpf/4.8 Lpf	607.75	9.04	671254340251
3450247	ROYAL 113 ES-S	3.5 gpf/13.2 Lpf	612.35	9.60	671254138216
3450249	ROYAL 113-1.6 ES-S	1.6 gpf/6.0 Lpf	612.35	9.60	671254138223
3450255	ROYAL 113-1.28 ES-S	1.28 gpf/4.8 Lpf	612.35	9.62	671254384279
3450347	ROYAL 115 ES-S	3.5 gpf/13.2 Lpf	621.40	9.70	671254138230
3450349	ROYAL 115-1.6 ES-S	1.6 gpf/6.0 Lpf	621.40	9.60	671254139114
3450447	ROYAL 116 ES-S	3.5 gpf/13.2 Lpf	624.90	10.00	671254139121
3450449	ROYAL 116-1.6 ES-S	1.6 gpf/6.0 Lpf	624.90	10.00	671254139138

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, Chrome Plated Wall Plate(s) with Vandal Resistant Screws – for Concealed flushometer for 1-1/2" Exposed Back Spud Bowls.

3451100	ROYAL 140 ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	600.95	12.00	671254138810
3451110	ROYAL 140 ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	600.95	12.00	671254138858
3451101	ROYAL 140-1.6 ES-S	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	600.95	12.00	671254138827
3451111	ROYAL 140-1.6 ES-S	11-3/4" – 12-3/4" LDIM 1.6 gpf/6.0 Lpf	600.95	12.00	671254138865

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.



ROYAL 110 ESS TMO



ROYAL 110 ES-S



ROYAL 140 ES-S

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, Chrome Plated Wall Plate(s) with Vandal Resistant Screws – for Concealed flushometer for 1-1/2" Concealed Back Spud Bowls.					
3451600	ROYAL 152 ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	553.90	11.50	671254138735
3451610	ROYAL 152 ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	553.90	11.50	671254138773
3451601	ROYAL 152-1.6 ES-S	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	553.90	11.50	671254138742
3451611	ROYAL 152-1.6 ES-S	11-3/4" – 12-3/4" LDIM 1.6 gpf/6.0 Lpf	553.90	11.50	671254138780
3451648	ROYAL 152-1.28 ES-S	2-3/4" – 10-3/4" LDIM 1.28 gpf/4.8 Lpf	553.90	11.50	671254343351
3451676	ROYAL 152-1.28 ES-S	11-3/4" – 12-3/4" LDIM 1.28 gpf/4.8 Lpf	553.90	9.80	671254386549

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, Chrome Plated Wall Plate(s) with Vandal Resistant Screws – for Concealed flushometer for 1-1/2" Exposed Top Spud Bowls.					
3451620	ROYAL 153 ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	640.85	12.00	671254138698
3451630	ROYAL 153 ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	640.85	12.00	671254138896
3451621	ROYAL 153-1.6 ES-S	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	640.85	12.00	671254138704
3451631	ROYAL 153-1.6 ES-S	11-3/4" – 12-3/4" LDIM 1.6 gpf/6.0 Lpf	640.85	12.00	671254138902
3451659	ROYAL 153-1.28 ES-S	2-3/4" – 10-3/4" LDIM 1.28 gpf/4.8 Lpf	640.82	12.00	671254386129

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

Sensor Operated Royal® Water Closet flushometer with Wall Box

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, 13" x 17" Wall Plate(s) with Stainless Steel Access Plate and Vandal Resistant Screws – for Concealed flushometer with Wall Box for 1-1/2" Exposed Back Spud Bowls.					
3451102	ROYAL 140-WB ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	891.90	21.50	671254138834
3451112	ROYAL 140-WB ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	891.90	21.50	671254138872
3451103	ROYAL 140-1.6-WB ES-S	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	891.90	21.50	671254138841
3451113	ROYAL 140-1.6-WB ES-S	11-3/4" – 12-3/4" LDIM 1.6 gpf/6.0 Lpf	891.90	21.50	671254138889
3451115	ROYAL 140-1.28-WB ES-S	2-3/4" – 10-3/4" LDIM 1.28 gpf/4.8 Lpf	891.90	21.79	671254370906

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, 13" x 17" Wall Plate(s) with Stainless Steel Access Plate and Vandal Resistant Screws – for Concealed flushometer with Wall Box for 1-1/2" Concealed Back Spud Bowls.					
3451602	ROYAL 152-WB ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	844.90	21.00	671254138759
3451612	ROYAL 152-WB ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	844.90	21.00	671254138797
3451603	ROYAL 152-1.6-WB ES-S	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	844.90	21.00	671254138766
3451613	ROYAL 152-1.6-WB ES-S	11-3/4" – 12-3/4" LDIM 1.6 gpf/6.0 Lpf	844.90	21.00	671254138803
3451649	ROYAL 152-1.28-WB ES-S	2-3/4" – 10-3/4" LDIM 1.28 gpf/4.8 Lpf	844.90	21.45	671254345652

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.



ROYAL 152 ES-S



ROYAL 153 ES-S



ROYAL 140-WB ES-S



ROYAL 152-WB ES-S

**Contact Your Local Sloan Representative

- (1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamina Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Throstatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Throstatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, 13" x 17" Wall Plate(s) with Stainless Steel Access Plate and Vandal Resistant Screws – for Concealed flushometer with Wall Box for 1-1/2" Exposed Top Spud Bowls.					
3451622	ROYAL 153-WB ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	931.85	21.50	671254138711
3451632	ROYAL 153-WB ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	931.85	21.50	671254138919
3451623	ROYAL 153-1.6-WB ES-S	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	931.85	21.50	671254138728
3451633	ROYAL 153-1.6-WB ES-S	11-3/4" – 12-3/4" LDIM 1.6 gpf/6.0 Lpf	931.85	21.50	671254138926
3451654	ROYAL 153-1.28-WB ES-S	2-3/4" – 10-3/4" LDIM 1.28 gpf/4.8 Lpf	931.85	22.10	671254354562

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

Sensor Operated Royal® Water Closet flushometer with Small Wall Box

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Piezo-technology Override button, 13" x 13" Stainless Steel Access Plate with Vandal Resistant Screws – for Concealed flushometer with Small Wall Box for 1-1/2" Concealed Back Spud Bowls.

—	ROYAL 152-SWB ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	844.90	18.00	—
3451653	ROYAL 152-1.6-SWB ES-S	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	844.90	18.00	671254352988
3451658	ROYAL 152-1.28-SWB ES-S	2-3/4" – 10-3/4" LDIM 1.28 gpf/4.8 Lpf	844.90	18.00	671254376748

Sensor Operated Royal® Water Closet flushometer with Surface Mount Sensor for Flushing Rim Floor Drains

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker with 1" IPS Outlet Connection. Surface Mount Water Closet Sensor with Chrome Plated Die Cast Housing, Piezo-technology Override Button and RJ-11 Sensor and Solenoid Connections – for Concealed flushometer for 1-1/2" Concealed Back Spud Bowls.

3451500	ROYAL 150 ES-SM	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	907.65	11.00	671254265639
3451501	ROYAL 150-1.6 ES-SM	2-3/4" – 10-3/4" LDIM 1.6 gpf/6.0 Lpf	907.65	11.00	671254265646

Sensor Operated Royal® Water Closet flushometer with Surface Mount Sensor

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Surface Mount Water Closet Sensor with Chrome Plated Die Cast Housing, Piezo-technology Override Button and RJ-11 Sensor and Solenoid Connections – for Concealed flushometer for 1-1/2" Concealed Back Spud Bowls.

3451636	ROYAL 152 ES-SM	2-3/4"-10-3/4" LDIM 3.5 gpf/13.2 Lpf	944.45	11.00	671254270473
3451645	ROYAL 152-1.6 ES-SM	2-3/4"-10-3/4" LDIM 1.6 gpf/6.0 Lpf	944.45	11.00	671254336179

Sloan ECOS® Hardwire Dual-Flush Water Closet flushometers

6 VAC Hardwire System Sensor Operated Control Module with Smart Sense Technology™ and Flex-Tube Diaphragm flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – supplied less Handle Opening and with Metal Cover – for Exposed flushometer for 1-1/2" Top Spud Bowls.

3370420	ECOS 111-1.6/1.1 HW	1.6/1.1 gpf – 6.0/3.8 Lpf	614.95	8.66	671254376021
—	ECOS 113-1.6/1.1 HW	1.6/1.1 gpf – 6.0/3.8 Lpf	619.15	—	—
—	ECOS 115-1.6/1.1 HW	1.6/1.1 gpf – 6.0/3.8 Lpf	627.55	—	—



ROYAL 152-SWB ES-S



ROYAL 150 ES-SM



ROYAL 152 ES-SM

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamina Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Throstatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Throstatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Sensor Operated Royal Urinal flushometers with True Mechanical Override

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with True Mechanical Override and Chrome Plated Wall Plate(s) with Vandal Resistant Screws for Exposed flushometer for Top Spud Urinals.

3452640	ROYAL 186-1 ES-S TMO	1.0 gpf/3.8 Lpf	640.45	8.54	671254374102
3452642	ROYAL 186-0.5 ES-S TMO	0.5 gpf/1.9 Lpf	640.45	8.54	671254380165
3452641	ROYAL 186-0.25 ES-S TMO	0.25 gpf/0.95 Lpf	640.45	8.54	671254378247
3452643	ROYAL 186-0.13 ES-S TMO	0.13 gpf/0.47 Lpf	640.45	8.54	671254380189
3452435	ROYAL 180-1.5 ES-S TMO	1.5 gpf/5.7 Lpf	640.45	8.54	671254382718
3452430	ROYAL 180-1 ES-S TMO	1.0 gpf/3.8 Lpf	640.45	8.54	671254383692

Sensor Operated Royal® Urinal flushometers

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with Chrome Plated Wall Plate(s) with Vandal Resistant Screws – for Exposed flushometer for 1-1/4" Top Spud Urinals.

3452447	ROYAL 180 ES-S	3.5 gpf/13.2 Lpf	592.05	10.50	671254139145
3452449	ROYAL 180-1.5 ES-S	1.5 gpf/5.7 Lpf	592.05	10.50	671254139152
3452473	ROYAL 180-1 ES-S	1.0 gpf/3.8 Lpf	592.05	10.50	671254139169

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with Chrome Plated Wall Plate(s) with Vandal Resistant Screws for Exposed flushometer for 3/4" Top Spud Urinals.

3452647	ROYAL 186 ES-S	1.5 gpf/5.7 Lpf	592.05	10.50	671254139176
3452673	ROYAL 186-1 ES-S	1.0 gpf/3.8 Lpf	592.05	10.50	671254139183
3452674	ROYAL 186-0.5 ES-S	0.5 gpf/1.9 Lpf	592.05	10.50	671254139190
3452625	ROYAL 186-0.25 ES-S	0.25 gpf/0.95 Lpf	592.05	10.50	671254346505
3452630	ROYAL 186-0.13 ES-S	0.13 gpf/0.47 Lpf	592.05	10.50	671254349674

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with Chrome Plated Wall Plate(s) with Vandal Resistant Screws for Concealed flushometer for 1-1/4" Concealed Back Spud Urinals.

3453000	ROYAL 190 ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	531.40	11.00	671254138575
3453010	ROYAL 190 ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	531.40	11.00	671254138636
3453001	ROYAL 190-1.5 ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	531.40	11.00	671254138582
3453011	ROYAL 190-1.5 ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	531.40	11.00	671254138643
3453002	ROYAL 190-1 ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	531.40	11.00	671254138599

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button – for Concealed flushometer for 1-1/4" Exposed Top Spud Urinals.

3453020	ROYAL 192 ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	641.10	12.00	671254138513
3453030	ROYAL 192 ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	641.10	12.00	671254138933
3453021	ROYAL 192-1.5 ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	641.10	12.00	671254138520
3453031	ROYAL 192-1.5 ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	641.10	12.00	671254138940
3453022	ROYAL 192-1 ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	641.10	12.00	671254138537
3453032	ROYAL 192-1 ES-S	11-3/4" – 12-3/4" LDIM 1.0 gpf/3.8 Lpf	641.10	12.00	671254138957

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.



ROYAL 180 ES-S



ROYAL 186 ES-S



ROYAL 190 ES-S



ROYAL 192 ES-S

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamina Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Throstatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Throstatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button – for Concealed flushometer for 3/4" Concealed Back Spud Urinals.					
3453200	ROYAL 195 ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	531.40	11.00	671254138391
3453210	ROYAL 195 ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	531.40	11.00	671254138452
3453201	ROYAL 195-1 ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	531.40	11.00	671254138407
3453211	ROYAL 195-1 ES-S	11-3/4" – 12-3/4" LDIM 1.0 gpf/3.8 Lpf	531.40	11.00	671254138469
3453202	ROYAL 195-0.5 ES-S	2-3/4" – 10-3/4" LDIM 0.5 gpf/1.9 Lpf	531.40	11.00	671254138414
3453212	ROYAL 195-0.5 ES-S	11-3/4" – 12-3/4" LDIM 0.5 gpf/1.9 Lpf	531.40	11.00	671254138476
3453266	ROYAL 195-0.25 ES-S	2-3/4" – 10-3/4" LDIM 0.25 gpf/1.0 Lpf	531.40	8.90	671254373617
3453265	ROYAL 195-0.13 ES-S	2-3/4" – 10-3/4" LDIM 0.13 gpf/0.5 Lpf	531.40	8.90	671254373594

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button – for Concealed flushometer for 3/4" Exposed Top Spud Urinals.

3453220	ROYAL 197 ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	641.10	12.00	671254138995
3453230	ROYAL 197 ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	641.10	12.00	671254139053
3453221	ROYAL 197-1 ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	641.10	12.00	671254139008
3453231	ROYAL 197-1 ES-S	11-3/4" – 12-3/4" LDIM 1.0 gpf/3.8 Lpf	641.10	12.00	671254139060
3453222	ROYAL 197-0.5 ES-S	2-3/4" – 10-3/4" 0.5 gpf/1.9 Lpf	641.10	12.00	671254139015
3453232	ROYAL 197-0.5 ES-S	11-3/4" – 12-3/4" LDIM 0.5 gpf/1.9 Lpf	641.10	12.00	671254139077

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

Sensor Operated Royal® Urinal flushometers with Wall Box

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with 13" x 17" Wall Plate(s) with Stainless Steel Access Plate and Vandal Resistant Screws – for Concealed flushometer with Wall Box for 1-1/4" Concealed Back Spud Urinals.

3453003	ROYAL 190-WB ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	822.40	20.50	671254138605
3453013	ROYAL 190-WB ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	822.40	20.50	671254138667
3453004	ROYAL 190-1.5-WB ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	822.40	20.50	671254138612
3453014	ROYAL 190-1.5-WB ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	822.40	20.50	671254138674
3453005	ROYAL 190-1-WB ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	822.40	20.50	671254138629
3453015	ROYAL 190-1-WB ES-S	11-3/4" – 12-3/4" LDIM 1.0 gpf/3.8 Lpf	822.40	20.50	671254138681

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with 13" x 17" Wall Plate(s) with Stainless Steel Access Plate and Vandal Resistant Screws – for Concealed flushometer with Wall Box for 1-1/4" Exposed Top Spud Urinals.

3453023	ROYAL 192-WB ES-S	2-3/4" – 10-3/4" LDIM 3.5 gpf/13.2 Lpf	932.05	21.50	671254138544
3453033	ROYAL 192-WB ES-S	11-3/4" – 12-3/4" LDIM 3.5 gpf/13.2 Lpf	932.05	21.50	671254138964
3453024	ROYAL 192-1.5-WB ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	932.05	21.50	671254138551
3453034	ROYAL 192-1.5-WB ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	932.05	21.50	671254138971
3453025	ROYAL 192-1-WB ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	932.05	21.50	671254138568
3453035	ROYAL 192-1-WB ES-S	11-3/4" – 12-3/4" LDIM 1.0 gpf/3.8 Lpf	932.05	21.50	671254138988

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.




ROYAL 195 ES-S



ROYAL 197 ES-S



ROYAL 190-WB ES-S



ROYAL 192-WB ES-S

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamina Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.g.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with 13" x 17" Wall Plate(s) with Stainless Steel Access Plate and Vandal Resistant Screws – for Concealed flushometer with Wall Box for 3/4" Concealed Back Spud Urinals.					
3453203	ROYAL 195-WB ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	822.35	20.50	671254138421
3453213	ROYAL 195-WB ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	822.35	20.50	671254138483
3453204	ROYAL 195-1-WB ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	822.35	20.50	671254138438
3453214	ROYAL 195-1-WB ES-S	11-3/4" – 12-3/4" LDIM 1.0 gpf/3.8 Lpf	822.35	20.50	671254138490
3453205	ROYAL 195-0.5-WB ES-S	2-3/4" – 10-3/4" LDIM 0.5 gpf/1.9 Lpf	822.35	20.50	671254138445
3453215	ROYAL 195-0.5-WB ES-S	11-3/4" – 12-3/4" LDIM 0.5 gpf/1.9 Lpf	822.35	20.50	671254138506

For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with 13" x 17" Wall Plate(s) with Stainless Steel Access Plate and Vandal Resistant Screws – Concealed flushometer with Wall Box for 3/4" Exposed Top Spud Urinals.					
3453223	ROYAL 197-WB ES-S	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf	932.05	21.50	671254139022
3453233	ROYAL 197-WB ES-S	11-3/4" – 12-3/4" LDIM 1.5 gpf/5.7 Lpf	932.05	21.50	671254139084
3453224	ROYAL 197-1-WB ES-S	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	932.05	21.50	671254139039
3453234	ROYAL 197-1-WB ES-S	11-3/4" – 12-3/4" LDIM 1.0 gpf/3.8 Lpf	932.05	21.50	671254139091
3453225	ROYAL 197-0.5-WB ES-S	2-3/4" – 10-3/4" LDIM 0.5 gpf/1.9 Lpf	932.05	21.50	671254139046
3453235	ROYAL 197-0.5-WB ES-S	11-3/4" – 12-3/4" LDIM 0.5 gpf/1.9 Lpf	932.05	21.50	671254139107


For "L" Dimension longer than 12-3/4", add \$5.00 per inch.

Sensor Operated Royal® Urinal flushometer with Small Wall Box

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500 Urinal Sensor with Piezo-technology Override button, 13" x 13" Stainless Steel Access Plate with Vandal Resistant Screws – for Concealed flushometer with Small Wall Box for 3/4" Concealed Back Spud Urinals.					
—	ROYAL 195-SWB ES-S OR	2-3/4" – 10-3/4" LDIM 1.5 gpf/5.7 Lpf		18.00	—
3453254	ROYAL 195-1.0-SWB ES-S OR	2-3/4" – 10-3/4" LDIM 1.0 gpf/3.8 Lpf	844.90	18.00	671254352995
3453255	ROYAL 195-0.5-SWB ES-S OR	2-3/4" – 10-3/4" LDIM 0.5 gpf/1.9 Lpf	844.90	17.08	671254378612

Sensor Operated Royal® Urinal flushometer with Surface Mount Sensor

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Surface Mount Water Closet Sensor with Chrome Plated Die Cast Housing and RJ-11 Sensor and Solenoid Connections – for Concealed flushometer for 3/4" Concealed Back Spud Urinals.					
3453050	ROYAL 194 ES-SM	2-3/4"-10-3/4" LDIM 1.5 gpf/5.7 Lpf	765.90	11.00	671254265301
3453051	ROYAL 194-1 ES-SM	2-3/4"-10-3/4" LDIM 1.0 gpf/3.8 Lpf	765.90	11.00	671254265714
3453052	ROYAL 194-0.5 ES-SM	2-3/4"-10-3/4" LDIM 0.5 gpf/1.9 Lpf	765.90	11.00	671254265721
3453229	ROYAL 195 ES-SM	2-3/4"-10-3/4" LDIM 1.5 gpf/5.7 Lpf	866.85	11.00	671254270480
3453244	ROYAL 195-1 ES-SM	2-3/4"-10-3/4" LDIM 1.0 gpf/3.8 Lpf	866.85	11.00	671254334946
3453243	ROYAL 195-0.5 ES-SM	2-3/4"-10-3/4" LDIM 0.5 gpf/1.9 Lpf	866.85	11.00	671254327351
3453043	ROYAL 190 ES-SM	2-3/4"-10-3/4" LDIM 3.5 gpf/13.2 Lpf	909.50	11.00	671254310650



ROYAL 195-WB ES-S



ROYAL 197-WB ES-S



ROYAL 194 ES-SM

**Contact Your Local Sloan Representative
 (1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamina Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Throstatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Throstatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Sloan ECOS® Hardwire Sensor Operated Urinal flushometers					
6 VAC Hardwire System Sensor Operated Control Module with Smart Sense Technology™ and Flex-Tube Diaphragm flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – supplied less Handle Opening and with Metal Cover – for Exposed flushometer for 3/4" Top Spud Urinals. ECOS 8186-0.13 and ECOS 8186-0.25 Supplied with Pressure Compensating Cartridge in lieu of Flex Tube Diaphragm.					
—	ECOS 186 HW	1.5 gpf/5.7 Lpf	614.95	—	—
—	ECOS 186-1.0 HW	1.0 gpf/3.8 Lpf	614.95	—	—
3370441	ECOS 186-0.5 HW	0.5 gpf/1.9 Lpf	614.95	8.62	67125438566
—	ECOS 186-0.25 HW	0.25 gpf/0.95 Lpf	614.95	—	—
3370440	ECOS 186-0.13 HW	0.13 gpf/0.47 Lpf	614.95	8.62	671254383197

Sensor Operated Royal® Bedpan Washer flushometers

24 VAC hardwire system. Includes: Solenoid Operated Dual-Filtered By-Pass Diaphragm flushometer with Angle Stop and Vacuum Breaker Flush Connection. Adaptive Optima® EL-1500-L Water Closet Sensor with Override button, Chrome Plated Wall Plate(s) with Vandal Resistant Screws – for Exposed flushometer for 1-1/2" Top Spud Bowls.

3459600	ROYAL BPW-1150-1.6 ES-S	1.6 gpf/6.0 Lpf	941.05	15.00	671254203853
3459601	ROYAL BPW-1100-1.6 ES-S	1.6 gpf/6.0 Lpf	908.10	14.50	671254203860

Sloan ECOS® Bedpan Washer Battery-Powered Dual-Flush flushometer

Exposed, Battery-Powered Sensor Activated Sloan ECOS® Electronic Dual-Flush Model Bedpan Washers – Includes infrared sensor with multiple-focused, lobular sensing fields for high and low target detection.

3370407	ECOS BPW-8111-1.6/1.1	1.6/1.1 gpf/6.0/3.8 Lpf	863.55	13.40	671254348431
3370404	ECOS BPW-8150-1.6/1.1	1.6/1.1 gpf/6.0/3.8 Lpf	892.73	13.40	671254344174

Optima® SMOOTH® Retrofit Kits

Sensor Operated, Battery-Powered or Hardwired Retrofit Kit, easily converts manual flushometers into water-saving electronics.

3325201	EBV-200-A	Side-Mount-Operator-Over-The-Handle Retrofit Kit for Water Closets and Urinals	265.25	5.00	671254316027
3305201	EL-600-A	SMOOTH® Hardwire Retrofit Kit for Water Closets and Urinals	304.50	2.40	67125433819

Side Mount Operators

Easily converts your manual flushometer to modern water-saving electronics. Includes: Courtesy Flush Button, audio signal when batteries need replacement, comes with Metal Cover (M).

0325105	EBV-89A-M	Side Mount Operator for Water Closets and Urinals – Metal Cover	349.40	2.80	671254243934
---------	-----------	---	--------	------	--------------

Sloan SOLIS® Water Closet flushometers

Exposed, Solar-Powered Sensor Activated Sloan SOLIS® flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – supplied less Handle Opening and with Metal Cover. Includes infrared sensor with multiple-focused, lobular sensing fields for high and low target detection, (4) "AA" battery backup power source – for Exposed flushometer with 1-1/2" Top Spud Bowls.

3370001	SOLIS 8111-1.6	1.6 gpf/6.0 Lpf	578.95	8.90	671254349728
3370000	SOLIS DF 8111-1.6/1.1	1.6/1.1 gpf/6.0/3.8 Lpf	578.95	8.90	671254349735
3370002	SOLIS 8111- 1.28	1.28 gpf/4.9 Lpf	578.95	8.90	671254349414
3370045	SOLIS 8113- 1.6	1.6 gpf/6.0 Lpf	584.65	8.90	671254387553
3370009	SOLIS DF 8113-1.6/1.1	1.6/1.1 gpf/6.0/3.8 Lpf	584.65	8.84	671254354548
3390023	SOLIS 8113- 1.28	1.28 gpf/4.9 Lpf	584.65	8.64	671254386891
3370013	SOLIS DF 8115-1.6/1.1	1.6/1.1 gpf/6.0/3.8 Lpf	591.35	8.84	671254375208



ROYAL BPW-1150-1.6 ES-S



EBV-200-A



EBV-89A-M



SOLIS DF 8111

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Sloan SOLIS® Urinal flushometers

Exposed, Solar-Powered Sensor Activated Sloan SOLIS® flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – supplied less Handle Opening and with Metal Cover. Includes infrared sensor with multiple-focused, lobular sensing fields for high and low target detection, (4) “AA” battery backup power source – for Exposed flushometer with 3/4” Top Spud Urinals. SOLIS 8186-0.25 and SOLIS 8186-0.13 are Supplied with Pressure Compensating Cartridge in lieu of Flex Tube Diaphragm.

3370004	SOLIS 8186-0.5	0.50 gpf/1.9 Lpf	578.95	8.90	671254350397
3370005	SOLIS 8186-0.25	0.25 gpf/0.95 Lpf	578.95	8.90	671254350311
3370010	SOLIS 8186-0.13	0.13 gpf/0.47 Lpf	578.95	8.90	671254370340

Concealed Sloan SOLIS® Water Closet flushometer with Small Wall Box

Solar-Powered Sensor Activated Sloan SOLIS® flushometer with Angle Stop, Vacuum Breaker Flush Connection. Includes infrared sensor with multiple-focused, lobular sensing fields for high and low target detection, (4) “AA” battery backup power source, true manual override, 13” x 13” Stainless Steel Access Plate with Vandal Resistant Screws – for Concealed flushometer with Small Wall Box for 1-1/2” Concealed Back Spud Bowls.

3370041	SOLIS 8152-1.6-SWB	2-3/4” – 10-3/4” LDIM 1.6 gpf/6.0 Lpf	950.00	—	—
3370011	SOLIS 8152-1.28-SWB	2-3/4” – 10-3/4” LDIM 1.28 gpf/4.8 Lpf	950.00	—	—

Concealed Sloan SOLIS® Urinal flushometer with Small Wall Box

Solar-Powered Sensor Activated Sloan SOLIS® flushometer with Angle Stop, Vacuum Breaker Flush Connection. Includes infrared sensor with multiple-focused, lobular sensing fields for high and low target detection, (4) “AA” battery backup power source, true manual override, 13” x 13” Stainless Steel Access Plate with Vandal Resistant Screws – for Concealed flushometer with Small Wall Box for 3/4” Concealed Back Spud Urinals.

3370040	SOLIS 8195-1.0-SWB OR	2-3/4” – 10-3/4” LDIM 1.0 gpf/3.8 Lpf	950.00	—	—
3370012	SOLIS 8195-0.5-SWB OR	2-3/4” – 10-3/4” LDIM 0.5 gpf/1.9 Lpf	950.00	—	—

Sloan ECOS® Battery-Powered Dual-Flush Water Closet flushometers

Exposed, Battery-Powered Sensor Operated Sloan ECOS® Control Module with Smart Sense Technology™ Electronic Dual-Flush and Flex-Tube Diaphragm flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – supplied less Handle Opening and with Metal Cover – for 1-1/2” Top Spud Water Closets.

3370400	ECOS 8111-1.6/1.1	1.6/1.1 gpf – 6.0/3.8 Lpf	563.16	8.70	671254341661
3370403	ECOS 8113-1.6/1.1	1.6/1.1 gpf – 6.0/3.8 Lpf	567.86	8.90	671254343580
3370402	ECOS 8115-1.6/1.1	1.6/1.1 gpf – 6.0/3.8 Lpf	576.80	9.10	671254342811



SOLIS 8186



ECOS 8111

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.q.-cl/q*™ button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Sloan ECOS® Battery-Powered Sensor Operated Urinal flushometers

Exposed, Battery-Powered Sensor Operated Sloan ECOS® Control Module with Smart Sense Technology™ Deferred Flush Protocol and Flex-Tube Diaphragm flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – supplied less Handle Opening and with Metal Cover – for 3/4” Top Spud Bowls. ECOS 8186-0.13 and 8186-0.25 are supplied with Pressure Compensating Cartridge in lieu of Flex Tube Diaphragm.

**	ECOS 8186 Less OR	1.5 gpf/5.7 Lpf	528.70	8.80	—
**	ECOS 8186-1.0 Less OR	1.0 gpf/3.8 Lpf	528.70	8.80	—
3370431	ECOS 8186-0.5 Less OR	0.5 gpf/1.9 Lpf	528.70	8.62	671254373174
	ECOS 8186-0.25 Less OR	0.25 gpf/0.95 Lpf	528.70	8.80	—
3370425	ECOS 8186-0.13 Less OR	0.13 gpf/0.47 Lpf	528.70	8.62	671254388505
**	ECOS 8186 With OR	1.5 gpf/5.7 Lpf	528.70	8.80	—
3370435	ECOS 8186-1.0 With OR	1.0 gpf/3.8 Lpf	528.70	8.62	671254378223
3370430	ECOS 8186-0.5 With OR	0.5 gpf/1.9 Lpf	528.70	8.62	671254373167
3250290	ECOS 8186-0.25 With OR	0.25 gpf/0.95 Lpf	528.70	8.62	671254343054
3250325	ECOS 8186-0.13 With OR	0.13 gpf/0.47 Lpf	528.70	8.62	671254370616

G2 Battery-Powered Sensor Operated Water Closet flushometers

Battery-Powered Sensor Operated Control Module and Flex-Tube Diaphragm flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – for Exposed flushometer for 1-1/2” Top Spud Bowls.

3250404	G2 8110	Optima Plus® 3.5 gpf/13.2 Lpf	555.15	8.40	671254266810
3250400	G2 8111	Optima Plus® 1.6 gpf/6.0 Lpf	555.15	8.30	671254266094
3250289	G2 8111-1.28	Optima Plus® 1.28 gpf/4.9 Lpf	555.15	8.90	671254342460
3250422	G2 8113	Optima Plus® 3.5 gpf/13.2 Lpf	560.10	9.30	671254266834
3250421	G2 8113-1.6	Optima Plus® 1.6 gpf/6.0 Lpf	560.10	9.30	671254266841
3250340	G2 8113-1.28	Optima Plus® 1.28 gpf/4.9 Lpf	560.10	9.03	671254383616
3250423	G2 8115-1.6	Optima Plus® 1.6 gpf/6.0 Lpf	567.05	10.10	671254266858
3250295	G2 8115-1.28	Optima Plus® 1.28 gpf/4.9 Lpf	567.05	10.10	671254352544
3250413	G2 8116	Optima Plus® 3.5 gpf/13.2 Lpf	570.00	10.10	671254266865
3250407	G2 8116-1.6	Optima Plus® 1.6 gpf/6.0 Lpf	570.00	10.10	671254266872
3250345	G2 8116-1.28	Optima Plus® 1.28 gpf/4.9 Lpf	570.00	9.34	671254384217

G2 Battery-Powered Sensor Operated Urinal flushometers

Battery-Powered Sensor Operated Control Module and Flex-Tube Diaphragm flushometer with Angle Stop, Vacuum Breaker Flush Connection, Sweat Solder Kit with Cover Tube and Cast Set Screw Wall Flange – for Exposed flushometer for 1-1/4” Top Urinals.

3250408	G2 8180	Optima Plus® 3.5 gpf/13.2 Lpf	555.15	8.20	671254266889
3250409	G2 8180-1.5	Optima Plus® 1.5 gpf/5.7 Lpf	555.15	8.20	671254266896
3250406	G2 8180-1	Optima Plus® 1.0 gpf/3.8 Lpf	555.15	8.20	671254266902

G2 Battery-Powered Sensor Operated Urinal flushometers – for Exposed flushometer for 3/4” Top Spud Urinals.

3250403	G2 8186	Optima Plus® 1.5 gpf/5.7 Lpf	555.15	8.80	671254266827
3250401	G2 8186-1	Optima Plus® 1.0 gpf/3.8 Lpf	555.15	8.80	671254266100
3250424	G2 8186-0.5	Optima Plus® 0.5 gpf/1.9 Lpf	555.15	8.80	671254266919



ECOS 8186



G2 8110



G2 8180



G2 8186

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Throstatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.g.-cl/g*” button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Throstatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Royal® Optima® SMOOTH® Water Closet flushometers

Exposed, Battery-Powered, Diaphragm Type, Sensor Activated, Water Closet flushometers for Floor Mounted or Wall Hung Top Spud Bowls, True Mechanical Override, Four “C” batteries, Flush Accuracy Controlled by CID Technology.

3010125	ROYAL 110 SMOOTH	3.5 gpf/13.2 Lpf	449.55	12.50	671254322424
3910135	ROYAL 111 SMOOTH	1.6 gpf/6.0 Lpf	449.55	12.50	671254322417
3910072	ROYAL 111-1.28 SMOOTH	1.28 gpf/4.9 Lpf	449.55	12.50	671254348257
3010360	ROYAL 115 SMOOTH	3.5 gpf/13.2 Lpf	462.80	13.80	671254322462
3910350	ROYAL 115-1.6 SMOOTH	1.6 gpf/6.0 Lpf	462.80	13.80	671254322455

Royal® Optima® SMOOTH® Urinal flushometers

Exposed, Battery-Powered, Diaphragm Type, Sensor Activated, Urinal flushometers for Hung Top Spud Mount, True Mechanical Override, Four “C” batteries, Flush Accuracy Controlled by CID Technology.

3012460	ROYAL 180 SMOOTH	3.5 gpf/13.2 Lpf	449.55	12.50	671254322479
3912475	ROYAL 180-1 SMOOTH	1.0 gpf/3.8 Lpf	449.55	12.50	671254322486
3012660	ROYAL 186 SMOOTH	1.5 gpf/5.7 Lpf	449.55	12.50	671254322431
3912670	ROYAL 186-1 SMOOTH	1.0 gpf/3.8 Lpf	449.55	12.50	671254322448
3912650	ROYAL 186-0.5 SMOOTH	0.5 gpf/1.9 Lpf	449.55	12.50	671254333413
3912695	ROYAL 186-0.25 SMOOTH	0.25 gpf/0.95 Lpf	449.55	12.50	671254348851
3912698	ROYAL 186-0.13 SMOOTH	0.13 gpf/0.47 Lpf	449.55	12.50	671254348844

G2 RESS Retrofit Kits for Royal® or Regal®

Battery-Powered Sensor Operated Control Module and Flex-Tube Diaphragm Inside Parts Kit, 4 AA Alkaline batteries. Installation Strap Wrench and Screwdriver included. Kits must be ordered to meet Flush Volume requirements of existing or new Water Closets and Urinals.

3325400	G2 RESS-C	G2 Optima Plus® Retrofit Kits for 3.5 gpf or 1.6 gpf Water Closets – Royal® or Regal®	424.75	3.50	671254267060
3325402	G2 RESS-U	G2 Optima Plus® Retrofit Kits for 1.5 gpf or 1.0 gpf Urinals – Royal® or Regal®	424.75	3.50	671254267084
3325401	G2 RESS-C-2.4	G2 Optima Plus® Retrofit Kits for Water Closets – Royal® or Regal®	424.75	3.50	671254267077
3325403	G2 RESS-U-0.5	G2 Optima Plus® Retrofit Kits for Urinals – Royal® or Regal®	424.75	3.50	671254267091
3325435	G2 RESS-C-1.28	G2 Optima Plus® Retrofit Kits for Water Closets – Royal® or Regal®	424.75	3.50	671254342453

G2 RESS Retrofit Kits for use on Zurn Flush Valves

Battery-Powered Sensor Operated Control Module and Flex-Tube Diaphragm Inside Parts Kit, 4 AA Alkaline batteries. Installation Strap Wrench and Screwdriver included. Kits must be ordered to meet Flush Volume requirements of existing or new Water Closets and Urinals.

3325410	G2 RESS-Z-C (ZURN)	G2 Optima Plus® Retrofit Kits for use on Zurn 3.5 gpf or 1.6 gpf Water Closet Valves	424.75	2.50	671254267107
3325412	G2 RESS-Z-U (ZURN)	G2 Optima Plus® Retrofit Kits for use on Zurn 1.5 gpf or 1.0 gpf Urinal Valves	424.75	2.50	671254267220
3325413	G2 RESS-Z-U-0.5 (ZURN)	G2 Optima Plus® Retrofit Kits for use on Zurn Urinal Valves	424.75	2.50	671254267237



110 SMOOTH



180 SMOOTH



G2 RESS-U

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.g.-cl/q*™ button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

G2 Optima Plus® Retrofit Kits with Adjustable Ground Joint

Battery-Powered Sensor Operated Control Module and Flex-Tube Diaphragm Inside Parts Kit, 4 AA Alkaline batteries. Installation Strap Wrench and Screwdriver included. Kits must be ordered to meet Flush Volume requirements of existing or new Water Closets and Urinals. Complete with Adjustable Ground Joint Tailpiece for replacement of other manufacturers' flush valves with ground joint stops.

3325404	G2 RESS-XD-C ADJ/GJ 5 C TO C	G2 Optima Plus® Retrofit Kits with Adjustable Ground Joint for 3.5 gpf or 1.6 gpf Water Closets	496.55	6.00	671254268647
3325405	G2 RESS-XD-U ADJ/GJ 5 C TO C	G2 Optima Plus® Retrofit Kits with Adjustable Ground Joint for 1.5 gpf or 1.0 gpf Urinals	496.55	6.00	671254268654
3325407	G2 RESS-XD-U-0.5 ADJ/GJ	G2 Optima Plus® Retrofit Kits with Adjustable Ground Joint for Urinals	496.55	6.00	671254268791
3325409	G2 RESS-XD-C-4.5	G2 Optima Plus® Retrofit Kits with Adjustable Ground Joint for Urinals AD/GJ 5 C/C	496.55	6.00	671254269682

Sloan SOLIS® RESS Retrofit Kits – Convert to Solar Powered Retrofit Kits

Solar-Powered Sensor Activated Sloan SOLIS® Control Module and Inside Parts Kit, 4 “AA” Alkaline Batteries. Installation Strap Wrench and Screwdriver included. Kits must be ordered to meet the Flush Volume requirements of existing or new Water Closets and Urinals.

3375301	SOLIS RESS-C	Single Flush for 3.5 gpf or 1.6 gpf Water Closet flushometers	442.95	3.50	671254351714
3375300	SOLIS DF RESS-C-1.6/1.1	Dual-Flush for Water Closet flushometers	442.95	3.50	671254351424
3375302	SOLIS RESS-C-1.28	Single Flush for Water Closet flushometers	442.95	3.50	671254351677
3375304	SOLIS RESS-U-0.50	Single Flush for Urinal flushometers	442.95	3.50	671254351684
—	SOLIS RESS-U-0.13	Single Flush for 0.13 gpf Urinal flushometers	442.95	—	—
3375305	SOLIS RESS-U-0.25	Single Flush for 0.25 gpf Urinal flushometers	442.95	8.50	671254351608
3375306	SOLIS RESS-U	Single Flush for 1.5 gpf or 1.0 gpf Urinal flushometers	442.95	3.50	671254349711

Sloan SOLIS® Zurn Retrofit Kits

Battery-Powered Sensor Operated Control Module and Flex-Tube Diaphragm Inside Parts Kit, 4 AA Alkaline batteries. Installation Strap Wrench and Screwdriver included. Kits must be ordered to meet Flush Volume requirements of existing or new Water Closets and Urinals.

3375320	SOLIS RESS-Z-C	Single Flush for Zurn 3.5 gpf or 1.6 gpf Water Closet flushometers	442.95	3.50	671254353343
3375346	SOLIS RESS-Z-C-1.28	Single Flush for Zurn Water Closet flushometers	442.95	3.50	—
3375325	SOLIS DF RESS-Z-C-1.6/1.1	Dual-Flush for Zurn Water Closet flushometers	442.95	3.50	671254353688
3375348	SOLIS RESS-Z-U-0.50	Single Flush for Zurn Urinal flushometers	442.95	3.50	—
3375323	SOLIS RESS-Z-U-0.25	Single Flush for Zurn Urinal flushometers	442.95	3.50	—

Sloan SOLIS® Upgrade Kits Convert Sloan G2 flushometers to Sloan SOLIS®

Solar-Powered Sensor Activated Sloan SOLIS® Control Module to Upgrade Existing G2 or ECOS® flushometers. Includes Control Module and Solar Panel Assembly with Override Button(s). Does Not Include Internal Kit.

3375351	EBV-1005-A	Dual-Flush Conversion Kit for Water Closet flushometers – G2 to Sloan SOLIS® for use with 1.6 gpf only	315.68	1.80	671254354357
3375352	EBV-1006-A	Conversion Kit for Single Flush Urinal G2 TO Sloan SOLIS®	315.68	1.80	671254368057
3375350	EBV-1007-A	Conversion Kit for Single Flush Water Closet G2 TO Sloan SOLIS®	315.68	1.80	671254368064



SOLIS RESS



SOLIS DF RESS



EBV-1005-A



EBV-1007-A

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamellar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.q.-cl/q*™ button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Sloan ECOS® RESS Retrofit Kits

Electronic Sensor Activated Sloan ECOS® Retrofit contains Control Module and Inside Parts Kit, 4 "AA" Alkaline Batteries. Installation Strap Wrench and Screwdriver included. The closet is an electronic Dual-Flush and Urinal utilizes Smart Sense Technology™ Deferred Flush Protocol. Kits must be ordered to meet the Flush Volume requirements of existing or new Water Closets and Urinals. ECOS RESS-U-0.25 and RESS-U-0.13 Supplied with Pressure Compensating Cartridge in lieu of Flex Tube Diaphragm

3375400	ECOS RESS-C-1.6/1/1	Dual-Flush Retrofit Kit for Water Closet flushometers	436.10	3.50	671254341678
—	ECOS RESS-U With OR	ECOS Retrofit Kits for 1.5 gpf or 1.0 gpf Urinals – Royal® or Regal®	404.50	3.50	—
—	ECOS RESS-U-0.5 With OR	ECOS Retrofit Kits for Urinals – Royal® or Regal®	404.50	3.50	—
—	ECOS RESS-U-0.25 With OR	ECOS Retrofit Kits for Urinals – Royal® or Regal®	404.50	3.50	—
3375421	ECOS RESS-U-0.13 With OR	ECOS Retrofit Kits for Urinals – Royal® or Regal®	404.50	3.50	671254387003

Sloan ECOS® Upgrade Kits-Convert Sloan G2 flushometers to ECOS®

Battery Operated, Sensor Activated Sloan ECOS® Electronic Dual-Flush Control Module and Button Assembly

3375450	EBV-1004-A	Dual-Flush Conversion Kit for Water Closet flushometers – G2 to ECOS® for use with 1.6 gpf only	208.45	0.60	671254348066
---------	------------	---	--------	------	--------------

BASYS™ High – Active Infrared Sensor Faucet

Infrared, sensor activated, electronic, chrome plated die cast body, hand washing faucet for pre-tempered or hot and cold water operation.

3324030	EFX100.000.0000	CP Sensor Faucet	726.35	—	—
3324023	EFX100.500.0000	CP Sensor Faucet	757.90	5.00	67125439128
3324012	EFX100.500.0010	CP Sensor Faucet	821.10	—	—
3324024	EFX100.502.0000	CP Sensor Faucet	757.90	5.00	67125439127
3324025	EFX150.000.0000	CP Sensor Faucet	694.75	—	—
3324026	EFX150.500.0000	CP Sensor Faucet	726.35	—	—
3324011	EFX150.502.0000	CP Sensor Faucet	726.35	5.00	67125439126
3324027	EFX150.502.0100	CP Sensor Faucet	778.95	—	—
3324010	EFX175.502.0000	CP Sensor Faucet	831.60	5.00	67125439125
3324028	EFX175.502.0100	CP Sensor Faucet	894.75	—	—
3324013	EFX177.503.0000	CP Sensor Faucet	1,094.75	—	—
3324029	EFX177.503.0100	CP Sensor Faucet	1,147.40	—	—



For more in-depth specifications, or to build a Basys™ faucet online, visit: sloanvalve.com/basys



ECOS RESS



EBV-1004-A



EFX-100



EFX-150

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
BASYS™ Mid – Active Infrared Sensor Faucet					
Infrared, sensor activated, electronic, chrome plated die cast body, hand washing faucet for pre-tempered or hot and cold water operation.					
3324031	EFX200.000.0000	CP Sensor Faucet	631.60	5.00	67125439135
3324014	EFX200.500.0000	CP Sensor Faucet	694.75	5.00	67125439131
—	EFX200.500.0010	CP Sensor Faucet	726.35	—	—
3324033	EFX200.502.0000	CP Sensor Faucet	694.75	5.00	67125439181
3324005	EFX250.000.0000	CP Sensor Faucet	600.00	5.00	67125439133
3324004	EFX250.500.0000	CP Sensor Faucet	631.60	5.00	67125439130
3324058	EFX250.500.0100	CP Sensor Faucet	684.20	5.00	67125439526
3324035	EFX250.502.0000	CP Sensor Faucet	631.60	5.00	67125439213
3324060	EFX250.502.0100	CP Sensor Faucet	684.20	5.00	67125439528
3324003	EFX275.000.0000	CP Sensor Faucet	705.25	5.00	67125439132
3324074	EFX275.002.0000	CP Sensor Faucet	705.25	5.00	67125439612
3324002	EFX275.500.0000	CP Sensor Faucet	736.85	5.00	67125439129
3324015	EFX275.500.0100	CP Sensor Faucet	789.50	5.00	67125439134
3324034	EFX275.502.0000	CP Sensor Faucet	736.85	5.00	67125439212
3324042	EFX275.502.0100	CP Sensor Faucet	789.50	5.00	67125439468
3324061	EFX277.500.0000	CP Sensor Faucet	1000.00	5.00	67125439519
3324059	EFX277.500.0100	CP Sensor Faucet	1052.60	5.00	67125439527
3324032	EFX277.502.0000	CP Sensor Faucet	1000.00	5.00	67125439184
—	EFX277.502.0000	CP Sensor Faucet	1000.00	—	—
3324043	EFX277.502.0100	CP Sensor Faucet	1052.65	5.00	67125439469
3324016	EFX277.503.0000	CP Sensor Faucet	1000.00	5.00	67125439136

BASYS™ Low, Pedestal – Active Infrared Sensor Faucet

Infrared, sensor activated, electronic, chrome plated die cast body, hand washing faucet for pre-tempered or hot and cold water operation.

—	EFX300.000.0000	CP Sensor Faucet	526.35	—	—
—	EFX300.000.0010	CP Sensor Faucet	557.90	—	—
—	EFX300.100.0010	CP Sensor Faucet	591.60	—	—
—	EFX350.000.0000	CP Sensor Faucet	494.75	—	—
—	EFX350.100.0000	CP Sensor Faucet	528.45	—	—
—	EFX350.200.0000	CP Sensor Faucet	730.55	—	—



For more in-depth specifications, or to build a Basys™ faucet online, visit: sloanvalve.com/basys



EFX-200



EFX-277



EFX-600



EFX-650

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.q.-cl/q™* button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

BASYS™ Low Intergrated Base – Active Infrared Sensor Faucet

Infrared, sensor activated, electronic, chrome plated die cast body, hand washing faucet for pre-tempered or hot and cold water operation.

—	EFX600.000.0000	CP Sensor Faucet	526.35	—	—
—	EFX600.000.0010	CP Sensor Faucet	557.90	—	—
—	EFX600.100.0010	CP Sensor Faucet	591.60	—	—
—	EFX650.000.0000	CP Sensor Faucet	494.75	—	—
—	EFX650.100.0100	CP Sensor Faucet	528.45	—	—

BASYS™ Wall – Active Infrared Sensor Faucet

Infrared, sensor activated, electronic, chrome plated die cast body, hand washing faucet for pre-tempered or hot and cold water operation.

—	EFX800.002.1000	CP Sensor Faucet	768.45	—	—
—	EFX850.002.1000	CP Sensor Faucet	736.85	—	—

BASYS™ Low, Pedestal – Capacitance-Based Sensor Faucet

Capacitance, sensor activated, electronic, chrome plated die cast body, pedestal hand washing faucet for pre-tempered or hot and cold water operation.

—	EFX300.010.0000	CP Sensor Faucet	526.35	—	—
3324007	EFX300.010.0010	CP Sensor Faucet	578.95	—	—
3324020	EFX300.110.0010	CP Sensor Faucet	591.60	—	—
3324019	EFX350.010.0000	CP Sensor Faucet	494.75	5.00	67125439222
3324066	EFX350.010.0100	CP Sensor Faucet	537.45	5.00	67125439599
3324000	EFX350.012.0000	CP Sensor Faucet	494.75	5.00	67125439183
3324006	EFX350.110.0000	CP Sensor Faucet	528.75	5.00	67125439221
3324021	EFX380.010.0000	CP Sensor Faucet	600.00	5.00	67125439350
3324022	EFX380.012.0000	CP Sensor Faucet	600.00	5.00	67125439223
3324062	EFX380.210.0100	CP Sensor Faucet	888.40	5.00	67125439580

BASYS™ Low Integrated Base – Capacitance-Based Sensor Faucet

Capacitance, sensor activated, electronic, chrome plated die cast body, pedestal hand washing faucet for pre-tempered or hot and cold water operation.

—	EFX600.010.0000	CP Sensor Faucet	526.35	—	—
3324008	EFX600.010.0010	CP Sensor Faucet	557.90	—	—
3324017	EFX600.110.0010	CP Sensor Faucet	591.60	—	—
3324001	EFX650.010.0000	CP Sensor Faucet	494.75	5.00	67125439403
3324036	EFX650.012.0000	CP Sensor Faucet	494.75	5.00	67125439408
3324009	EFX650.110.0000	CP Sensor Faucet	528.40	5.00	67125439404
3324018	EFX680.010.0000	CP Sensor Faucet	600.00	5.00	67125439405



For more in-depth specifications, or to build a Basys™ faucet online, visit: sloanvalve.com/basys

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamina Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.q.-cl/q*™ button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-80 Sensor Operated Hand Washing Faucets

Include 24 VAC operation, chrome plated brass lavatory faucet with engineered black throat plate, flow control spray head, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter.

3365320	ETF-80-4-P	Optima® Hand Washing Faucet – (1), (3), (5), (9)	638.10	8.20	671254231856
3365321	ETF-80-4-B	Optima® Hand Washing Faucet – (1), (2), (5), (9)	654.60	8.20	671254231863
3365022	ETF-80-4-LT	Optima® Hand Washing Faucet – (1), (4), (5), (9)	608.15	6.60	671254128040
3365314	ETF-80-4-P-ADM	Optima® Hand Washing Faucet – (3), (5), (9), (11)	862.95	9.40	671254231917
3365315	ETF-80-4-B-ADM	Optima® Hand Washing Faucet – (2), (5), (9), (11)	879.40	9.40	671254231924
3365316	ETF-80-4-LT-ADM	Optima® Hand Washing Faucet – (4), (5), (9), (11)	832.95	7.80	671254231931
3365308	ETF-80-4-P-BDM	Optima® Hand Washing Faucet – (3), (5), (9), (12)	670.35	8.10	671254231894
3365309	ETF-80-4-B-BDM	Optima® Hand Washing Faucet – (2), (5), (9), (12)	686.85	8.00	671254231986
3365310	ETF-80-4-LT-BDM	Optima® Hand Washing Faucet – (4), (5), (9), (12)	640.40	6.40	671254231993
3365229	ETF-80-4-P-BDT	Optima® Hand Washing Faucet – (3), (5), (9), (13)	862.95	9.20	671254238619
3365230	ETF-80-4-B-BDT	Optima® Hand Washing Faucet – (2), (5), (9), (13)	879.40	9.20	671254238626
3365231	ETF-80-4-LT-BDT	Optima® Hand Washing Faucet – (4), (5), (9), (13)	832.95	7.60	671254238633
3365322	ETF-80-8-P	Optima® Hand Washing Faucet – (1), (3), (5), (10)	670.20	8.70	671254231870
3365323	ETF-80-8-B	Optima® Hand Washing Faucet – (1), (2), (5), (10)	687.80	8.60	671254231887
3365298	ETF-80-8-LT	Optima® Hand Washing Faucet – (1), (4), (5), (10)	640.20	7.10	671254222809
3365317	ETF-80-8-P-ADM	Optima® Hand Washing Faucet – (3), (5), (10), (11)	894.80	9.60	671254231948
3365318	ETF-80-8-B-ADM	Optima® Hand Washing Faucet – (2), (5), (10), (11)	911.20	9.50	671254231962
3365319	ETF-80-8-LT-ADM	Optima® Hand Washing Faucet – (4), (5), (10), (11)	864.80	8.00	671254231979
3365311	ETF-80-8-P-BDM	Optima® Hand Washing Faucet – (3), (5), (10), (12)	702.45	8.50	671254232006
3365312	ETF-80-8-B-BDM	Optima® Hand Washing Faucet – (2), (5), (10), (12)	742.20	8.40	671254232013
3365313	ETF-80-8-LT-BDM	Optima® Hand Washing Faucet – (4), (5), (10), (12)	672.45	6.90	671254232020
3365232	ETF-80-8-P-BDT	Optima® Hand Washing Faucet – (3), (5), (10), (13)	895.05	9.70	671254238640
3365233	ETF-80-8-B-BDT	Optima® Hand Washing Faucet – (2), (5), (10), (13)	911.50	9.60	671254238657
3365234	ETF-80-8-LT-BDT	Optima® Hand Washing Faucet – (4), (5), (10), (13)	865.05	8.10	671254238664



ETF-80-4-P

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-880 Sensor Operated Hand Washing Faucets with Metal Throat Plate

Includes chrome plated brass lavatory faucet, flow control spray head, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter.

3365023	ETF-880-4-B CP	Optima® Hand Washing Faucet – (1), (2), (5), (9)	687.35	6.70	671254263123
3365034	ETF-880-4-B-ADM CP	Optima® Hand Washing Faucet – (2), (5), (9), (11)	923.35	9.70	671254263185
3365137	ETF-880-4-B-BDM CP	Optima® Hand Washing Faucet – (2), (5), (9), (12)	719.60	8.40	671254263246
3365148	ETF-880-4-B-BDT CP	Optima® Hand Washing Faucet – (2), (5), (9), (13)	923.35	8.40	671254263307
3365027	ETF-880-4-LT CP	Optima® Hand Washing Faucet – (1), (5), (9)	638.55	5.20	671254263130
3365131	ETF-880-4-LT-ADM CP	Optima® Hand Washing Faucet – (5), (9), (11)	874.60	8.20	671254263192
3365142	ETF-880-4-LT-BDM CP	Optima® Hand Washing Faucet – (5), (9), (12)	670.80	6.80	671254263253
3365154	ETF-880-4-LT-BDT CP	Optima® Hand Washing Faucet – (5), (9), (13)	874.60	6.90	671254263314
3365013	ETF-880-4-P CP	Optima® Hand Washing Faucet – (1), (3), (5), (9)	670.05	6.40	671254263116
3365033	ETF-880-4-P-ADM CP	Optima® Hand Washing Faucet – (3), (5), (9), (11)	906.10	9.50	671254263178
3365136	ETF-880-4-P-BDM CP	Optima® Hand Washing Faucet – (3), (5), (9), (12)	702.30	8.10	671254263239
3365146	ETF-880-4-P-BDT CP	Optima® Hand Washing Faucet – (3), (5), (9), (13)	906.10	8.20	671254263291
3365031	ETF-880-8-B CP	Optima® Hand Washing Faucet – (1), (2), (5), (10)	715.05	7.10	671254263154
3365134	ETF-880-8-B-ADM CP	Optima® Hand Washing Faucet – (2), (5), (10), (11)	955.20	10.00	671254263215
3365144	ETF-880-8-B-BDM CP	Optima® Hand Washing Faucet – (2), (5), (10), (12)	747.30	8.80	671254263277
3365156	ETF-880-8-B-BDT CP	Optima® Hand Washing Faucet – (2), (5), (10), (13)	951.05	8.70	671254263338
3365032	ETF-880-8-LT CP	Optima® Hand Washing Faucet – (1), (5), (10)	666.25	5.60	671254263161
3365135	ETF-880-8-LT-ADM CP	Optima® Hand Washing Faucet – (5), (10), (11)	906.45	8.40	671254263222
3365145	ETF-880-8-LT-BDM CP	Optima® Hand Washing Faucet – (5), (10), (12)	698.50	7.30	671254263284
3365157	ETF-880-8-LT-BDT CP	Optima® Hand Washing Faucet – (5), (10), (13)	902.30	7.10	671254263345
3365028	ETF-880-8-P CP	Optima® Hand Washing Faucet – (1), (3), (5), (10)	697.75	6.90	671254263147
3365133	ETF-880-8-P-ADM CP	Optima® Hand Washing Faucet – (3), (5), (10), (11)	937.95	9.70	671254263208
3365143	ETF-880-8-P-BDM CP	Optima® Hand Washing Faucet – (3), (5), (10), (12)	730.00	8.50	671254263260
3365155	ETF-880-8-P-BDT CP	Optima® Hand Washing Faucet – (3), (5), (10), (13)	933.80	8.40	671254263321



ETF-880

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-500 Sensor Operated Back Mount Gooseneck Faucets

Includes 24 VAC operation, chrome plated brass wall mount gooseneck faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter.

3365340	ETF-500-P	Optima® Back Mount Gooseneck Faucet – (1), (3), (6)	802.25	8.40	671254234734
3365341	ETF-500-B	Optima® Back Mount Gooseneck Faucet – (1), (2), (6)	819.65	8.30	671254234741
3365284	ETF-500-LT	Optima® Back Mount Gooseneck Faucet – (1), (4), (6)	770.90	6.80	671254219649
3365342	ETF-500-H-P	Optima® Back Mount Gooseneck Faucet – (1), (3), (8)	874.05	9.10	671254234758
3365343	ETF-500-H-B	Optima® Back Mount Gooseneck Faucet – (1), (2), (8)	891.35	9.00	671254234765
3365344	ETF-500-H-LT	Optima® Back Mount Gooseneck Faucet – (1), (4), (8)	842.60	7.50	671254234772
3365335	ETF-500-S-P	Optima® Back Mount Gooseneck Faucet – (1), (3), (6), (7)	808.45	8.20	671254234680
3365336	ETF-500-S-B	Optima® Back Mount Gooseneck Faucet – (1), (2), (6), (7)	825.75	8.70	671254234697
3365285	ETF-500-S LT	Optima® Back Mount Gooseneck Faucet – (1), (4), (6), (7)	777.00	6.60	671254219656
3365337	ETF-500-S-H-P	Optima® Back Mount Gooseneck Faucet – (1), (3), (7), (8)	880.20	8.80	671254234703
3365338	ETF-500-S-H-B	Optima® Back Mount Gooseneck Faucet – (1), (2), (7), (8)	897.40	8.70	671254234710
3365339	ETF-500-S-H-LT	Optima® Back Mount Gooseneck Faucet – (1), (4), (7), (8)	848.70	7.20	671254234727
3365364	ETF-500-P-BDM	Optima® Back Mount Gooseneck Faucet – (3), (6), (12)	834.50	8.30	671254234581
3365367	ETF-500-B-BDM	Optima® Back Mount Gooseneck Faucet – (2), (6), (12)	851.90	8.20	671254234598
3365371	ETF-500-LT-BDM	Optima® Back Mount Gooseneck Faucet – (4), (6), (12)	803.15	6.70	671254234604
3365374	ETF-500-H-P-BDM	Optima® Back Mount Gooseneck Faucet – (3), (8), (12)	906.30	8.90	671254234611
3365378	ETF-500-H-B-BDM	Optima® Back Mount Gooseneck Faucet – (2), (8), (12)	923.60	8.80	671254234628
3365382	ETF-500-H-LT-BDM	Optima® Back Mount Gooseneck Faucet – (4), (8), (12)	874.85	7.30	671254234635
3365345	ETF-500-S-P-BDM	Optima® Back Mount Gooseneck Faucet – (3), (6), (7), (12)	840.70	8.00	671254234529
3365346	ETF-500-S-B-BDM	Optima® Back Mount Gooseneck Faucet – (2), (6), (7), (12)	858.00	8.00	671254234536
3365352	ETF-500-S LT-BDM	Optima® Back Mount Gooseneck Faucet – (4), (6), (7), (12)	809.25	6.40	671254234543
3365353	ETF-500-S-H-P-BDM	Optima® Back Mount Gooseneck Faucet – (3), (7), (8), (12)	912.45	8.70	671254234550
3365357	ETF-500-S-H-B-BDM	Optima® Back Mount Gooseneck Faucet – (3), (7), (8), (12)	929.65	8.60	671254234567
3365360	ETF-500-S-H-LT-BDM	Optima® Back Mount Gooseneck Faucet – (4), (7), (8), (12)	880.95	7.00	671254234574
3365235	ETF-500-P-BDT	Optima® Back Mount Gooseneck Faucet – (3), (6), (13)	1,038.35	9.50	671254239074
3365236	ETF-500-B-BDT	Optima® Back Mount Gooseneck Faucet – (2), (6), (13)	1,055.70	9.40	671254239081
3365237	ETF-500-LT-BDT	Optima® Back Mount Gooseneck Faucet – (4), (6), (13)	1,006.90	7.80	671254239098
3365238	ETF-500-H-P-BDT	Optima® Back Mount Gooseneck Faucet – (3), (8), (13)	1,110.10	10.10	671254239104
3365239	ETF-500-H-B-BDT	Optima® Back Mount Gooseneck Faucet – (2), (8), (13)	1,127.40	10.00	671254239418
3365240	ETF-500-H-LT-BDT	Optima® Back Mount Gooseneck Faucet – (4), (8), (13)	1,078.60	8.50	671254239425
3365241	ETF-500-S-P-BDT	Optima® Back Mount Gooseneck Faucet – (3), (6), (7), (13)	1,044.50	9.20	671254239432
3365242	ETF-500-S-B-BDT	Optima® Back Mount Gooseneck Faucet – (2), (6), (7), (13)	1,061.85	9.10	671254239449
3365243	ETF-500-S LT-BDT	Optima® Back Mount Gooseneck Faucet – (4), (6), (7), (13)	1,013.05	7.60	671254239456
3365244	ETF-500-S-H-P-BDT	Optima® Back Mount Gooseneck Faucet – (3), (7), (8), (13)	1,116.25	9.80	671254239463
3365245	ETF-500-S-H-B-BDT	Optima® Back Mount Gooseneck Faucet – (2), (7), (8), (13)	1,133.50	9.80	671254239470
3365246	ETF-500-S-H-LT-BDT	Optima® Back Mount Gooseneck Faucet – (4), (7), (8), (13)	1,084.75	8.20	671254239487



ETF-500

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamellar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-600 – 4” Centerset Sensor Operated Hand Washing Faucets

Includes chrome plated brass lavatory faucet, flow control spray head, in-spout sensor with splash-proof circuit control module. 24 VAC Transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral “Y” filter.

3365330	ETF-600-P	Optima® Hand Washing Faucet – (1), (3), (5)	571.75	10.10	671254234109
3365331	ETF-600-B	Optima® Hand Washing Faucet – (1), (2), (5)	589.05	10.00	671254234116
3365055	ETF-600-LT	Optima® Hand Washing Faucet – (1), (4), (5)	540.35	8.50	671254136038
3365324	ETF-600-P-BDM	Optima® Hand Washing Faucet – (3), (5), (12)	604.00	9.90	671254234048
3365325	ETF-600-B-BDM	Optima® Hand Washing Faucet – (2), (5), (12)	621.30	9.80	671254234055
3365326	ETF-600-LT-BDM	Optima® Hand Washing Faucet – (4), (5), (12)	572.60	8.30	671254234062
3365247	ETF-600-P-BDT	Optima® Hand Washing Faucet – (3), (5), (13)	807.85	11.10	671254238817
3365248	ETF-600-B-BDT	Optima® Hand Washing Faucet – (2), (5), (13)	825.15	11.00	671254238824
3365249	ETF-600-LT-BDT	Optima® Hand Washing Faucet – (4), (5), (13)	776.45	9.40	671254238848
3365332	ETF-600-8-P	Optima® Hand Washing Faucet – (1), (3), (5)	642.85	10.60	671254234123
3365333	ETF-600-8-B	Optima® Hand Washing Faucet – (1), (2), (5)	660.20	10.50	671254234130
3365334	ETF-600-8-LT	Optima® Hand Washing Faucet – (1), (4), (5)	611.45	9.00	671254234147
3365327	ETF-600-8-P-BDM	Optima® Hand Washing Faucet – (3), (5), (10), (12)	675.10	10.40	671254234079
3365328	ETF-600-8-B-BDM	Optima® Hand Washing Faucet – (2), (5), (10), (12)	692.40	10.40	671254234086
3365329	ETF-600-8-LT-BDM	Optima® Hand Washing Faucet – (4), (5), (10), (12)	643.70	8.80	671254234093
3365250	ETF-600-8-P-BDT	Optima® Hand Washing Faucet – (3), (5), (10), (13)	878.95	11.60	671254238855
3365263	ETF-600-8-B-BDT	Optima® Hand Washing Faucet – (2), (5), (10), (13)	896.25	11.50	671254238862
3365264	ETF-600-8-LT-BDT	Optima® Hand Washing Faucet – (4), (5), (10), (13)	847.55	10.00	671254238879

ETF-610 Sensor Operated Hand Washing Faucets

Includes chrome plated brass pedestal lavatory faucet, flow control spray head, In-Spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral “Y” filter.

3365163	ETF-610-4-P	Optima® Hand Washing Faucet – (1), (3), (5), (9)	583.15	7.60	671254234253
3365164	ETF-610-4-B	Optima® Hand Washing Faucet – (1), (2), (5), (9)	599.60	7.50	671254234260
3365293	ETF-610-4-LT	Optima® Hand Washing Faucet – (1), (4), (5), (9)	553.35	6.00	671254224933
3365168	ETF-610-4-P-BDM	Optima® Hand Washing Faucet – (3), (5), (9), (11)	613.80	7.40	671254234185
3365169	ETF-610-4-B-BDM	Optima® Hand Washing Faucet – (2), (5), (9), (11)	630.25	7.30	671254234192
3365170	ETF-610-4-LT-BDM	Optima® Hand Washing Faucet – (4), (5), (9), (11)	583.95	5.80	671254234208
3365266	ETF-610-4-P-BDT	Optima® Hand Washing Faucet – (3), (5), (9), (13)	807.40	8.60	671254238909
3365267	ETF-610-4-B-BDT	Optima® Hand Washing Faucet – (2), (5), (9), (13)	823.90	8.50	671254238916
3365268	ETF-610-4-LT-BDT	Optima® Hand Washing Faucet – (4), (5), (9), (13)	777.65	7.00	671254238923
3365165	ETF-610-8-P	Optima® Hand Washing Faucet – (1), (3), (5), (10)	625.75	7.80	671254234277
3365166	ETF-610-8-B	Optima® Hand Washing Faucet – (1), (2), (5), (10)	642.20	7.70	671254234284
3365167	ETF-610-8-LT	Optima® Hand Washing Faucet – (1), (4), (5), (10)	595.85	6.20	671254234291
3365174	ETF-610-8-P-ADM	Optima® Hand Washing Faucet – (3), (5), (10), (11)	857.50	9.20	671254234154
3365175	ETF-610-8-B-ADM	Optima® Hand Washing Faucet – (2), (5), (10), (11)	873.95	9.20	671254234161
3365176	ETF-610-8-LT-ADM	Optima® Hand Washing Faucet – (4), (5), (10), (11)	827.60	7.60	671254234178
3365171	ETF-610-8-P-BDM	Optima® Hand Washing Faucet – (3), (5), (10), (12)	904.20	7.60	671254234215
3365172	ETF-610-8-B-BDM	Optima® Hand Washing Faucet – (2), (5), (10), (12)	920.65	7.60	671254234222
3365173	ETF-610-8-LT-BDM	Optima® Hand Washing Faucet – (4), (5), (10), (12)	874.30	6.00	671254234246



ETF-600



ETF-610

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.q.-cl/q*” button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
3365269	ETF-610-8-P-BDT	Optima® Hand Washing Faucet – (3), (5), (10), (13)	656.35	8.80	671254238930
3365270	ETF-610-8-B-BDT	Optima® Hand Washing Faucet – (2), (5), (10), (13)	672.80	8.70	671254238947
3365271	ETF-610 LT-BDT	Optima® Hand Washing Faucet – (4), (5), (10), (13)	626.50	7.20	671254238954

ETF-660 On-Q® Sensor Operated Hand Washing Faucets

Includes chrome plated brass lavatory faucet, flow control spray head, On-Q® sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral “Y” filter.

3365423	ETF-660-4-P	Optima® On-Q® Hand Washing Faucet – (1), (3), (9)	599.60	7.50	671254235366
3365424	ETF-660-4-B	Optima® On-Q® Hand Washing Faucet – (1), (2), (9)	616.90	7.50	671254235373
3365020	ETF-660-4-LT	Optima® On-Q® Hand Washing Faucet – (1), (4), (9)	568.10	5.90	671254128026
3365385	ETF-660-4-P-ADM	Optima® On-Q® Hand Washing Faucet – (3), (5), (9), (11)	835.65	8.70	671254235472
3365389	ETF-660-4-B-ADM	Optima® On-Q® Hand Washing Faucet – (2), (5), (9), (11)	852.90	8.60	671254235489
3365393	ETF-660-4-LT-ADM	Optima® On-Q® Hand Washing Faucet – (4), (5), (9), (11)	804.15	7.10	671254235496
3365405	ETF-660-4-P-BDM	Optima® On-Q® Hand Washing Faucet – (3), (5), (9), (12)	631.85	7.50	671254235533
3365406	ETF-660-4-B-BDM	Optima® On-Q® Hand Washing Faucet – (2), (5), (9), (12)	649.15	7.50	671254235540
3365407	ETF-660-4-LT-BDM	Optima® On-Q® Hand Washing Faucet – (4), (5), (9), (12)	600.35	5.90	671254235557
3365272	ETF-660-4-P-BDT	Optima® On-Q® Hand Washing Faucet – (3), (5), (9), (13)	835.65	8.70	671254238985
3365273	ETF-660-4-B-BDT	Optima® On-Q® Hand Washing Faucet – (2), (5), (9), (13)	852.90	8.60	671254238992
3365274	ETF-660-4-LT-BDT	Optima® On-Q® Hand Washing Faucet – (4), (5), (9), (13)	804.15	7.10	671254239005
3365425	ETF-660-8-P	Optima® On-Q® Hand Washing Faucet – (1), (3), (10)	631.65	7.90	671254235380
3365426	ETF-660-8-B	Optima® On-Q® Hand Washing Faucet – (1), (2), (10)	649.00	7.80	671254235397
3365427	ETF-660-8-LT	Optima® On-Q® Hand Washing Faucet – (1), (4), (10)	600.15	6.30	671254235403
3365397	ETF-660-8-P-ADM	Optima® On-Q® Hand Washing Faucet – (3), (5), (10), (11)	852.80	9.10	671254235502
3365403	ETF-660-8-B-ADM	Optima® On-Q® Hand Washing Faucet – (2), (5), (10), (11)	870.05	9.00	671254235519
3365404	ETF-660-8-LT-ADM	Optima® On-Q® Hand Washing Faucet – (4), (5), (10), (11)	821.30	7.40	671254235526
3365408	ETF-660-8-P-BDM	Optima® On-Q® Hand Washing Faucet – (3), (5), (10), (12)	663.90	7.90	671254235564
3365409	ETF-660-8-B-BDM	Optima® On-Q® Hand Washing Faucet – (2), (5), (10), (12)	681.25	7.80	671254235571
3365410	ETF-660-8-LT-BDM	Optima® On-Q® Hand Washing Faucet – (4), (5), (10), (12)	632.40	6.30	671254235588
3365275	ETF-660-8-P-BDT	Optima® On-Q® Hand Washing Faucet – (3), (5), (10), (13)	867.75	9.10	671254239616
3365276	ETF-660-8-B-BDT	Optima® On-Q® Hand Washing Faucet – (2), (5), (10), (13)	885.00	9.00	671254239623
3365277	ETF-660-8-LT-BDT	Optima® On-Q® Hand Washing Faucet – (4), (5), (10), (13)	836.25	7.40	671254239630



ETF-660-4-LT

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.q.-cl/q*” button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-700 Sensor Operated Deck Mount Gooseneck Faucets

Includes chrome plated brass deck mount faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter.

3365177	ETF-700-4-P	Optima® Gooseneck Faucet – (1), (3), (6), (9)	731.70	8.20	671254233522
3365178	ETF-700-4-B	Optima® Gooseneck Faucet – (1), (2), (6), (9)	748.95	8.10	671254233539
3365286	ETF-700-4-LT	Optima® Gooseneck Faucet – (1), (4), (6), (9)	700.20	6.60	671254219625
3365010	ETF-700-H-4-P	Optima® Gooseneck Faucet – (1), (3), (8), (9)	803.40	8.80	671254136113
3365011	ETF-700-H-4-B	Optima® Gooseneck Faucet – (1), (2), (8), (9)	836.65	8.80	671254136120
3365115	ETF-700-H-4-LT	Optima® Gooseneck Faucet – (1), (4), (8), (9)	771.90	7.20	671254146587
3365193	ETF-700-4-P-BDM	Optima® Gooseneck Faucet – (3), (6), (9), (12)	763.95	6.10	671254233683
3365194	ETF-700-4-B-BDM	Optima® Gooseneck Faucet – (2), (6), (9), (12)	781.20	6.10	671254233690
3365195	ETF-700-4-LT-BDM	Optima® Gooseneck Faucet – (4), (6), (9), (12)	732.45	4.50	671254233706
3365196	ETF-700-H-4-P-BDM	Optima® Gooseneck Faucet – (3), (8), (9), (12)	835.65	6.70	671254233775
3365197	ETF-700-H-4-B-BDM	Optima® Gooseneck Faucet – (2), (8), (9), (12)	868.90	6.70	671254233782
3365198	ETF-700-H-4-LT-BDM	Optima® Gooseneck Faucet – (4), (8), (9), (12)	804.15	5.10	671254233799
3365278	ETF-700-4-P-BDT	Optima® Gooseneck Faucet – (3), (6), (9), (13)	967.70	7.30	671254239111
3365279	ETF-700-4-B-BDT	Optima® Gooseneck Faucet – (2), (6), (9), (13)	985.00	7.20	671254239128
3365280	ETF-700-4-LT-BDT	Optima® Gooseneck Faucet – (4), (6), (9), (13)	936.20	5.70	671254239135
3365434	ETF-700-H-4-P-BDT	Optima® Gooseneck Faucet – (3), (8), (9), (13)	1,039.40	7.90	671254239173
3365435	ETF-700-H-4-B-BDT	Optima® Gooseneck Faucet – (2), (8), (9), (13)	1,056.80	7.80	671254239180
3365436	ETF-700-H-4-LT-BDT	Optima® Gooseneck Faucet – (4), (8), (9), (13)	1,007.90	6.30	671254239197
3365179	ETF-700-8-P	Optima® Gooseneck Faucet – (1), (3), (6), (10)	780.95	8.50	671254233546
3365180	ETF-700-8-B	Optima® Gooseneck Faucet – (1), (2), (6), (10)	798.20	8.40	671254233553
3365181	ETF-700-8-LT	Optima® Gooseneck Faucet – (1), (4), (6), (10)	749.45	6.80	671254233560
3365182	ETF-700-H-8-P	Optima® Gooseneck Faucet – (1), (3), (8), (10)	852.65	9.10	671254233577
3365183	ETF-700-H-8-B	Optima® Gooseneck Faucet – (1), (2), (8), (10)	885.90	9.00	671254233584
3365184	ETF-700-H-8-LT	Optima® Gooseneck Faucet – (1), (4), (8), (10)	821.15	7.40	671254233591
3365223	ETF-700-8-P-ADM	Optima® Gooseneck Faucet – (3), (6), (10), (11)	1,078.55	8.00	671254233744
3365224	ETF-700-8-B-ADM	Optima® Gooseneck Faucet – (2), (6), (10), (11)	1,095.80	7.90	671254233751
3365225	ETF-700-8-LT-ADM	Optima® Gooseneck Faucet – (4), (6), (10), (11)	1,047.05	6.40	671254233768
3365226	ETF-700-H-8-P-ADM	Optima® Gooseneck Faucet – (3), (8), (10), (11)	1,150.25	8.60	671254233836
3365227	ETF-700-H-8-B-ADM	Optima® Gooseneck Faucet – (2), (8), (10), (11)	1,183.50	8.50	671254233843
3365228	ETF-700-H-8-LT-ADM	Optima® Gooseneck Faucet – (4), (8), (10), (11)	1,118.75	7.00	671254233850
3365199	ETF-700-8-P-BDM	Optima® Gooseneck Faucet – (3), (6), (10), (12)	813.20	6.40	671254233713
3365200	ETF-700-8-B-BDM	Optima® Gooseneck Faucet – (2), (6), (10), (12)	830.45	6.30	671254233720
3365201	ETF-700-8-LT-BDM	Optima® Gooseneck Faucet – (4), (6), (10), (12)	781.70	4.70	671254233737
3365202	ETF-700-H-8-P-BDM	Optima® Gooseneck Faucet – (3), (8), (10), (12)	884.90	7.00	671254233805
3365203	ETF-700-H-8-B-BDM	Optima® Gooseneck Faucet – (2), (8), (10), (12)	918.15	6.90	671254233812
3365204	ETF-700-H-8-LT-BDM	Optima® Gooseneck Faucet – (4), (8), (10), (12)	853.40	5.40	671254233829
3365281	ETF-700-8-P-BDT	Optima® Gooseneck Faucet – (3), (6), (10), (13)	1,016.95	7.50	671254239142
3365282	ETF-700-8-B-BDT	Optima® Gooseneck Faucet – (2), (6), (10), (13)	1,034.25	7.50	671254239159
3365433	ETF-700-8-LT-BDT	Optima® Gooseneck Faucet – (4), (6), (10), (13)	985.45	5.70	671254239166
3365437	ETF-700-H-8-P-BDT	Optima® Gooseneck Faucet – (3), (8), (10), (13)	1,088.65	8.20	671254239203
3365438	ETF-700-H-8-B-BDT	Optima® Gooseneck Faucet – (2), (8), (10), (13)	1,106.00	8.10	671254239210
3365439	ETF-700-H-8-LT-BDT	Optima® Gooseneck Faucet – (4), (8), (10), (13)	1,057.15	6.50	671254239227



ETF-700-4-P



ETF-700-H

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamellar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-700-S Sensor Operated Deck Mount Surgical Bend Gooseneck Faucets

Includes chrome plated brass deck mount surgical bend gooseneck faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter.

3365185	ETF-700-S-4-P	Optima® Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (9)	737.75	10.40	671254233607
3365186	ETF-700-S-4-B	Optima® Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (9)	755.05	10.30	671254233614
3365287	ETF-700-S-4-LT	Optima® Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (9)	706.35	8.80	671254219632
3365018	ETF-700-S-H-4-P	Optima® Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (8), (9)	809.55	11.00	671254136199
3365019	ETF-700-S-H-4-B	Optima® Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (8), (9)	826.80	10.90	671254136205
3365117	ETF-700-S-H-4-LT	Optima® Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (8), (9)	778.05	9.40	671254146600
3365217	ETF-700-S-4-P-BDM	Optima® Surgical Bend Gooseneck Faucet – (3), (6), (7), (9), (12)	770.00	8.30	671254233867
3365218	ETF-700-S-4-B-BDM	Optima® Surgical Bend Gooseneck Faucet – (2), (6), (7), (9), (12)	787.30	8.30	671254233874
3365219	ETF-700-S-4-LT-BDM	Optima® Surgical Bend Gooseneck Faucet – (4), (6), (7), (9), (12)	738.60	6.70	671254233881
3365220	ETF-700-S-H-4-P-BDM	Optima® Surgical Bend Gooseneck Faucet – (3), (7), (8), (10)	841.80	8.90	671254233959
3365221	ETF-700-S-H-4-B-BDM	Optima® Surgical Bend Gooseneck Faucet – (2), (7), (8), (10)	859.05	8.90	671254233966
3365222	ETF-700-S-H-4-LT-BDM	Optima® Surgical Bend Gooseneck Faucet – (4), (7), (8), (10)	810.30	7.30	671254233973
3365440	ETF-700-S-4-P-BDT	Optima® Surgical Bend Gooseneck Faucet – (3), (6), (7), (9), (13)	973.80	9.50	671254239234
3365441	ETF-700-S-4-B-BDT	Optima® Surgical Bend Gooseneck Faucet – (2), (6), (7), (9), (13)	991.10	9.40	671254239241
3365443	ETF-700-S-4-LT-BDT	Optima® Surgical Bend Gooseneck Faucet – (4), (6), (7), (9), (13)	942.35	7.90	671254239258
3365447	ETF-700-S-H-4-P-BDT	Optima® Surgical Bend Gooseneck Faucet – (3), (7), (8), (9), (13)	1,033.55	10.10	671254239296
3365448	ETF-700-S-H-4-B-BDT	Optima® Surgical Bend Gooseneck Faucet – (2), (7), (8), (9), (13)	1,050.85	10.00	671254239302
3365449	ETF-700-S-H-4-LT-BDT	Optima® Surgical Bend Gooseneck Faucet – (4), (7), (8), (9), (13)	1,002.15	8.50	671254239319
3365187	ETF-700-S-8-P	Optima® Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (10)	787.00	10.70	671254233621
3365188	ETF-700-S-8-B	Optima® Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (10)	804.25	10.60	671254233638
3365189	ETF-700-S-8-LT	Optima® Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (10)	755.55	9.00	671254233645
3365190	ETF-700-S-H-8-P	Optima® Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (8), (10)	858.75	11.30	671254233652
3365191	ETF-700-S-H-8-B	Optima® Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (8), (10)	876.00	11.20	671254233669
3365192	ETF-700-S-H-8-LT	Optima® Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (8), (10)	827.25	9.60	671254233676
3365205	ETF-700-S-8-P-ADM	Optima® Surgical Bend Gooseneck Faucet – (3), (6), (7), (10), (11)	1,084.60	10.20	671254233928
3365206	ETF-700-S-8-B-ADM	Optima® Surgical Bend Gooseneck Faucet – (2), (6), (7), (10), (11)	1,112.40	10.10	671254233935
3365207	ETF-700-S-8-LT-ADM	Optima® Surgical Bend Gooseneck Faucet – (4), (6), (7), (10), (11)	1,063.95	8.60	671254233942
3365208	ETF-700-S-H-8-P-ADM	Optima® Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (11)	1,156.40	8.60	671254234017
3365209	ETF-700-S-H-8-B-ADM	Optima® Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (11)	1,173.65	8.50	671254234024
3365210	ETF-700-S-H-8-LT-ADM	Optima® Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (11)	1,124.90	9.20	671254234031
3365211	ETF-700-S-8-P-BDM	Optima® Surgical Bend Gooseneck Faucet – (3), (6), (7), (10), (12)	819.25	8.60	671254233898
3365212	ETF-700-S-8-B-BDM	Optima® Surgical Bend Gooseneck Faucet – (2), (6), (7), (10), (12)	836.50	8.50	671254233904
3365213	ETF-700-S-8-LT-BDM	Optima® Surgical Bend Gooseneck Faucet – (4), (6), (7), (10), (12)	787.80	6.90	671254233911
3365214	ETF-700-S-H-8-P-BDM	Optima® Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (12)	891.00	9.20	671254233980
3365215	ETF-700-S-H-8-B-BDM	Optima® Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (12)	908.25	9.10	671254233997
3365216	ETF-700-S-H-8-LT-BDM	Optima® Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (12)	859.50	7.50	671254234000
3365444	ETF-700-S-8-P-BDT	Optima® Surgical Bend Gooseneck Faucet – (3), (6), (7), (10), (13)	1,023.00	9.70	671254239265
3365445	ETF-700-S-8-B-BDT	Optima® Surgical Bend Gooseneck Faucet – (2), (6), (7), (10), (13)	1,040.35	9.70	671254239272
3365446	ETF-700-S-8-LT-BDT	Optima® Surgical Bend Gooseneck Faucet – (4), (6), (7), (10), (13)	991.60	8.20	671254239289
3365450	ETF-700-S-H-8-P-BDT	Optima® Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (13)	1,082.80	10.30	671254239326
3365451	ETF-700-S-H-8-B-BDT	Optima® Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (13)	1,100.10	10.30	671254239333
3365452	ETF-700-S-H-8-LT-BDT	Optima® Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (13)	1,051.40	8.70	671254239340



ETF-700-S

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamellar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-770 On-Q® Sensor Operated Deck Mount Gooseneck Faucets

Includes chrome plated brass deck mount gooseneck faucet, spray head, On-Q® sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral “Y” filter.

3365428	ETF-770-4-P	Optima® On-Q® Gooseneck Faucet – (1), (3), (6), (9)	599.60	7.30	671254235410
3365429	ETF-770-4-B	Optima® On-Q® Gooseneck Faucet – (1), (2), (6), (9)	616.90	7.20	671254235427
3365021	ETF-770-4-LT	Optima® On-Q® Gooseneck Faucet – (1), (4), (6), (9)	568.10	5.70	671254128033
3365411	ETF-770-4-P-ADM	Optima® On-Q® Gooseneck Faucet – (3), (6), (9), (11)	835.65	8.50	671254235595
3365412	ETF-770-4-B-ADM	Optima® On-Q® Gooseneck Faucet – (2), (6), (9), (11)	852.90	8.40	671254235601
3365413	ETF-770-4-LT-ADM	Optima® On-Q® Gooseneck Faucet – (4), (6), (9), (11)	804.15	6.90	671254235618
3365417	ETF-770-4-P-BDM	Optima® On-Q® Gooseneck Faucet – (3), (6), (9), (12)	631.85	7.30	671254235656
3365418	ETF-770-4-B-BDM	Optima® On-Q® Gooseneck Faucet – (2), (6), (9), (12)	649.15	7.20	671254235663
3365419	ETF-770-4-LT-BDM	Optima® On-Q® Gooseneck Faucet – (4), (6), (9), (12)	600.35	5.70	671254235670
3365453	ETF-770-4-P-BDT	Optima® On-Q® Gooseneck Faucet – (3), (6), (9), (13)	835.65	8.50	671254239647
3365454	ETF-770-4-B-BDT	Optima® On-Q® Gooseneck Faucet – (2), (6), (9), (13)	852.90	8.40	671254239654
3365455	ETF-770-4-LT-BDT	Optima® On-Q® Gooseneck Faucet – (4), (6), (9), (13)	804.15	6.90	671254239661
3365430	ETF-770-8-P	Optima® On-Q® Gooseneck Faucet – (1), (3), (6), (10)	631.65	7.60	671254235441
3365431	ETF-770-8-B	Optima® On-Q® Gooseneck Faucet – (1), (2), (6), (10)	649.00	7.60	671254235458
3365432	ETF-770-8-LT	Optima® On-Q® Gooseneck Faucet – (1), (4), (6), (10)	600.15	6.00	671254235465
3365414	ETF-770-8-P-ADM	Optima® On-Q® Gooseneck Faucet – (3), (6), (10), (11)	852.80	8.90	671254235625
3365415	ETF-770-8-B-ADM	Optima® On-Q® Gooseneck Faucet – (2), (6), (10), (11)	870.05	8.80	671254235632
3365416	ETF-770-8-LT-ADM	Optima® On-Q® Gooseneck Faucet – (4), (6), (10), (11)	821.30	7.20	671254235649
3365420	ETF-770-8-P-BDM	Optima® On-Q® Gooseneck Faucet – (3), (6), (10), (12)	663.90	7.70	671254235687
3365421	ETF-770-8-B-BDM	Optima® On-Q® Gooseneck Faucet – (2), (6), (10), (12)	681.25	7.60	671254235700
3365422	ETF-770-8-LT-BDM	Optima® On-Q® Gooseneck Faucet – (4), (6), (10), (12)	632.40	6.10	671254235717
3365456	ETF-770-8-P-BDT	Optima® On-Q® Gooseneck Faucet – (3), (6), (10), (13)	867.75	8.80	671254239678
3365457	ETF-770-8-B-BDT	Optima® On-Q® Gooseneck Faucet – (2), (6), (10), (13)	885.00	8.70	671254239685
3365458	ETF-770-8-LT-BDT	Optima® On-Q® Gooseneck Faucet – (4), (6), (10), (13)	836.25	7.20	671254239692

ETF-800 Sensor Operated Wall Mount Faucets

Includes splash-proof circuit control module, sensor range adjustment screw, troubleshooting LED indicator lights, user friendly variable time out settings, spray head with pressure compensating flow control, metal jacketed wire protection for solenoid lead, and modular quick-release sensor and solenoid connection.

3365726	ETF-800-B	Optima® Wall Mount Electronic Faucet – (3)	965.90	6.43	671254344723
3365721	ETF-800-P	Optima® Wall Mount Electronic Faucet – (2)	946.60	6.39	671254338593
3365723	ETF-800-LT	Optima® Wall Mount Electronic Faucet – (4)	917.30	4.99	671254340206
3365724	ETF-800-P-BDM	Optima® Wall Mount Electronic Faucet – (2), (12)	976.60	6.63	671254340473
3365725	ETF-800-P-BDT	Optima® Wall Mount Electronic Faucet – (2), (13)	1,166.25	6.97	671254342231

Sloan® Senso™ Faucet

Sensor operated chrome plated brass deck mount lavatory faucet includes; feather-light touch temperature controls indicating desired water temperature via red and blue LEDs, a lighted rainfall water stream, control module with integral ceramic disc mixing valve, stainless steel braided hoses for all water connections, and a plug-in voltage adapter (one per faucet). The Senso installs as a single hole pedestal-type faucet but covers a 4-inch centerset pattern.

3335100	Senso Faucet		1,525.00	—	—
---------	--------------	--	----------	---	---



ETF-770-4-P



ETF-800

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® *i.q.-cl/q*” button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EAF-100 Optima i.q.® 6VDC Electronic Automatic Lavatory Faucets

Includes Chrome Plated Due-Cast metal spout with self-contained electronics and solenoid valve for single-hole lavatory installation. Double infrared sensors with automatic setting feature. Supplied with 2.2 gpm/8.3 Lpm Aerator and 6 VDC plug-in transformer.

3335003	EAF-100-P CP	Optima i.q.® Faucet – (3), (18)	714.80	3.50	671254246911
3335004	EAF-100-P-ISM CP	Optima i.q.® Faucet – (3), (14), (18)	734.40	3.55	671254246928
3335005	EAF-100-P-ISM-DPU-IC CP	Optima i.q.® Faucet – (3), (14), (15), (16), (18)	848.55	3.75	671254246973
3335008	EAF-100-P-ISM-IC CP	Optima i.q.® Faucet – (3), (14), (16), (18)	781.95	3.85	671254249028

EAF-225 Optima i.q.® Lumino™ Sensor Operated Faucets

Includes 6 VDC plug-in transformer powered electronic handwashing faucet with integral mixing valve and temperature indicating light ring.

3335075	EAF-225-P-ISM CP	Optima i.q.® Lumino™ Faucet – (3), (14), (17)	838.45	3.90	671254368088
3335077	EAF-225-P-ISM-IC CP	Optima i.q.® Lumino™ Faucet – (3), (14), (16), (17)	881.45	5.00	671254368095
3335076	EAF-225-P-ISM-DPU-IC CP	Optima i.q.® Lumino™ Faucet – (3), (14), (15), (16), (17)	924.45	5.00	671254368101

EAF-200 Optima i.q.® LINO™ Sensor Operated Faucets

Includes 6 VDC plug-in transformer powered electronic handwashing faucets with pre-tempered or hot and cold water operation.

3335050	EAF-200-P CP	Optima i.q.® LINO™ Faucet – (3), (5)	714.90	3.50	671254311787
3335051	EAF-200-P-ISM CP	Optima i.q.® LINO™ Faucet – (3), (5), (14)	734.35	3.85	671254311794
3335052	EAF-200-P-ISM-IC CP	Optima i.q.® LINO™ Faucet – (3), (5), (14), (16)	781.95	5.00	671254311800
3335053	EAF-200-P-ISM-DPU-IC CP	Optima i.q.® LINO™ Faucet – (3), (5), (14), (15), (16)	848.55	5.00	671254311916

ESD-20080 Electronic Soap Dispensers with Faucet Combination

Includes chrome plated soap dispenser, integral spout, sensor assembly, control module, 800 ml soap cartridge, mounting hardware, tools and materials necessary for installation, and ETF-80 Optima® Faucet.

3346002	ESD-20080-P-BDM CP	Includes ETF-80 Faucet – (3), (12)	1,173.20	12.39	671254263604
3346000	ESD-20080-P CP	Includes ETF-80 Faucet – (3)	1,140.95	10.75	671254262768
3346003	ESD-20080-P-BDT CP	Includes ETF-80 Faucet – (3), (13)	1,551.35	13.52	671254263635

ESD-30880 Electronic Soap Dispensers with Faucet Combination

Includes chrome plated soap dispenser, integral spout, sensor assembly, control module, 800 ml soap cartridge, mounting hardware, tools and materials necessary for installation, and ETF-880 Optima® Faucet.

3346010	ESD-30880-P CP	Includes ETF-880 Faucet – (3)	1,240.95	12.24	671254270138
3346012	ESD-30880-P-BDT CP	Includes ETF-880 Faucet – (3), (13)	1,465.70	12.70	671254270152
3346023	ESD-30880-LT	Includes ETF-880 Faucet – (4)	1,209.45	10.40	671254336322

SF Series Pedestal Style Chrome Plated Transformer Powered Sensor Operated Faucets

Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 0.5 gpm maximum flow spray head, and Bak-Chek® and Flex Hose.

3362103	SF-2100-4	SF Series Sensor Faucet – (1), (5), (9)	411.60	5.00	671254313811
3362111	SF-2100-4-BDM	SF Series Sensor Faucet – (5), (9), (12)	443.85	5.20	671254315449



EAF-100-P-ISM



EAF-200



ESD-30880



SF-2100

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

SF Series Gooseneck Style Chrome Plated Transformer Powered Sensor Operated Faucets

Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 2.2 gpm laminar flow spray head, and Bak-Chek® and Flex Hose.

3362109	SF-2200-4	SF Series Sensor Faucet – (1), (6), (9)	397.75	5.40	671254315425
3362113	SF-2200-4-BDM	SF Series Sensor Faucet – (6), (9), (12)	430.00	5.60	671254315462

SF Series 4" Centerset Chrome Plated Transformer Powered Sensor Operated Faucets

Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 0.5 gpm maximum flow spray head, and Bak-Chek® and Flex Hose.

3362116	SF-2300	SF Series Sensor Faucet – (1), (5)	411.60	4.90	671254322973
3362115	SF-2300-BDM	SF Series Sensor Faucet – (5), (12)	443.85	5.10	671254322980

SF Series Pedestal Style Chrome Plated Transformer Powered Sensor Operated Faucets

Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 0.5 gpm maximum flow spray head, and Bak-Chek® and Flex Hose.

3362130	SF-2400-4	SF Series Sensor Faucet – (1), (5), (9)	411.60	6.40	671254350632
3362133	SF-2400-4-BDM	SF Series Sensor Faucet – (5), (9), (12)	443.85	6.66	671254354784

EBF-85 Battery-Powered Sensor Operated Faucets

Includes chrome plated brass lavatory faucet with engineered plastic throat plate, flow control spray head, fiber-optic adaptive Sensor, water-tight circuit control module with integral filtered solenoid valve, 4 "C" cell alkaline batteries.

3315010	EBF-85-4	Optima Plus® Faucet – (1), (5), (9)	763.70	7.50	671254128019
3315128	EBF-85-4-ADM	Optima Plus® Faucet – (5), (9), (11)	988.45	7.90	671254232044
3315130	EBF-85-4-BDM	Optima Plus® Faucet – (5), (9), (12)	795.95	6.70	671254232068
3315088	EBF-85-4-BDT	Optima Plus® Faucet – (5), (9), (13)	988.45	8.00	671254238718
3315047	EBF-85-8	Optima Plus® Faucet – (1), (5), (10)	795.75	8.00	671254143166
3315129	EBF-85-8-ADM	Optima Plus® Faucet – (5), (10), (11)	1,020.30	8.20	671254232051
3315131	EBF-85-8-BDM	Optima Plus® Faucet – (5), (10), (12)	827.85	7.20	671254232075
3315091	EBF-85-8-BDT	Optima Plus® Faucet – (5), (10), (13)	1,020.55	8.40	671254238725

EBF-187 Battery-Powered Sensor Operated Hand Washing Faucets with Metal Throat Plate

Includes chrome plated brass lavatory faucet with engineered metal throat plate, flow control spray head, fiber-optic adaptive sensor, water-tight circuit control module with integral filtered solenoid valve, 4 "C" cell alkaline batteries.

3315107	EBF-187-4	Optima Plus® Faucet – (1), (5), (9)	803.35	7.90	671254220966
3315144	EBF-187-4-ADM	Optima Plus® Faucet – (5), (9), (11)	1,037.90	8.50	671254232181
3315146	EBF-187-4-BDM	Optima Plus® Faucet – (5), (9), (12)	835.60	7.10	671254232204
3315094	EBF-187-4-BDT	Optima Plus® Faucet – (5), (9), (13)	1,037.95	8.30	671254238756
3315141	EBF-187-8	Optima Plus® Faucet – (1), (5), (10)	831.05	8.20	671254232150
3315145	EBF-187-8-ADM	Optima Plus® Faucet – (5), (10), (11)	1,069.75	8.70	671254232198
3315147	EBF-187-8-BDM	Optima Plus® Faucet – (5), (10), (12)	863.30	7.50	671254232211
3315095	EBF-187-8-BDT	Optima Plus® Faucet – (5), (10), (13)	1,065.65	8.80	671254238763



SF-2400



EBF-85



EBF-187

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EBF-550 Battery-Powered Sensor Operated Wall Mount Gooseneck Faucets

Includes chrome plated brass wall mount gooseneck faucet, 2.2 gpm/8.3 Lpm laminar spray head or showerhead, in-spout sensor with splash-proof circuit control module with integral filtered solenoid valve, 4 "AA" alkaline batteries.

3315156	EBF-550	Optima Plus® Faucet – (1), (6)	892.35	8.00	671254234642
3315157	EBF-550-H	Optima Plus® Faucet – (1), (8)	964.10	8.60	671254234659
3315158	EBF-550-S	Optima Plus® Faucet – (1), (6), (7)	898.50	7.80	671254234666
3315159	EBF-550-S-H	Optima Plus® Faucet – (1), (7), (8)	970.25	8.40	671254234673
3315160	EBF-550-S-BDM	Optima Plus® Faucet – (6), (7), (12)	930.75	6.90	671254234482
3315161	EBF-550-S-H BDM	Optima Plus® Faucet – (7), (8), (12)	1,002.50	7.80	671254234499
3315162	EBF-550-BDM	Optima Plus® Faucet – (6), (12)	924.60	7.40	671254234505
3315163	EBF-550-H BDM	Optima Plus® Faucet – (8), (12)	996.35	8.00	671254234512
3315098	EBF-550-BDT	Optima Plus® Faucet – (6), (13)	1,128.50	8.60	671254239494
3315099	EBF-550-H-BDT	Optima Plus® Faucet – (8), (13)	1,200.20	9.20	671254239500
3315101	EBF-550-S-BDT	Optima Plus® Faucet – (6), (7), (13)	1,134.60	8.00	671254239517
3315180	EBF-550-S-H-BDT	Optima Plus® Faucet – (7), (8), (13)	1,206.30	9.00	671254239524

EBF-615 Battery-Powered Deck-Mounted Sensor Operated Hand Washing Faucets

Includes Chrome Plated brass pedestal lavatory faucet, flow control spray head, in-spout sensor, water-tight circuit control module with integral filtered solenoid valve, 4 "AA" alkaline batteries.

3315114	EBF-615-4	Optima Plus® Faucet – (1), (5), (9)	597.25	7.50	671254224940
3315154	EBF-615-4-BDM	Optima Plus® Faucet – (5), (9), (12)	629.50	7.60	671254233454
3315181	EBF-615-4-BDT	Optima Plus® Faucet – (5), (9), (13)	810.30	8.80	671254238961
3315152	EBF-615-8	Optima Plus® Faucet – (1), (5), (10)	642.05	7.70	671254233416
3315155	EBF-615-8-BDM	Optima Plus® Faucet – (5), (10), (12)	674.30	7.80	671254233461
3315153	EBF-615-8-ADM	Optima Plus® Faucet – (5), (10), (11)	873.80	8.70	671254233430
3315182	EBF-615-8-BDT	Optima Plus® Faucet – (5), (10), (13)	855.05	9.00	671254238978

EBF-650 Battery-Powered 4" Centerset Sensor Operated Hand Washing Faucets

Includes Chrome plated brass 4" centerset lavatory faucet, flow control spray head, water-tight control module with integral filtered solenoid valve, 4 "AA" alkaline batteries.

3315025	EBF-650	Optima Plus® Faucet – (1), (5)	661.75	7.50	671254141452
3315137	EBF-650-BDM	Optima Plus® Faucet – (5), (12)	694.00	6.80	671254233508
3315183	EBF-650-BDT	Optima Plus® Faucet – (5), (13)	897.80	8.00	671254238886
3315139	EBF-650-8	Optima Plus® Faucet – (1), (5), (10)	732.90	8.00	671254233492
3315138	EBF-650-8-BDM	Optima Plus® Faucet – (5), (10), (12)	765.15	7.40	671254233515
3315184	EBF-650-8-BDT	Optima Plus® Faucet – (5), (10), (13)	968.90	8.60	671254238893



EBF-550-H



EBF-615



EBF-650

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EBF-750 Battery-Powered Sensor Operated Deck Mount Gooseneck Faucets

Includes chrome plated brass deck mount gooseneck faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module with integral filtered solenoid valve, 4 "AA" alkaline batteries.

3315104	EBF-750-4	Optima Plus® Faucet – (1), (6), (9)	821.55	8.90	671254219687
3315059	EBF-750-H-4	Optima Plus® Faucet – (1), (8), (9)	893.35	9.50	671254148062
3315164	EBF-750-8	Optima Plus® Faucet – (1), (6), (10)	870.80	9.10	671254234406
3315165	EBF-750-H-8	Optima Plus® Faucet – (1), (8), (10)	942.55	9.70	671254234413
3315168	EBF-750-8-ADM	Optima Plus® Faucet – (6), (10), (11)	1,168.40	7.80	671254234444
3315169	EBF-750-H-8-ADM	Optima Plus® Faucet – (8), (10), (11)	1,240.15	8.40	671254234451
3315170	EBF-750-4-BDM	Optima Plus® Faucet – (6), (9), (12)	853.80	6.30	671254234307
3315171	EBF-750-8-BDM	Optima Plus® Faucet – (6), (10), (12)	903.05	6.60	671254234314
3315172	EBF-750-H-4-BDM	Optima Plus® Faucet – (8), (9), (12)	925.60	6.90	671254234321
3315173	EBF-750-H-8-BDM	Optima Plus® Faucet – (8), (10), (12)	974.80	7.20	671254234338
3315185	EBF-750-4-BDT	Optima Plus® Faucet – (6), (9), (13)	1,057.60	7.50	671254238794
3315186	EBF-750-8-BDT	Optima Plus® Faucet – (6), (10), (13)	1,106.80	7.70	671254238800
3315187	EBF-750-H-4-BDT	Optima Plus® Faucet – (8), (9), (13)	1,129.35	8.10	671254239012
3315188	EBF-750-H-8-BDT	Optima Plus® Faucet – (8), (10), (13)	1,178.60	8.30	671254239029

EBF-750-S Battery-Powered Sensor Operated Deck Mount Surgical Bend Gooseneck Faucets

Include chrome plated brass deck mount surgical bend gooseneck faucet, spray head or showerhead, sensor with splash-proof circuit control module with integral filtered solenoid valve, 4 "C" cell alkaline batteries.

3315105	EBF-750-S-4	Optima Plus® Faucet – (1), (6), (7), (9)	827.70	8.90	671254219694
3315068	EBF-750-S-H-4	Optima Plus® Faucet – (1), (7), (8), (9)	899.35	9.60	671254148055
3315176	EBF-750-S-4-BDM	Optima Plus® Faucet – (6), (7), (9), (12)	859.95	6.40	671254234369
3315178	EBF-750-S-H-4-BDM	Optima Plus® Faucet – (7), (8), (9), (12)	931.60	7.00	671254234383
3315189	EBF-750-S-4-BDT	Optima Plus® Faucet – (6), (7), (9), (13)	1,063.70	7.60	671254239036
3315191	EBF-750-S-H-4-BDT	Optima Plus® Faucet – (7), (8), (9), (13)	1,135.40	8.20	671254239050
3315166	EBF-750-S-8	Optima Plus® Faucet – (1), (6), (7), (10)	876.95	9.20	671254234420
3315167	EBF-750-S-H-8	Optima Plus® Faucet – (1), (7), (8), (10)	948.60	9.80	671254234437
3315174	EBF-750-S-8-ADM	Optima Plus® Faucet – (6), (7), (10), (11)	1,174.55	7.80	671254234345
3315175	EBF-750-S-H-8-ADM	Optima Plus® Faucet – (7), (8), (10), (11)	1,246.20	8.40	671254235076
3315177	EBF-750-S-8-BDM	Optima Plus® Faucet – (6), (7), (10), (12)	909.05	6.60	671254234376
3315179	EBF-750-S-H-8-BDM	Optima Plus® Faucet – (7), (8), (10), (12)	980.85	7.20	671254234390
3315190	EBF-750-S-8-BDT	Optima Plus® Faucet – (6), (7), (10), (13)	1,112.95	7.80	671254239043
3315192	EBF-750-S-H-8-BDT	Optima Plus® Faucet – (7), (8), (10), (13)	1,184.65	8.40	671254239067

EAF-150 Battery-Powered Electronic Automatic Lavatory Faucets

Include chrome plated die-cast metal spout with self-contained electronics, 6 VDC lithium battery and solenoid valve for single hole lavatory installation. Double infrared sensors with automatic range setting feature. Supplied with 2.2 gpm (8.3 Lpm) flow controlling aerator.

3335000	EAF-150 CP	Optima Plus® i.q.™ Faucet – (18)	649.50	3.20	671254246669
3335001	EAF-150-ISM CP	Optima Plus® i.q.™ Faucet – (14), (18)	669.10	3.55	671254246676
3335002	EAF-150-ISM-DPU-IC CP	Optima Plus® i.q.™ Faucet – (14), (15), (16), (18)	734.40	3.55	671254246683
3335007	EAF-150-ISM-IC CP	Optima Plus® i.q.™ Faucet – (14), (16), (18)	711.75	3.55	671254249011



EBF-750



EAF-150

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamina Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EAF-275 Sloan SOLIS® Solar-Powered Electronic Hand Washing Faucets

Solar powered faucet includes chrome plated brass, one piece modular construction, double infrared sensors with automatic range setting and a 6 volt lithium CRP2 commercial battery. Faucet supplied with 0.5 gpm (1.9 Lpm) spray head.

3335016	EAF-275	Sloan SOLIS® Solar Powered Faucet – (5)	710.40	3.50	671254304437
3335017	EAF-275-ISM	Sloan SOLIS® Solar Powered Faucet – (5), (14)	730.55	3.80	671254304444
3335024	EAF-275-IC	Sloan SOLIS® Solar Powered Faucet – (5), (16)	776.00	3.55	671254306271
3335025	EAF-275-ISM-IC	Sloan SOLIS® Solar Powered Faucet – (5), (14), (16)	795.65	3.75	671254306288

EAF-250 LINO™ Battery-Powered Sensor Operated Faucets

Include chrome plated brass, one-piece modular construction, double infrared sensors with automatic range setting and a 6-volt lithium CR-P2 commercial battery. Supplied with 0.5 gpm (1.9 Lpm) spray head.

3335060	EAF-250 CP	Optima Plus® i.q.™ LINO™ Faucet – (5)	649.50	3.50	671254311923
3335061	EAF-250-ISM CP	Optima Plus® i.q.™ LINO™ Faucet – (5), (14)	669.10	3.75	671254311930
3335062	EAF-250-ISM-IC CP	Optima Plus® i.q.™ LINO™ Faucet – (5), (14), (16)	711.75	3.75	671254311947
3335063	EAF-250-ISM-DPU-IC CP	Optima Plus® i.q.™ LINO™ Faucet – (5), (14), (15), (16)	734.40	4.70	671254311954

ESD Electronic Soap Dispensers with Faucet Combinations – Supplied with EBF-85 Battery or ETF-187 Hardwire Faucet

Includes integral spout, sensor assembly, control module, 800 ml soap cartridge with each dispenser, mounting hardware, tools and materials necessary for installation; supplied with EBF-85 Faucet.

3346001	ESD-25085 CP	Soap Dispenser with Faucet Combination – with EBF-85 Faucet	1,178.70	11.11	671254263406
3346004	ESD-25085-BDM CP	Soap Dispenser with Faucet Combination with EBF-85 Faucet – (12)	1,210.95	11.45	671254263611
3346005	ESD-25085-BDT CP	Soap Dispenser with Faucet Combination with EBF-85 Faucet – (13)	1,766.00	12.63	671254263628

Battery-Powered Electronic Soap Dispensers with Faucet Combination

Includes integral spout, sensor assembly, control module, 800 ml soap cartridge with each dispenser, mounting hardware, tools and materials necessary for installation; supplied with ETF-187 Faucet.

3346013	ESD-35187 CP	Soap Dispenser with Faucet Combination with EBF-187 Faucet	1,246.30	11.82	671254269989
3346014	ESD-35187-BDM CP	Soap Dispenser with Faucet Combination with EBF-187 Faucet – (12)	—	—	—
3346015	ESD-35187-BDT CP	Soap Dispenser with Faucet Combination with EBF-187 Faucet – (13)	—	—	—

SF Series Pedestal Style Battery Operated Electronic Faucet

Includes chrome plated, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4” trim plate, 0.5 gpm maximum flow spray head, and Bak-Chek® and Flex Hose.

3362102	SF-2150-4	SF Series Faucet – (1), (5), (9)	387.95	4.50	671254315358
3362110	SF-2150-4-BDM	SF Series Faucet – (5), (9), (12)	420.20	4.80	671254315432

SF Series Gooseneck Style Battery-Powered Electronic Faucets

Includes chrome plated, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4” trim plate, 2.2 gpm laminar flow spray head and Bak-Chek® and Flex Hose.

3362104	SF-2250-4	SF Series Faucet – (1), (6), (9)	374.10	4.80	671254315371
3362112	SF-2250-4-BDM	SF Series Faucet – (6), (9), (12)	406.35	5.00	671254315456



EAF-275



EAF-250



SF-2150



SF-2250

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer “B” (3). Plug-In Transformer “P” (4). Less Transformer “LT” (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout “S” (8). Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9). 4” Trim Plate (10). 8” Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate “ADM” (12). Below Deck Mixing Valve – MIX60A “BDM” (13). Below Deck Thermostatic Mixing Valve – MIX135A “BDT” (14). Integral Temperature Control Spout Mixer “ISM” (15). Drain Pop Up “DPU” (16). Optima® i.q.-cl/q™ button “IC” (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser “MSD” (21). Angle Bracket “AB”

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

SF Series 4" Centerset Battery Operated Electronic Faucets

Includes chrome plated, integral spout, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 0.5 gpm maximum flow spray head, and Bak-Chek® and Flex Hose.

3362119	SF-2350	SF Series Faucet – (1), (5)	387.95	4.40	671254323079
3362118	SF-2350-BDM	SF Series Faucet – (5), (12)	420.20	4.60	671254323062

SF Series Pedestal Style Battery Operated Electronic Faucet

Includes chrome plated, integral spout, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 0.5 gpm maximum flow spray head, and Bak-Chek® and Flex Hose.

3362124	SF-2450-4	SF Series Faucet – (1), (5), (9)	387.95	4.80	671254349001
3362127	SF-2450-4-BDM	SF Series Faucet – (5), (9), (12)	420.20	4.80	671254375451

Hand Dryers, Rotating Nozzle

3366010	EHD-301 WHT	Optima® Hand Dryer – White, 110/120 Volt, Surface Mount, Rotating Nozzle	599.80	18.0	671254266056
3366011	EHD-301 CP	Optima® Hand Dryer – Chrome, 110/120 Volt, Surface Mount, Rotating Nozzle	710.85	18.0	671254265943
3366012	EHD-302 WHT	Optima® Hand Dryer – White, 208/230 Volt, Surface Mount, Rotating Nozzle	599.80	18.0	671254266063
3366013	EHD-302 CP	Optima® Hand Dryer – Chrome, 208/230 Volt, Surface Mount, Rotating Nozzle	710.85	18.0	671254265950
3366016	EHD-304 WHT	Optima® Hand Dryer – White, 277 Volt, Surface Mount, Rotating Nozzle	599.80	18.0	671254266070
3366017	EHD-304 CP	Optima® Hand Dryer – Chrome, 277 Volt, Surface Mount, Rotating Nozzle	710.85	18.0	671254265967
3366020	EHD-351 WHT	Optima® Hand Dryer – White, 110/120 Volt, Recess Mount, Rotating Nozzle	688.65	18.0	671254266216
3366021	EHD-351 CP	Optima® Hand Dryer – Chrome, 110/120 Volt, Recess Mount, Rotating Nozzle	799.75	18.0	671254266247
3366022	EHD-352 WHT	Optima® Hand Dryer – White, 208/230 Volt, Recess Mount, Rotating Nozzle	688.65	18.0	671254266223
3366023	EHD-352 CP	Optima® Hand Dryer – Chrome, 208/230 Volt, Recess Mount, Rotating Nozzle	799.75	18.0	671254266254
3366026	EHD-354 WHT	Optima® Hand Dryer – White, 277 Volt, Recess Mount, Rotating Nozzle	688.65	18.0	671254266230
3366027	EHD-354 CP	Optima® Hand Dryer – Chrome, 277 Volt, Recess Mount, Rotating Nozzle	799.75	18.0	671254266261

Hand Dryers, Bottom Vent

3366030	EHD-401 WHT	Optima® Hand Dryer – White, 110/120 Volt, Surface Mount, Bottom Vent	666.45	17.0	671254266278
3366031	EHD-401 CP	Optima® Hand Dryer – Chrome, 110/120 Volt, Surface Mount, Bottom Vent	777.55	17.0	671254266308
3366032	EHD-402 WHT	Optima® Hand Dryer – White, 208/230 Volt, Surface Mount, Bottom Vent	666.45	17.0	671254266285
3366033	EHD-402 CP	Optima® Hand Dryer – Chrome, 208/230 Volt, Surface Mount, Bottom Vent	777.55	17.0	671254266315
3366036	EHD-404 WHT	Optima® Hand Dryer – White, 277 Volt, Surface Mount, Bottom Vent	666.45	17.0	671254266292
3366037	EHD-404 CP	Optima® Hand Dryer – Chrome, 277 Volt, Surface Mount, Bottom Vent	777.55	17.0	671254266322
3366040	EHD-451 WHT	Optima® Hand Dryer – White, 110/120 Volt, Recess Mount, Bottom Vent	755.25	18.0	671254266339
3366041	EHD-451 CP	Optima® Hand Dryer – Chrome, 110/120 Volt, Recess Mount, Bottom Vent	866.35	18.0	671254266360
3366042	EHD-452 WHT	Optima® Hand Dryer – White, 208/230 Volt, Recess Mount, Bottom Vent	755.25	18.00	671254266346
3366043	EHD-452 CP	Optima® Hand Dryer – Chrome, 208/230 Volt, Recess Mount, Bottom Vent	866.35	18.00	671254266377
3366046	EHD-454 WHT	Optima® Hand Dryer – White, 277 Volt, Recess Mount, Bottom Vent	755.25	18.00	671254266353
3366047	EHD-454 CP	Optima® Hand Dryer – Chrome, 277 Volt, Recess Mount, Bottom Vent	866.35	18.00	671254266384



SF-2350



EHD-301



EHD-401

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Throstatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Throstatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
XLerator® Hand Dryers					
3366050	EHD-501 WHT	Optima® XLerator® Hand Dryer – White, 110/120 Volt – Bottom Vent	866.35	16.00	671254266391
3366051	EHD-501 CP	Optima® XLerator® Hand Dryer – Chrome, 110/120 Volt – Bottom Vent	977.45	16.00	671254266438
3366052	EHD-502 WHT	Optima® XLerator® Hand Dryer – White, 220/240 Volt – Bottom Vent	866.35	16.00	671254266407
3366053	EHD-502 CP	Optima® XLerator® Hand Dryer – Chrome, 220/240 Volt – Bottom Vent	977.45	16.00	671254266445
3366054	EHD-503 WHT	Optima® XLerator® Hand Dryer – White, 208 Volt – Bottom Vent	866.35	16.00	671254266414
3366055	EHD-503 CP	Optima® XLerator® Hand Dryer – Chrome, 208 Volt – Bottom Vent	977.45	16.00	671254266452
3366056	EHD-504 WHT	Optima® XLerator® Hand Dryer – White, 277 Volt – Bottom Vent	866.35	16.00	671254266421
3366057	EHD-504 CP	Optima® XLerator® Hand Dryer – Chrome, 277 Volt – Bottom Vent	977.45	16.00	671254266469

OPTIMIX® On-Deck Manual Mixing Valve

3326018	MIX-110-AA	On Deck Ceramic Mixing Valves	236.10	2.50	671254226203
---------	------------	-------------------------------	--------	------	--------------

OPTIMIX® Below Deck Mixing and Tempering Valves

3326009	MIX-60-A	Mechanical Mixing Valve for use with Single Faucet	38.70	0.50	671254142114
0326008PK	MIX-70-A	Thermo Mixing Valve for use with up to Six Faucets w/Straight Check Stops	315.90	4.00	671254139534
0326009PK	MIX-75-A	Thermo Mixing Valve for use with up to Six Faucets w/Angle Check Stops	369.60	4.40	671254139541
0326045PK	MIX-135-A	Thermostatic Mixing Valve for use with Single Faucet	236.10	1.70	671254241169

Grid Strainer

0365036PK	ETF-460-A	Chrome Plated Brass with 1-1/4" Outlet Tube	26.30	1.00	671254127142
-----------	-----------	---	-------	------	--------------

Lavatory Shield

0365059	ETF-529	Optishield® Lavatory Shield	241.45	5.30	671254221994
---------	---------	-----------------------------	--------	------	--------------

Wall Boxes

3305178	EL-191-A	Kit Wall Box W/Optima F/Urinal SS	589.55	11.86	671254040564
3305180	EL-192-A	Kit Wall Box W/Optima F/Closet SS	586.50	11.74	671254069121
3305158	EL-191-ALS	Kit Wall Box W/Optima Urinal Less Sensor	346.20	11.86	671254385122
3305160	EL-192-ALS	Kit Wall Box W/Optima Closet Less Sensor	317.45	11.74	671254385115

Proprietary Installation and Positioning Support System Kit

3345038	EL-485-A	Hardwire flushometer Positioning and Support Kit – Closet – 110/111 ES-S	44.60	1.00	671254246157
3345054	EL-518-A	Hardwire flushometer Positioning and Support Kit – Urinal – 180/186 ES-S	44.60	1.00	671254261396



EHD-501



MIX-60-A



ETF-460-A

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Trim Plates – Chrome Plated Brass					
3365466	ETF-295-A	4" Trim Plate – Single Hole ETF80 & EBF85 with or without Below Deck Mixing Valve	39.00	0.20	671254139800
3365468	ETF-312-A	4" Trim Plate – Single Hole EAF200/250/275,ELF10, ESF20, EBF187, ERF885 with or without Below Deck Mixing Valve	39.00	0.20	671254139824
3365302	ETF-607-A	4" Trim Plate – Single Hole EAF100/150, ETF610, EBF615, EBF750, ETF700 with or without Below Deck Mixing Valves	43.50	0.30	671254226623
3365473	ETF-662-A	4" Trim Plate – Single Hole ETF880 with or without Below Deck Mixing Valves	43.45	0.22	671254269125
3326012	MIX-101-A	4" Trim Plate – Double Hole ETF80, EBF85, EBF885, ELF10 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	56.60	0.30	671254225312
3365467	ETF-299-A	4" Trim Plate -Double Hole ESD200080/25085 faucet/soap combo with or without Below Deck Mixing Valve	39.00	0.21	671254139817
3365469	ETF-313-A	4" Trim Plate -Double Hole ETF660, ETF770 with or without Below Deck Mixing Valve	39.00	0.20	671254139831
3365255	ETF-640-A	4" Trim Plate -Double Hole ESD30880/35187 faucet/soap combo with or without Below Deck Mixing Valve	43.25	0.26	671254265257
0326019	MIX-88	4" Trim Plate – Triple Hole ETF660, ETF770 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	52.15	0.20	671254227842
3365470	ETF-314-A	4" Trim Plate – Triple Hole ETF660 & ETF770 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	39.00	0.20	671254139848
3365024	ETF-510-A	8" Trim Plate – Single Hole EAF200/250/275, ETF80/880, EBF85/187, EBF885 with or without Below Deck Mixing Valve	71.10	0.60	671254129948
3365119	ETF-578-A	8" Trim Plate – Single Hole ETF600 & EBF650 with or without Below Deck Mixing Valve	71.10	0.60	671254148178
3365303	ETF-608-A	8" Trim Plate – Single Hole EAF100/150,ETF610, EBF615, EBF750, ETF700 with or without Below Deck Mixing Valves	92.70	0.50	671254226630
3362022	SFP-22-A	8" Trim Plate – Single Hole SF2100/SF2200	32.35	0.50	671254331365
3326015	MIX-104-A	8" Trim Plate – Double Hole ETF80/880, EBF85/187, ERF885 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	92.70	0.50	671254225343
3326017	MIX-106-A	8" Trim Plate – Double Hole ETF610, EBF615, EBF750, ETF700 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	110.15	0.50	671254225367
3365602	ETF-432-A	8" Trim Plate – Double Hole ETF660, ETF770	71.10	0.44	671254139879
3365603	ETF-433-A	8" Trim Plate – Triple Hole ETF660 & ETF770 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	71.10	0.50	671254139886

Transformers

0345154PK	EL-154	Box Mount 120 VAC Input/24 VAC Output 50 VA 3 Faucets	40.15	2.30	671254139589
0345211PK	EL-208	Foot Mount 120 VAC Input/24 VAC Output 100 VA 6 Faucets	135.95	4.50	671254139572
0345370PK	EL-248-40	Box Mount 120 VAC Input/24 VAC Output 40 VA 2 Faucets	40.90	1.50	671254139626
0345999PK	EL-342	Box Mount 240 VAC Input/24 VAC Output 50 VA 3 Faucets	81.95	2.20	671254139558
0345125	EL-451	Box Mount 120 VAC Input/6 VAC Output 25 VA	88.65	2.00	671254241275
0365534PK	ETF-233	Plug-In 120 VAC Input/24 VAC Output 35 VA 2 Faucets	28.40	1.50	671254139701
0365879	ETF-416	Plug-In (for Canada) 120 VAC Input/24 VAC Output 35 VA 2 Faucets	28.40	1.50	671254139602
0335037	EAF-37	Box Mount 6 VDC Optima i.q.™ Faucet	164.65	2.00	671254337879
0335009	EAF-11	Transformer 6 VDC Optima i.q.™ Faucet Plug-In	180.20	0.19	671254255081
0362006	SFP-6	Plug-In 6 VDC for SF Series	27.35	1.60	671254322301
0362026	SFP-26	Plug-In 6 VDC 220AC 6DC-CH for SF Series	26.30	1.60	671254335714



ETF-295-A



ETF-607



ETF-608-A



EL-154

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Cable Extensions					
0365840	ETF-1003-108	Cable Ext. Kit 108" /2.7m Lg-Solenoid to Control Mod	33.55	0.20	671254143135
0365100	ETF-1003-240	Cable Ext. Kit 240" Lg- Solenoid to Control Mod	55.60	0.26	671254145542
0365838	ETF-1003-36	Cable Ext. Kit 36" /0.9m Lg- Solenoid to Control Mod	21.65	0.07	671254143111
0365053	ETF-1003-48	Cable Ext. Kit 48" Lg-Solenoid to Control Mod – OBSOLETE	—	—	—
0365839	ETF-1003-72	Cable Ext. Kit 72" /1.8m Lg-Solenoid to Control Mod – OBSOLETE	—	—	—
0305863	ETF-1005-108	Cable Ext. Kit 108" /2.7m Lg – Faucet to Control Mod	85.70	0.19	671254111479
0365042	ETF-1005-26	Cable Ext. Kit 26" Lg – Faucet to Control Mod – OBSOLETE	—	—	—
0305861	ETF-1005-36	Cable Ext. Kit 36" .9m Lg – Faucet to Control Module	73.35	0.06	67125411145
0305862	ETF-1005-72	Cable Ext. Kit 72" /1.8m Lg – Faucet to Control Module – OBSOLETE	—	—	—

Soap

0346017	ESD217	LOTION SOAP with Moisturizer 800 ml BOTTLE (Qty of 4 only)	23.40	2.20	671254265479
0346035	ESD231	ANTIBACTERIAL SOAP 800 ml BOTTLE (Qty of 4 only)	24.45	2.20	671254266018
0346036	ESD232	LOTION SOAP with Moisturizer 1600 ml bottle (Qty of 4 only)	45.20	4.00	671254266025
0346037	ESD233	ANTIBACTERIAL SOAP 1600 ml BOTTLE (Qty of 4 only)	48.10	4.00	671254266032

ESD-200 Electronic Sensor Soap Dispensers

Includes 800 ml. soap cartridge with new soap pathway and pump when changing soap cartridge.

3346052	ESD-200-LT CP	Optima® Soap Dispenser – (4)	414.05	3.84	671254263598
3346051	ESD-200-P CP	Optima® Soap Dispenser – (3)	460.05	5.44	671254263512

ESD-250 Battery-Powered Electronic Soap Dispensers

Includes 800 ml. soap cartridge with new soap pathway and pump when changing soap cartridge.

3346050	ESD-250 CP	Optima® Battery Soap Dispenser	460.05	5.53	671254260726
---------	------------	--------------------------------	--------	------	--------------

ESD-300 Electronic Sensor Soap Dispensers

Includes 800 ml. soap cartridge with new soap pathway and pump when changing soap cartridge. Includes chrome plated metal throat plate.

3346058	ESD-300-LT CP	Optim® Soap Dispenser – (4)	478.35	4.85	671254269958
3346057	ESD-300-P CP	Optima® Soap Dispenser – (3)	524.30	5.40	671254269941

ESD-350 Battery-Powered Electronic Soap Dispenser

Includes 800 ml. soap cartridge with new soap pathway and pump when changing soap cartridge. Includes chrome plated metal throat plate.

3346059	ESD-350 CP	Optima® Battery Soap Dispenser	524.30	5.72	671254269965
---------	------------	--------------------------------	--------	------	--------------



ETF-1003



ESD-200



ESD-300



ESD-350 C

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q* button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Optima® Single Station Sensor Activated Scrub Sinks

Include scrub sink, Sloan Optima® sensor activated deck mounted surgical bend faucet with flow controlling spray head (laminar or shower spray), self-adaptive sensor, 24 VAC plug-in transformer, beehive strainers, P-trap and Z-bar mounting clip.

3850004	ESS-2100-C	Optima® Sensor Scrub Sinks – (6)	8,752.75	80.00	671254136557
3850005	ESS-2100-H	Optima® Sensor Scrub Sinks – (8)	8,752.75	80.00	671254136564
3850006	ESS-2100-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	9,401.90	80.00	671254136571
3850007	ESS-2100-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	9,401.90	80.00	671254136588
3850008	ESS-2100-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	8,963.80	80.00	671254136595
3850009	ESS-2100-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	8,963.80	80.00	671254136601

Optima® Double Station Sensor Activated Scrub Sinks

Include scrub sink, two Sloan Optima® sensor activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensor, two 24 VAC plug-in transformers, beehive strainers, P-trap and Z-bar mounting clip.

3850016	ESS-2200-C	Optima® Sensor Scrub Sinks – (6)	11,595.20	262.00	671254136670
3850017	ESS-2200-H	Optima® Sensor Scrub Sinks – (8)	11,595.20	262.00	671254136687
3850018	ESS-2200-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	11,997.50	262.00	671254136694
3850019	ESS-2200-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	11,997.50	262.00	671254136700
3850020	ESS-2200-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	12,017.55	262.00	671254136717
3850021	ESS-2200-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	12,017.55	262.00	671254136724

Optima® Triple Station Sensor Activated Scrub Sinks

Include scrub sink, two Sloan Optima® sensor activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensor, two 24 VAC plug-in transformers, beehive strainers, P-trap and Z-bar mounting clip.

3850028	ESS-2300-C	Optima® Sensor Scrub Sinks – (6)	14,828.20	303.00	671254136793
3850029	ESS-2300-H	Optima® Sensor Scrub Sinks – (8)	14,828.20	303.00	671254136809
3850030	ESS-2300-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	15,351.10	303.00	671254136816
3850031	ESS-2300-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	15,351.10	303.00	671254136823
3850032	ESS-2300-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	15,461.55	303.00	671254136830
3850033	ESS-2300-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	15,461.55	303.00	671254136847



ESS-2100-C



ESS-2200-H



ESS-2300

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Optima® Sensor Activated Hand Washing Sinks

Includes stainless steel hand washing sink, Sloan Optima® sensor activated faucet, 24 VAC plug-in transformer, strainer, p-trap and z-bar mounting clip. Furnished with 2.2 gpm/8.3 Lpm laminar spray head.

3850045	EHS-1080	Includes ETF-80 faucet	2,797.25	72.00	671254146815
3850046	EHS-1080-BDT	Includes ETF-80 faucet, (13)	3,008.25	72.00	671254146822
3850047	EHS-1080-ADM	Includes ETF-80 faucet, (11)	3,008.25	72.00	671254146839
3850049	EHS-1600	Includes ETF-600 faucet	2,779.40	72.00	671254217119
3850050	EHS-1600-BDT	Includes ETF-600 faucet, (13)	2,990.50	72.00	671254217126
3850051	EHS-1600-ADM	Includes ETF-600 faucet, (11)	2,990.50	72.00	671254217133
3850036	EHS-1660	Includes ETF-660 faucet	2,797.25	72.00	671254146730
3850037	EHS-1660-BDT	Includes ETF-660 faucet, (13)	3,008.25	72.00	671254146747
3850038	EHS-1660-ADM	Includes ETF-660 faucet, (11)	3,008.25	72.00	671254146754
3850053	EHS-1700	Includes ETF-700 faucet,	2,797.25	72.00	671254146853
3850054	EHS-1700-BDT	Includes ETF-700 faucet, (13)	3,008.25	72.00	671254146860
3850055	EHS-1700-ADM	Includes ETF-700 faucet, (11)	3,008.25	72.00	671254146877
3850041	EHS-1770	Includes ETF-770 faucet	2,747.10	72.00	671254146778
3850042	EHS-1770-BDT	Includes ETF-770 faucet, (13)	2,958.25	72.00	671254146785
3850043	EHS-1770-ADM	Includes ETF-770 faucet, (11)	2,958.25	72.00	671254146792
3850061	EHS-1750	Includes ETF-750 faucet	2,933.35	72.00	671254217072
3850062	EHS-1750-BDT	Includes ETF-750 faucet, (13)	3,144.45	72.00	671254217089
3850063	EHS-1750-ADM	Includes ETF-750 faucet, (11)	3,144.45	72.00	671254217096

Optima® Deluxe Single Station Sensor Activated Scrub Sinks

Includes scrub sink, Sloan Optima® sensor activated deck mounted surgical bend faucet with flow controlling spray head (laminar or shower spray), self-adaptive sensor, knee activated soap dispenser, 24 VAC plug-in transformer, beehive strainer, P-trap and Z-bar mounting clip.

3850201	ESS-3100-C	Optima® Sensor Scrub Sinks – (6)	12,647.40	299.00	671254250567
3850202	ESS-3100-H	Optima® Sensor Scrub Sinks – (8)	12,647.40	299.00	671254250574
3850203	ESS-3100-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	12,920.75	299.00	671254250581
3850204	ESS-3100-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	12,920.75	299.00	671254250598
3850205	ESS-3100-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	12,847.40	299.00	671254250604
3850206	ESS-3100-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	12,847.40	299.00	—
3850207	ESS-3100-C-ADT	Optima® Sensor Scrub Sinks – (6), (19)	13,995.55	299.00	—
3850208	ESS-3100-H-ADT	Optima® Sensor Scrub Sinks – (8), (19)	13,995.55	299.00	671254250635



EHS-1080



EHS-1750-ADM



ESS-3100

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Optima® Deluxe Double Station Sensor Activated Scrub Sinks

Includes scrub sink, two Sloan Optima® sensor activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensors, knee activated soap dispenser, two (2) 24 VAC plug-in transformers, beehive strainer, P-trap and Z-bar mounting clip.

3850211	ESS-3200-C	Optima® Sensor Scrub Sinks – (6)	16,888.00	340.00	671254250437
3850212	ESS-3200-H	Optima® Sensor Scrub Sinks – (8)	16,888.00	340.00	—
3850213	ESS-3200-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	17,452.15	340.00	671254250451
3850214	ESS-3200-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	17,452.15	340.00	671254250468
3850215	ESS-3200-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	17,542.75	340.00	671254250475
3850216	ESS-3200-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	17,542.75	358.00	671254250482
3850217	ESS-3200-C-ADT	Optima® Sensor Scrub Sinks – (6), (19)	19,159.05	340.00	671254250499
3850218	ESS-3200-H-ADT	Optima® Sensor Scrub Sinks – (8), (19)	19,159.05	340.00	671254250505

Optima® Deluxe Triple Station Sensor Activated Scrub Sinks

Includes scrub sink, three Sloan Optima® sensor activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensors, knee activated soap dispenser, three (3) 24 VAC plug-in transformer, beehive strainer, P-trap and Z-bar mounting clip.

3850221	ESS-3300-C	Optima® Sensor Scrub Sinks – (6)	20,980.70	390.00	671254250727
3850222	ESS-3300-H	Optima® Sensor Scrub Sinks – (8)	20,980.70	390.00	—
3850223	ESS-3300-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	21,544.70	390.00	671254250758
3850224	ESS-3300-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	21,544.70	390.00	671254250765
3850225	ESS-3300-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	21,962.20	390.00	—
3850226	ESS-3300-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	21,962.20	390.00	—
3850227	ESS-3300-C-ADT	Optima® Sensor Scrub Sinks – (6), (19)	22,322.25	390.00	—
3850228	ESS-3300-H-ADT	Optima® Sensor Scrub Sinks – (8), (19)	22,322.25	390.00	—

EW-72000 and EW-73000 SloanStone® Lavatory Systems with Soap Dispensers

Double- and Triple- Station SloanStone® lavatory systems. Available with Manual Soap Dispenser (MSD option). Add \$200 to the list price per dispenser. One dispenser is standard on the 72000, two dispensers on the 73000. Specify color.

—	EW-72000	Double-Station Lavatory System	4,892.50	—	—
—	EW-73000	Triple-Station Lavatory System	7,168.80	—	—

EW-62000 and EW-63000 SloanStone® Lavatory System

Double- and Triple- Station SloanStone® lavatory systems. Available with Soap Dispenser (SD option). Add \$200 to the list price per dispenser. One dispenser is standard on the 62000, two dispensers on the 63000. Specify color.

—	EW-62000	Double-Station, Transformer Powered	3,549.35	—	—
—	EW-62050	Double-Station, Battery Powered	3,526.95	—	—
—	EW-63000	Triple-Station, Transformer Powered	5,194.35	—	—
—	EW-63050	Triple-Station, Battery Powered	5,171.95	—	—



ESS-3200



ESS-3300



EW-72000

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ELS-72000 SloanStone® Lavatory Systems with Sloan Faucets

SloanStone® double-station lavatory systems with faucet options.

—	ELS-72080	Includes Two ETF-80	4,018.05	—	—
—	ELS-72085	Includes Two EBF-85	4,336.30	—	—
—	ELS-72100	Includes Two EAF-100	4,339.70	—	—
—	ELS-72150	Includes Two EAF-150	4,144.80	—	—
—	ELS-72187	Includes Two EBF-187	4,290.95	—	—
—	ELS-72200	Includes Two EAF-200	4,157.30	—	—
—	ELS-72250	Includes Two EAF-250	4,038.05	—	—
—	ELS-72275	Includes Two EAF-275	4,149.15	—	—
—	ELS-72610	Includes Two ETF-610	3,924.05	—	—
—	ELS-72615	Includes Two EBF-615	4,333.85	—	—
—	ELS-72600	Includes Two ETF-600	3,750.75	—	—
—	ELS-72650	Includes Two EBF-650	4,056.70	—	—
—	ELS-722100	Includes Two SF-2100	3,560.75	—	—
—	ELS-722150	Includes Two SF-2150	3,560.75	—	—
—	ELS-722200	Includes Two SF-2200	3,535.40	—	—
—	ELS-722250	Includes Two SF-2250	3,535.40	—	—
—	ELS-722300	Includes Two SF-2300	3,559.30	—	—
—	ELS-722350	Includes Two SF-2350	3,559.30	—	—

ELS-73000 SloanStone® Lavatory Systems with Sloan Faucets

SloanStone® triple-station lavatory systems with faucet options.

—	ELS-73080	Includes Three ETF-80	5,907.85	—	—
—	ELS-73085	Includes Three EBF-85	6,403.85	—	—
—	ELS-73100	Includes Three EAF-100	6,165.90	—	—
—	ELS-73150	Includes Three EAF-150	5,971.00	—	—
—	ELS-73187	Includes Three EBF-187	6,335.75	—	—
—	ELS-73200	Includes Three EAF-200	6,135.25	—	—
—	ELS-73250	Includes Three EAF-250	5,956.35	—	—
—	ELS-73275	Includes Three EAF-275	6,123.05	—	—
—	ELS-73610	Includes Three ETF-610	6,081.65	—	—
—	ELS-73615	Includes Three EBF-615	6,089.75	—	—
—	ELS-73600	Includes Three ETF-600	5,679.95	—	—
—	ELS-73650	Includes Three EBF-650	5,984.30	—	—
—	ELS-732100	Includes Three SF-2100	5,240.40	—	—
—	ELS-732150	Includes Three SF-2150	5,240.40	—	—
—	ELS-732200	Includes Three SF-2200	5,202.40	—	—
—	ELS-732250	Includes Three SF-2250	5,202.40	—	—
—	ELS-732300	Includes Three SF-2300	5,238.25	—	—
—	ELS-732350	Includes Three SF-2350	5,238.25	—	—



ELS-72000



ELS-73000

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ELS-62000 SloanStone® Lavatory Systems with Sloan Faucets					
SloanStone® double-station lavatory systems with various faucet options.					
—	ELS-62080	Includes Two ETF-80	3,673.05	—	—
—	ELS-62085	Includes Two EBF-85	3,988.20	—	—
—	ELS-62100	Includes Two EAF-100	3,991.60	—	—
—	ELS-62150	Includes Two EAF-150	3,798.55	—	—
—	ELS-62187	Includes Two EBF-187	3,943.30	—	—
—	ELS-62200	Includes Two EAF-200	**	—	—
—	ELS-62250	Includes Two EAF-250	**	—	—
—	ELS-62275	Includes Two EAF-275	**	—	—
—	ELS-62610	Includes Two ETF-610	3,579.95	—	—
—	ELS-62615	Includes Two EBF-615	3,985.80	—	—
—	ELS-62600	Includes Two ETF-600	3,510.35	—	—
—	ELS-62650	Includes Two EBF-650	3,711.30	—	—

*Contact Your Local Sloan Representative

ELS-63000 SloanStone® Lavatory Systems with Sloan Faucets					
SloanStone® triple-station lavatory systems with various faucet options.					
—	ELS-63080	Includes Three ETF-80	5,562.85	—	—
—	ELS-63085	Includes Three EBF-85	6,035.65	—	—
—	ELS-63100	Includes Three EAF-100	5,800.05	—	—
—	ELS-63150	Includes Three EAF-150	5,607.00	—	—
—	ELS-63187	Includes Three EBF-187	5,968.25	—	—
—	ELS-63200	Includes Three EAF-200	**	—	—
—	ELS-63250	Includes Three EAF-250	**	—	—
—	ELS-63275	Includes Three EAF-275	**	—	—
—	ELS-63610	Includes Three ETF-610	5,423.25	—	—
—	ELS-63615	Includes Three EBF-615	5,724.60	—	—
—	ELS-63600	Includes Three ETF-600	5,318.80	—	—
—	ELS-63650	Includes Three EBF-650	5,620.20	—	—

**Contact Your Local Sloan Representative


(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q™* button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ELC-81000 Series SloanStone® Single Station Lavatory Systems with Faucet Option					
—	ELC-81000	Less Faucet	3,204.25	—	—
—	ELC-81080	Includes One ETF-80	3,769.95	—	—
—	ELC-81085	Includes One EBF-85	3,914.65	—	—
—	ELC-81100	Includes One EAF-100	3,869.20	—	—
—	ELC-81150	Includes One EAF-150	3,826.65	—	—
—	ELC-81200	Includes One EAF-200	3,869.75	—	—
—	ELC-81210	Includes One SF2100	3,587.15	—	—
—	ELC-81215	Includes One SF2150	3,565.15	—	—
—	ELC-81240	Includes One SF2400	3,587.15	—	—
—	ELC-81245	Includes One SF2450	3,565.15	—	—
—	ELC-81250	Includes One EAF-250	3,808.45	—	—
—	ELC-81275	Includes One EAF-275	3,865.10	—	—
—	ELC-81610	Includes One ETF-610	3,746.00	—	—
—	ELC-81615	Includes One EBF-615	3,759.85	—	—
—	ELC-81880	Includes One ETF-880	3,843.65	—	—

ELC-82000 Series SloanStone® Double Station Lavatory Systems with Faucet Option					
—	ELC-82000	Less Faucet	3,807.50	—	—
—	ELC-82080	Includes Two ETF-80	4,938.90	—	—
—	ELC-82085	Includes Two EBF-85	5,228.30	—	—
—	ELC-82100	Includes Two EAF-100	5,137.40	—	—
—	ELC-82150	Includes Two EAF-150	5,052.30	—	—
—	ELC-82200	Includes Two EAF-200	5,138.50	—	—
—	ELC-82210	Includes Two SF-2100	4,573.30	—	—
—	ELC-82215	Includes Two SF-2150	4,529.30	—	—
—	ELC-82240	Includes Two SF-2400	4,573.30	—	—
—	ELC-82245	Includes Two SF-2450	4,529.30	—	—
—	ELC-82250	Includes Two EAF-250	5,015.90	—	—
—	ELC-82275	Includes Two EAF-275	5,129.20	—	—
—	ELC-82610	Includes Two ETF-610	4,891.00	—	—
—	ELC-82615	Includes Two EBF-615	4,918.00	—	—
—	ELC-82880	Includes Two ETF-880	5,086.30	—	—



ELC-81000



ELC-82000

**Contact Your Local Sloan Representative

(1). Bak Chok (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ELC-83000 Series SloanStone® Triple Station Lavatory Systems with Faucet Options					
—	ELC-83000	Less Faucet	4,864.50	—	—
—	ELC-83080	Includes Three ETF-80	6,561.60	—	—
—	ELC-83085	Includes Three EBF-85	6,995.70	—	—
—	ELC-83100	Includes Three EAF-100	6,859.35	—	—
—	ELC-83150	Includes Three EAF-150	6,731.70	—	—
—	ELC-83200	Includes Three EAF-200	6,861.00	—	—
—	ELC-83210	Includes Three SF2100	6,013.20	—	—
—	ELC-83215	Includes Three SF2150	5,947.20	—	—
—	ELC-83240	Includes Three SF2400	6,013.20	—	—
—	ELC-83245	Includes Three SF2450	5,947.20	—	—
—	ELC-83250	Includes Three EAF-250	6,677.10	—	—
—	ELC-83275	Includes Three EAF-275	6,847.05	—	—
—	ELC-83610	Includes Three ETF-610	6,489.75	—	—
—	ELC-83615	Includes Three EBF-615	6,531.30	—	—
—	ELC-83880	Includes Three ETF-880	6,782.70	—	—

ELC 41000 Series SloanStone® Single Station Lavatory Systems with Faucet Option					
—	ELC-41080	Includes One ETF-80	1,729.20	68.00	—
—	ELC-41085	Includes One EBF-85	1,864.50	68.00	—
—	ELC-41100	Includes One EAF-100	1,866.40	64.00	—
—	ELC-41150	Includes One EAF-150	1,766.85	64.00	—
—	ELC-41187	Includes One EBF-187	1,841.60	68.00	—
—	ELC-41280	Includes One ESD-20080	2,000.45	73.00	—
—	ELC-41285	Includes One ESD-25085	2,161.80	73.00	—
—	ELC-41610	Includes One ETF-610	1,680.90	67.50	—
—	ELC-41615	Includes One EBF-615	1,757.80	67.50	—
—	ELC-41600	Includes One ETF-600	1,645.30	70.00	—
—	ELC-41650	Includes One EBF-650	1,722.25	70.00	—

ELC 42000 Series SloanStone® Double Station Lavatory Systems with Faucet Options					
—	ELC-42080	Includes Two ETF-80	3,457.10	136.00	—
—	ELC-42085	Includes Two EBF-85	3,781.95	136.00	—
—	ELC-42100	Includes Two EAF-100	3,785.50	128.00	—
—	ELC-42150	Includes Two EAF-150	3,586.65	128.00	—
—	ELC-42187	Includes Two EBF-187	3,736.00	136.00	—
—	ELC-42280	Includes Two ESD-20080	4,054.85	146.00	—
—	ELC-42285	Includes Two ESD-25085	4,377.60	146.00	—
—	ELC-42610	Includes Two ETF-610	3,359.85	135.00	—
—	ELC-42615	Includes Two EBF-615	3,430.10	135.00	—
—	ELC-42600	Includes Two ETF-600	3,290.00	140.00	—
—	ELC-42650	Includes Two EBF-650	3,497.10	140.00	—



ELC-83000



ELC-41000



ELC-42000

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q* button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ELC 43000 Series SloanStone® Triple Station Lavatory Systems with Faucet Options					
—	ELC-43080	Includes Three ETF-80	5,137.95	204.00	—
—	ELC-43085	Includes Three EBF-85	5,624.55	204.00	—
—	ELC-43100	Includes Three EAF-100	5,629.80	192.00	—
—	ELC-43150	Includes Three EAF-150	5,331.75	192.00	—
—	ELC-43187	Includes Three EBF-187	5,555.30	204.00	—
—	ELC-43280	Includes Three ESD-20080	6,034.05	219.00	—
—	ELC-43285	Includes Three ESD-25085	6,746.80	219.00	—
—	ELC-43610	Includes Three ETF-610	4,994.40	202.50	—
—	ELC-43615	Includes Three EBF-615	5,304.35	202.50	—
—	ELC-43600	Includes Three ETF-600	4,886.80	210.00	—
—	ELC-43650	Includes Three EBF-650	5,197.05	210.00	—

ELC 44000 Series SloanStone® Quadruple Station Lavatory Systems with Faucet Options					
—	ELC-44080	Includes Four ETF-80	6,786.45	272.00	—
—	ELC-44085	Includes Four EBF-85	7,435.40	272.00	—
—	ELC-44100	Includes Four EAF-100	7,442.25	256.00	—
—	ELC-44150	Includes Four EAF-150	7,044.85	256.00	—
—	ELC-44187	Includes Four EBF-187	7,343.50	272.00	—
—	ELC-44280	Includes Four ESD-20080	7,981.35	292.00	—
—	ELC-44285	Includes Four ESD-25085	8,626.70	292.00	—
—	ELC-44610	Includes Four ETF-610	6,595.25	270.00	—
—	ELC-44615	Includes Four EBF-615	7,008.50	270.00	—
—	ELC-44600	Includes Four ETF-600	6,451.55	280.00	—
—	ELC-44650	Includes Four EBF-650	6,865.20	280.00	—

ELS 41000 Series SloanStone® Single Station Lavatory Systems with Faucet Option					
—	ELS-41080	Includes One ETF-80	1,691.25	48.00	—
—	ELS-41085	Includes One EBF-85	1,826.70	48.00	—
—	ELS-41100	Includes One EAF-100	1,827.95	44.00	—
—	ELS-41150	Includes One EAF-150	1,728.05	44.00	—
—	ELS-41187	Includes One EBF-187	1,803.85	48.00	—
—	ELS-41280	Includes One ESD-20080	1,963.15	53.00	—
—	ELS-41285	Includes One ESD-25085	2,124.55	53.00	—
—	ELS-41610	Includes One ETF-610	1,643.45	47.50	—
—	ELS-41615	Includes One EBF-615	1,720.00	47.50	—
—	ELS-41600	Includes One ETF-600	1,607.55	50.00	—
—	ELS-41650	Includes One EBF-650	1,684.15	50.00	—



ELC-43000



ELC-44000



ELS-41000

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q*™ button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ELS 42000 Series SloanStone® Double Station Lavatory Systems with Faucet Options					
—	ELS-42080	Includes Two ETF-80	3,781.05	206.00	—
—	ELS-42085	Includes Two EBF-85	4,105.50	206.00	—
—	ELS-42100	Includes Two EAF-100	4,109.00	198.00	—
—	ELS-42150	Includes Two EAF-150	3,910.30	198.00	—
—	ELS-42187	Includes Two EBF-187	4,059.25	206.00	—
—	ELS-42280	Includes Two ESD-20080	4,505.50	216.00	—
—	ELS-42285	Includes Two ESD-25085	4,701.15	216.00	—
—	ELS-42610	Includes Two ETF-610	3,685.25	205.00	—
—	ELS-42615	Includes Two EBF-615	4,103.00	205.00	—
—	ELS-42600	Includes Two ETF-600	3,613.60	210.00	—
—	ELS-42650	Includes Two EBF-650	3,820.45	210.00	—

ELS 43000 Series SloanStone® Triple Station Lavatory Systems with Faucet Options					
—	ELS-43080	Includes Three ETF-80	5,726.45	274.00	—
—	ELS-43085	Includes Three EBF-85	6,213.20	274.00	—
—	ELS-43100	Includes Three EAF-100	5,970.65	262.00	—
—	ELS-43150	Includes Three EAF-150	5,771.95	262.00	—
—	ELS-43187	Includes Three EBF-187	6,143.80	274.00	—
—	ELS-43280	Includes Three ESD-20080	6,622.55	289.00	—
—	ELS-43285	Includes Three ESD-25085	7,106.60	289.00	—
—	ELS-43610	Includes Three ETF-610	5,582.75	272.50	—
—	ELS-43615	Includes Three EBF-615	5,893.00	272.50	—
—	ELS-43600	Includes Three ETF-600	5,475.25	280.00	—
—	ELS-43650	Includes Three EBF-650	5,785.50	280.00	—

SloanStone® Electronic Wash Station

Double- and Triple- Station Sensor Activated Lavatory System with Integrated Electronic Optima Technology. Available with Manual Soap Dispenser (MSD Option).

—	EW-42000	Double-Station Lavatory System	3,827.75	190.00	—
—	EW-43000	Triple-Station Lavatory System	5,601.45	250.00	—

SloanStone® Electronic Wash Fountain

Sensor Activated Lavatory Systems with Integrated Optima Technology.

—	EFW-42000	Double-Station Lavatory-Corner Unit	5,787.65	130.00	—
—	EFW-43000	Triple-Station Lavatory	6,312.40	140.00	—
—	EFW-44000	Quadruple-Station Lavatory	6,801.50	170.00	—



ELS-42000



ELS-43000



EW-43000



EFW-44000

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® *i.q.-cl/q™* button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ELB-51000 Bio-Deck Lavatory System with Sloan Faucet					
Bio-Deck single-station lavatory system with various faucet options.					
3860019	ELB-51100	Gray (G) - Includes EAF-100, (21)	1771.95	69.30	671254396401
—	ELB-51150	Includes EAF-150	**	—	—
—	ELB-51200	Includes EAF-200	**	—	—
—	ELB-51225	Includes EAF-225	**	—	—
—	ELB-51250	Includes EAF-250	**	—	—
3860001	ELB-51275	Corn Cob (CC) - Includes EAF-275	1519.40	69.30	671254390010
3860003	ELB-51275	Corn Cob (CC) - Includes EAF-275, (20)	1709.40	73.30	671254390041
3860005	ELB-51275	Corn Cob (CC) - Includes EAF-275, (21)	1767.00	69.30	671254390942
3860006	ELB-51275	Corn Cob (CC) - Includes EAF-275, (20), (21)	1957.00	73.30	671254390966
3860009	ELB-51275	Gray (G) - Includes EAF-275, (21)	1767.00	69.30	671254392922
3860010	ELB-51275	Jade Green (JG) - Includes EAF-275, (21)	1767.00	69.30	671254392915
—	ELB-51610	Includes ETF-610	**	—	—
—	ELB-51615	Includes EBF-615	**	—	—
—	ELB-51625	Includes EBF-625	**	—	—

ELB-52000 Bio-Deck Lavatory System with Sloan Faucets					
Bio-Deck double-station lavatory system with various faucet options.					
—	ELB-52100	Includes Two EAF-100	**	—	—
—	ELB-52150	Includes Two EAF-150	**	—	—
—	ELB-52200	Includes Two EAF-200	**	—	—
—	ELB-52225	Includes Two EAF-225	**	—	—
—	ELB-52250	Includes Two EAF-250	**	—	—
3860002	ELB-52275	Corn Cob (CC) - Includes Two EAF-275	2807.50	117.00	—
3860004	ELB-52275	Corn Cob (CC) - Includes Two EAF-275, (20)	2997.50	125.00	671254390058
3860007	ELB-52275	Corn Cob (CC) - Includes Two EAF-275, (21)	2931.30	117.00	671254390973
3860008	ELB-52275	Corn Cob (CC) - Includes Two EAF-275, (20), (21)	3121.30	125.00	671254390980
—	ELB-52610	Includes Two ETF-610	**	—	—
—	ELB-52615	Includes Two EBF-615	**	—	—
—	ELB-52625	Includes Two EBF-625	**	—	—

Designer Series Urban Pedestal Lavatory System					
The Urban Pedestal is a distinctive design bringing a clean and modern appeal to the commercial restroom. Create a unique look with either natural stone or solid surface material and by choosing from 25 different color options and several elegantly-designed Sloan sensor faucets.					
—	DSUP-81000	Single-Station, Less Faucet	4200.00	—	—

Designer Series Open Front Lavatory Systems					
The Open Front sink line introduces a visually striking approach to the modern restroom. Create a unique look with either natural stone or solid surface material and by choosing from 25 different color options and several elegantly-designed Sloan sensor faucets. Available in single-, double- and triple-stations in standard or custom dimensions.					
—	DSOF-81000	Single-Station, Less Faucet	3357.00	—	—
—	DSOF-82000	Double-Station, Less Faucet	6580.00	—	—
—	DSOF-83000	Triple-Station, Less Faucet	7261.00	—	—



ELB-51000



ELB-52000

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Laminar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Designer Series Weir Deck Lavatory Systems

The Weir Deck sink line reflects the simplicity of modern design for the most discerning of commercial restrooms. Create a unique look with either natural stone or solid surface material and by choosing from 25 different color options and several elegantly-designed Sloan sensor faucets. Available in single-, double- and triple-stations in standard or custom dimensions.

—	DSWD-81000	Single-Station, Less Faucet	2890.00	—	—
—	DSWD-82000	Double-Station, Less Faucet	5081.00	—	—
—	DSWD-83000	Triple-Station, Less Faucet	6890.00	—	—

Designer Series Gradient Lavatory Systems

The Gradient sink line is an impeccably crafted and elegantly functional design to complement the design of the upscale commercial restroom. Create a unique look with either natural stone or solid surface material and by choosing from 25 different color options and several elegantly-designed Sloan sensor faucets. Available in single-, double- and triple-stations in standard or custom dimensions.

—	DSG-81000	Single-Station, Less Faucet	2500.00	—	—
—	DSG-82000	Double-Station, Less Faucet	5000.00	—	—
—	DSG-83000	Triple-Station, Less Faucet	6000.00	—	—

Designer Series Counter Top Lavatory Systems

The Counter Top sink line is a remarkably durable and contemporary design to complement any commercial restroom. Create a unique look with either natural stone or solid surface material and by choosing from 25 different color options and several elegantly-designed Sloan sensor faucets. Available in single-, double- and triple-stations in standard or custom dimensions.

—	DSCT-81000	Single-Station, Less Faucet	1848.00	—	—
—	DSCT-82000	Double-Station, Less Faucet	3450.00	—	—
—	DSCT-83000	Triple-Station, Less Faucet	5298.00	—	—

SloanStone® Options

SloanStone® Sink Variations

EW Series

JVC	Juvenile Height	N/C
MSD (EW-42000)	Manual Soap Dispenser	151.10
MSD (EW-43000)	Manual Soap Dispenser	265.00
FM	Floor Mount	66.00

ELS Series

JVC	Juvenile Height	N/C
FM	Floor Mount	218.95
DS (ELS-41000)	Drain Shroud	225.25

EWF Series

MSD (EWF-42000)	Manual Soap Dispenser	202.10
MSD (EWF-43000)	Manual Soap Dispenser	254.75
MSD (EWF-44000)	Manual Soap Dispenser	275.00
FM	Floor Mount	193.70

ELC Series

AB	Angle Bracket/ea. —	61.90
FA	Integrated Front Apron	116.45
LS/RS	Left Side Splash/Right Side SPLash /ea.	113.90
SAL/SAR	Side Apron Left/Side Apron Right /ea.	146.10

**Contact Your Local Sloan Representative

(1). Bak Chek (2). Box Transformer "B" (3). Plug-In Transformer "P" (4). Less Transformer "LT" (5). 0.5 gpm/1.9 Lpm Sprayhead (non aerated) (6). 2.2 gpm/8.3 Lpm Lamellar Spray Head (7). Surgical Bend Spout "S" (8). Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9). 4" Trim Plate (10). 8" Trim Plate (11). Above Deck Mixing Valve – MIX110AA Trim Plate "ADM" (12). Below Deck Mixing Valve – MIX60A "BDM" (13). Below Deck Thermostatic Mixing Valve – MIX135A "BDT" (14). Integral Temperature Control Spout Mixer "ISM" (15). Drain Pop Up "DPU" (16). Optima® i.q.-cl/q" button "IC" (17). 1.5 gpm/5.7 Lpm Aerator (18). 2.2 gpm/8.3 Lpm Aerated Spray Head (19). Above Deck Thermostatic Mixing Valve – MIX139 (20). Manual Soap Dispenser "MSD" (21). Angle Bracket "AB"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloanvalve.com