CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Weight Capacity: 275 Lbs (single seat)

550 Lbs (towperson seat)

Warning: Do not stand on chair

Warning: Do not over torque bolts/screws








Part List and Hardware List

		_	
PIECE	DESCRIPTION	PICTURE	QUANTITY
1	Chair back frame	Ħ	4X
2	Chair seat frame	\Diamond	4X
3	Chair front frame	B	4X
4	Chair side left - right frame	B	8X
5	Chair seat cushion		4X
6	Chair back cushion		4X
Α	Allen bolt(M6x25 mm)		32X
В	Allen bolt(M6x30 mm)	%	40X
С	Allen bolt(M6x40 mm)	9	8X
D	Flat washer	0	48X
Е	Plastic feet		16X
F	Allen key		2X

Product Dimensions:

26.38"x26.38"x26.38" H (Chair) 26.38"x26.38"x26.38" H (Corner) 26.38"x26.38"x13.97" H (Table)



CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
1	Chair back frame	B	4X
2	Chair seat frame	\Diamond	4X
3	Chair front frame	В	4X
4	Chair side left - right frame	B	8X
5	Chair seat cushion		4X
6	Chair back cushion		4X
Α	Allen bolt(M6x25 mm)	~	32X
В	Allen bolt(M6x30 mm)	%	40X
С	Allen bolt(M6x40 mm)	*	8X
D	Flat washer	0	48X
E	Plastic feet		16X
F	Allen key		2X

Weight Capacity: 275 Lbs (single seat)

550 Lbs (towperson seat)


Warning: Do not stand on chair

Warning : Do not over torque bolts/screws











PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 15 minutes.


Tools Required for Assembly (included): Allen Key





Step 1
Connect Bench Back Frame (2) & Bench Seat Frame (3) & tighten Bolt (C) with Allen key (F)

Step 2 Connect part from Step 1 & Chair Side Left - Right Frame (4) tighten Bolt (B) with Allen key (F)



Step 3
Connect part from Step 2 & Chair Front Frame (3) tighten Bolt (B) with Allen key (F)

