


General Assembly Guidelines

- 1. Ensure that all parts and hardware are available before beginning assembly.
- || Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- V. The three main types of hardware used to assemble this product are : wood dowels , screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.




VI. A Phillips head screwdriver is required for the assembly of this product.



VII. Power tools should not be used to assemble this product.






Hardware List

Α	Ø8x30mm	Wooden dowel	24	pcs
В	Ø6x35mm	Cam bolt	20	pcs
С	Ø15x11mm	Cam lock	20	pcs
D	Ø30mm	Sticker	20	pcs
Е	Ø8x5x16mm	Shelf support pin	12	pcs
F	Ø6x50mm	Bolt	6	pcs
G	M 4	Hex Key	1	рс
Н		Pulley	4	pcs
J		Plastic wedge	12	pcs
K		Pulley	4	pcs
L	Ø3x17mm	Screw	12	pcs
М		Glue tube	1	рс
Р	Ø3x12mm	Screw	32	pcs




Philips head screwdriver required for assembly (not included)


The hardware quantities listed above are required for proper assembly. Some extra hardware may also have been included.




Insert wooden dowel (A) into part (2), using cam bolt (B) into part (1) with Philips head screwdriver as per diagram.





Insert wooden dowel (A) into parts (3,9,10) as per diagram.




Insert wooden dowel (A) into parts (5,6,7,8), using cam bolt (B) secure parts (5,6,7,8) with Philips head screwdriver as per diagram.









Using cam lock secure parts (5,6,7,8) into part (3) with Philips head screwdriver as per diagram.




Using bolt (F) attach part (2) into part (16) with hex key (G) as per diagram.




Using cam lock (C) secure part (2) into parts (7,8) with Philips head screwdriver as per diagram.




Using cam lock (C) secure part (2) into parts (5,6) with Philips head screwdriver as per diagram.




Using bolt (F) secure part (2) into parts (9,10) with hex key (G) as per diagram.




Put part (15) into parts (2,5,7) as per diagram.




Using cam lock (C) secure part (1) into parts (3,9,10) with Philips head screwdriver as per diagram.




Using screw (L) secure plastic wedge (J) with Philips head screwdriver as per diagram.




Place sticker cover the holes as per diagram.




Insert shelf support pin into parts (3,9,10) as per diagram.




Put parts (11,12,13) into cabinet as per diagram.




Using screw (P) secure pulley (K,H) into part (14) with Philips head screwdriver as per diagram.



Using screw (P) secure pulley (K,H) into part (4) with Philips head screwdriver as per diagram.



Pick up the doors (4,14), and fit the pulley (K) over the slider rails on the bottom panel (2) ,then place the doors (4,14) into top panel (1) , till it click into pulley (H) as per diagram.



If necessary adjust the pre-attached floor levelers to level the unit .

Step 19 Final Assembly