

ASSEMBLY INSTRUCTION




table of contents





introduction	2
hardware	4
parts list	5
assembly	6 - 10

hardware



(A) x 4

5/16" x 80mm
round hex screw





(B) x 2

5/16" x 60mm
round hex screw




(C) x 4

5/16" x 50mm
round hex screw



(D) x 4

Screw Flat head 50mm




(E) x 10

Φ 8mm lock washer



(F) x 10

Φ 22mm flat washer




(G) x 1

5mm Ball end
Hex wrench





ITEM	DESCRIPTION	QUANTITY
------	-------------	----------

①	chair back	1
②	seat cushion	1
③	front leg	1
④	right bar	1
⑤	left bar	1




step 1.



(C) x 4

5/16" x 50mm
round hex screw




(E) x 4

Φ 8mm lock washer



(F) x 4

Φ 22mm flat washer



(G) x 1


5mm Ball end
Hex wrench



Please do not assemble with power tools


step 2.

1




2

Do not tighten these two bolts until the next step.



(B) x 2

5/16" x 60mm
round hex screw




(E) x 2

Φ 8mm lock washer



(F) x 2

Φ 22mm flat washer



(G) x 1


5mm Ball end
Hex wrench



Please do not assemble with power tools


step 3.

1 Now you may tighten all 6 bolts.



(A) x 4

5/16" x 80mm
round hex screw




(E) x 4

Φ 8mm lock washer



(F) x 4

Φ 22mm flat washer



(G) x 1

5mm Ball end
Hex wrench




Please do not assemble with power tools

step 4.

1


Using philip screw driver tighten all the screws.



(D) x 4

Screw Flat head 50mm

OK to Assemble with power Tools




step 5.


.....

A friendly reminder from us:

Please keep the Allen wrench.



After a period of time, there may be a chance the KD furniture may become loose, please use an Allen wrench to tighten the loose bolts.



Adjustable leveling feet

(This part is already attached on the end cap of 4 legs.)

.....

Level the furniture, use leveling feet if needed.