

User's Manual





INSTALLATION INSTRUCTIONS

Installation Manual



RB0865







IAPMO RESEARCH AND TESTING, INC.







IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA • 909-472-4100 • 909-472-4244 • www.iapmort.org





CERTIFICATE OF LISTING

tAP/AD Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPI/O Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date:	August 2013	Void After: August 2014
Product:	Plumbing Fixture Fittings	File No. 8737
Issued To:	Kaiping Heart Cartridge Co., Ltd. No. 28 Neihuan Dong Road, Shuikou Town, Kaiping City, GUANDONG China	

Identification: Plumbing supply fittings complying with this Standard shall be marked with the manufacturer's recognized name, trademark, or other mark or, in the case of private labeling, the name, trademark or other mark of the customer for whom the fitting was manufactured. The marking shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings on plumbing supply fittings shall be visible after installation.

> Single-handle, single-control, and automatic compensating mixing bath and shower valves shall have identifiable temperature control settings in which the settings are indicated by words ("cold", "warm", "hot", etc.), by numbers, or graphically.

Packages shall be marked with the manufacturer's name, trademark, or other mark as well as the model number or, in the case of private labeling, the name, trademark, or mark of the customer for whom the fitting was manufactured as well as the model number.

CEO, The IAPMO Group

man, Product Certification Committee

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of interior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPAIO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.

CERTIFICATE OF LISTING

tAPMO Research and Testing. Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product R acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date:	October 2016	-Rev. 11/28/2016-	Void After: October 2017
Product:	Flexible Water Conne	ectors	File No. 4955
Issued To:	Yuhuan Jianglin Plum Package Industry Zon Yuhuan County Zhejiang 317600, China	abing Hose & Parts Co., Ltd. e	

Identification: Manufacturer's name or trademark and cUPCO certification mark. Special note on label "For use with water in exposed locations only."

Characteristics: Flexible water connectors manufactured in various sizes, lengths and metal end fittings for hot or cold water applications that consist of an inner tube, which may or may not have an outer braided cover. Connectors are to be installed for use in accessible locations only and in accordance with the manufacturer's instruction, and the latest edition of the Uniform Plumbing Code.

> Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s): Uniform Plumbing Code (UPC®)

Up

C

EO. The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any chance in material. manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



CERTIFICATE OF LISTING UPC

IAPMO Research and Testing. Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date:	November 2016	-Rev. 3/1/2017-	Void After:	November	2017
Product:	Plumbing Fixture Fi	ttings		File No.	4528
Issued To:	Neoperl Inc. 171 Mattatuck Heigh Waterbury, CT 06705				

- Identification: Each fitting component shall bear permanent legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall also bear all other markings required by the standard. The marking shall be located where it can be readily seen after installation is complete. The product or packaging shall also bear the cUPCD certification mark.
- Characteristics: Plumbing fixture fitting components to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s): Uniform Plumbing Code (UPC®) National Plumbing Code of Canada

Chairman, Product Certification Committee

R

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



BEFORE INSTALLATION

DESCRIPTION

Solid brass construction

- Premium finish resist corrosion and tarnishing
- ·Feature a waterfall spout
- ·Hand shower with back flow protection
- ·60"(1500mm)rubber hose included
- ·Feature a pressure balance valve
- ·Suitable for wall mounted rough-in installation

FLOW

•Faucet maximum 4 gpm @ 60 psi ·Hand shower maximum 2 gpm(7.6L/min)

CARTRIDGE

•Ceramic disk cartridge ·Pressure-balanced valve

STANDARDS

Specifications



•Certified to cUPC Comply with ASME A112.18.1/CSA B125.1 •ADA 🛃 for lever handle

WARRANTY

·Lifetime limited warranty against leaks, drips and finish defects from the original date of purchase. (Improper care and cleaning will void the warranty)

·5-year warranty if used in commercial installations



Wall Mounted Bathtub Faucet NOTE: THIS FAUCET IS DESIGNED FOR WALL MOUNTED ROUGH-IN INSTALLATION







BEFORE INSTALLATION

1.Check the package and confirm all parts are included. If any part is missing or damaged, please contact us.

2.Do not disassemble the main body, as it has been installed & commissioned correctly & precisely before leaving the factory.

3. Shut off the main water supply prior to beginning installation.

4. Do flush the water supply lines to remove any dirt and debris before installation (IMPORTANT).

5.Make sure to connect the hot/cold inlet pipe correctly.If standing in front, connect hot water pipe to the left and cold water pipe to the right.

6.After the installation, check for leaks and make sure every joint is safely sealed.

INSTALLATION STEPS





Wall Mounted Bathtub Faucet Installation

INSTALLATION MANUAL Tools You will need



Adjustable Wrench



Allen key



Philips Screwdriver



Teflon Tape







1.Fix the shower valve(A)into the the wall, Use a level to ensure that the valve is straight and level.

2.Wrap Teflon tape around the pipe threads and connect hot and cold water supply lines and in-wall pipes(not included) as desired to the valve.Turn on water supply and open the cartridge to check for leakage. Then, put on the protective cover.

3.Remove the protective cover when the finished wall is completed and install the escutcheon (B) to the valve (A) and press it against the finished wall. Then, install the handle (C) and diverter knob (D), tighten set screws (E) with Allen key (F), and put on the indication buttons (G).

INSTALLATION STEPS



4.Turn the water on for 1 minute to flush any debris. Apply Teflon tape (H) to the threaded tail pipe and install the shower hose (I) into the outlet on the wall,Then connect the top shower (P) to the spout.



5.Apply Teflon tape (H) to the threaded end, the fix the cover plate (J) onto the wall supply holder (K) and screw the wall supply holder (K) into the hand shower outlet.



6.Add rubber washers (L) at both ends of the shower hose (M). Connect shower hose (M) to the wall supply holder (K) and hand shower (N).Then, place the hand shower (N) to the wall supply holder (K).

CLEANING CARE

In order to keep the appearance of faucet clean, bright and good

performance, please take care of the faucet as follows;

1. Rinse with water only and dry with soff cotton cloth;



2.Use mild liquid and colorless glass cleaner to remove surface dirt and scale film, or use polish without abrasive effect;

3.Do not use abrasive deterfgent, polish, emery cloth, paper towel or scraper, etc.;

4.Do not use acid cleaner, or cleaner and soap with insoluble gran etc.;

5.In the process of use, mud my accumulate in the bubbler and make the water flow show, The bubbler can be unscrewed, rinsed with water, and then installed back in place.

Please feel free to contact us if you have any questions. We will help to solve the issue together with you. OUR EMAIL: services@rbrohant.com







Service Contact:

+1(801) 800-9309 services@rbrohant.com

Made in China