


# Assembly Instructions



## ASSEMBLY RATING

The Assembly Rating is a 5-point system that shows the degree of effort needed in assembling a specific product (with 1 being easy and 5 being difficult). For some products, two persons are recommended.

## Tools Required for Assembly:

Allen Wrench



(Included)

Phillips Screwdriver



(Not Included)



2 PERSONS RECOMMENDED

EASY




DIFFICULT


# ASSEMBLY & CARE ADVICE

FOR YOUR FURNITURE TO LAST, CORRECT ASSEMBLY AND PROPER MAINTENANCE ARE NECESSARY.  
PLEASE FOLLOW THE INFORMATION PROVIDED BELOW TO FULLY ENJOY YOUR FURNITURE.


## BASIC ASSEMBLY TECHNIQUES




When lock or spring washer is used in an assembly, please make sure the lock or spring washer is placed between the larger flat washer and the head of the screw or bolt.




Position each part correctly and insert screws or bolts into their respective holes by hand tighten or using the proper hand tool. Only tighten when step is completed or when instructed to do so.




Use cardboard or carpet area when assembling furniture to prevent scratches. Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.



Some furniture comes with height adjustment knobs underneath each leg. To lower or to raise each leg, you need to turn clockwise or counterclockwise, respectively.



Make sure all parts are properly aligned, then use the appropriate hand tool to completely tighten the bolts or screws. Do not use power tools and do not overtighten.




Save the instructions and store the Allen wrench or any supplied tool for later maintenance. After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.



FAILURE TO FOLLOW THE GUIDELINES ABOVE MAY  
RESULT IN INJURY AND/OR PROPERTY DAMAGE.



Before you begin, please read Page 2 of “Assembly and Care Advice”.

And remember, do not tighten until each step is completed or instructed.

### Parts List



#1 x 1 pc  
Headboard



#2 x 2 pcs  
Side Rail




#3 x 1 pc  
Footboard



#4 x 4 pcs  
Slat



#5 x 4 pcs  
Foot



#6 x 8 pcs  
Slat Support Leg


### Hardware List



#A x 8 pcs  
Bolt 5/16"x1"



#B x 4 pcs  
Bolt 5/16"x3"



#C x 12 pcs  
Flat Washer



#D x 12 pcs  
Lock Washer



#E x 8 pcs  
Wood Screw



#F x 1 pc  
Allen Wrench




Due to the size and/or weight of this product, it is highly recommended that the assembly should be done near the area of its intended location. Make sure you have enough space to move around during the assembly. ALWAYS have at least two people to help with transporting and assembling of the product and to avoid any potential injury and/or damage.

## Step 1

- I. Align the foot (#5) to the pre-drilled hole on the bottom corner of the headboard. (#1).
- II. Prepare a bolt assembly by inserting FIRST the lock washer (#D) onto the bolt (#B) and then the flat washer (#C) onto the SAME bolt (#D), in that order.
- III. Insert the bolt assembly through the hole of the foot (#5) and secure that bolt using the Allen wrench (#F) to lock it in with the headboard (#1). Repeat for the other side of the headboard.
- IV. For the assembly of the feet (#5) to the footboard (#3), repeat the process I through III of the above.


#B x 4 pcs  
#C x 4 pcs  
#D x 4 pcs



## Step 2


#A x 8 pcs  
#C x 8 pcs  
#D x 8 pcs

- I. Align the side rail (#2) onto the pre-drilled holes of the headboard (#1). Prepare two bolt assemblies by inserting FIRST the lock washer (#D) onto the bolt (#A) and then the flat washer (#C) onto the SAME bolt (#A), in that order.
- II. Insert the bolt assemblies through the bracket of the side rail (#2) and secure those bolts using the Allen wrench (#F) to lock it in with the headboard (#1). Repeat for the other side rail (#2) to the headboard (#1).
- III. For the assembly of the other ends of the side rails (#2) to the footboard (#3), repeat process I and II above.



# Step 3


Each slat (#4) has two slat support legs (#6). Align the threaded end of the slat support leg (#6) with the pre-drilled hole of the slat (#4) and tighten by hands until secured. Repeat the process for attaching the remaining 7 slat support legs (#6) to the slats (#4).



**Adjusting the leveler:** Adjust the leveler according to the ground level. To lower or to raise the center leg (#2), you need to turn the leveler clockwise or counterclockwise, respectively.

# Step 4

Align the ends of the assembled slat with the pre-drilled holes on each side of the side rails (#4). Secure two wood screws (#E) onto each end of the slat (#4) by using a Phillips screwdriver to tighten them down to the bed rails. Repeat the process for the remaining 3 assembled slats.



ASSEMBLY IS COMPLETED