
16572-A



Call Us First! DO NOT RETURN TO STORE.

For questions on assembly or for general inquiries, you may contact us in the following ways:

Call customer service: 1-877-743-3400

AVOID THE WAIT!

visit us online at help.backyardproducts.com

- → Submit a help request
- → Answers to frequently asked questions
- → Live chat with an agent



Did you enjoy building your shed?

JOIN OUR TEAM

AND MAKE UP TO \$1,500/WEEK*

Call a Recruiter Today! 734-365-7000



Flexible schedule




No selling, just building



Bonus incentives available








ASSEMBLY MANUAL

STUDIO SHED 10' x 7'-6" (304,8 x 228,6 cm)

ACTUAL FLOOR SIZE IS 120" x 90" (304,8 x 228,6 cm)

KEEP THIS MANUAL FOR FUTURE REFERENCE



READ INSTRUCTIONS THOROUGHLY PRIOR TO BEGINNING ASSEMBLY.

BEFORE YOU BEGIN

• BUILDING RESTRICTIONS AND APPROVALS

Be sure to check local building department and homeowners association for specific restrictions and/ or requirements before building.

• ENGINEERED DRAWINGS

Contact our Customer Service Team if engineered drawings are needed to pull local permits.

• SURFACE PREPARATION

To ensure proper assembly you must build your shed on a level surface.

Recommended methods and materials to level your shed are listed on page 7.

• CHECK ALL PARTS

Inventory all parts listed on pages 4-6.

ADDITIONAL MATERIALS

You will need additional materials to complete your shed. See page 3 for required and optional materials and quantities.




CONTACT OUR CUSTOMER SERVICE TEAM IF ANY PARTS ARE MISSING OR DAMAGED



- Order form and warranty at back of manual -

Call: 1-877-743-3400 email: customerservice@backyardproductsllc.com


TOOLS



Safety! Always use approved safety glasses during assembly.

HELPFUL REMINDER SYMBOLS


Look for these symbols for helpful reminders throughout this manual.



ORIENT LUMBER AND TRIM FOR BEST APPEARANCE

Framing lumber is graded for structural strength and not appearance. Exterior trim is graded for one good side.

Always install the material leaving the best edge and best surface visible. Please remember that these blemishes in no way negatively affect the strength or integrity of our product. (See Fig. $\bf A$, $\bf B$, $\bf C$.)



ADDITIONAL MATERIALS


FOUNDATION OR FLOOR MATERIALS

- This shed kit includes a complete wood floor system.
- This shed kit does not include ANY leveling materials.
- See the FLOOR LEVELING section on page 7 for recommended methods and suggested materials to properly level your floor, as this will vary depending on your specific site.

REINFORCED WOOD FLOOR FRAME (OPTIONAL)

IMPORTANT! The included floor has been designed for general use. Depending on your specific use you may want to construct a heavy duty floor frame by adding additional floor joists (shown below). Below is a list of additional materials (not included):

x2	2 x 4 x 87" (5 x 10 x 221 cm) Treated Lumbe
x8	ea. 3" (7,6 cm) Hot Dipped Galvanized Nails



Standard spacing is 10 (40,7 cm


COMPLETING You will need these a						
3-TAB SHINGLES	1" GALVANIZED ROOFING NAILS 3 Lbs For shingles. PAINT FOR TRIM					
TO VALIDATE YOUR WARRANTY YOU MUST USE THE FOLLOWING:						
DRIP EDGE 50 Feet CAULK	#15 ROOFING FELT To cover 99 Sq. Ft. of roof area.					

REFER TO THE BACK OF THIS MANUAL AND THE MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION OF SHINGLES, DRIP EDGE AND FELT.

PARTS IDENTIFICATION AND SIZES

DADTS LIST

Part identification letters are stamped on some parts.



Treated lumber is stamped:

TREATED

WOOD SIZE CONVERSION CHART

Nominal Board Size Actual Size

2 x 4.......1-1/2" x 3-1/2" (3,8 x 8,9 cm)


1 x 4......3/4" x 3-1/2" (1,9 x 8,9 cm)

2 x 3......1-1/2" x 2-1/2" (3,8 x 6,3 cm)

1 x 3.....3/4" x 2-1/2" (3,8 x 6,3 cm)

	<u></u>	NVENTORY YOUR PARTS before you begin. We suggest sorting parts by the category they are listed in.
8	Пх	TIBEATED 2 x 4 x 48" (5 1 x 10 2 x 121 9 cm) All treated lumber
FLOOR	Пх	is stampeu.
FL	Пх	ITILATED
	 	2 x 4 x 16 4/0" /5 1 x 10 2 x 41 0 cm)
	x	(19
	□ x	2 × 4 × 45 - 5/8" (5,1 × 10,2 × 115,8 cm)
WALLS	<u> </u>	3 SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm)
	x 🗌	2 x 4 x 64" (5,1 x 10,2 x 162,5 cm)
	x 🗌	2 × 4 × 68" (5,1 × 10,2 × 172,7 cm)
	_ x	TM 2 x 4 x 72" (5,1 x 10,2 x 91,4 cm)
3	×	
	L x	
	x	
	x	
	∐ x	
	x	2 x 4 x 94-1/2" (5,1 x 10,2 x 240 cm)
40	x 🗌	1 GAA 1 x 3 x 5" (2,5 x 7,6 x 12,7 cm)
RAFTERS	x 🗌	BRA 2 x 3 x 10-1/2" (5,1 x 7,6 x 26,7 cm)
-TE	x 🗌	2 BPA 1 x 3 x 33 - 1/8" (2,5 x 7,6 x 84,1 cm)
ZAF	x [2 HJ 1 x 3 x 72" (2,5 x 7,6 x 182,8 cm)
4	 	BOA 2 x 4 x 93-3/16" (1,5 x 10,2 x 236,7 cm)
	│ │ │ 	
	Пх	40/00 0 4/0 05 4/4/4 5 0 0 0 0 5
	Пх	
"		
TRIM	∐ ×	
7	Шх	2 ZT 19/32 x 3-1/2 x 48" (1,5 x 8,8 x 121,9 cm)
	Шх	BUA 19/32 x 3-1/2 x 52 - 3/8" (1,5 x 8,8 x 133 cm)
	Пх	19/32 x 3 - 1/2 x 59 - 1/4" (1,5 x 8,8 x 150,4 cm)
	Пх	19/32 x 3 - 1/2 x 59 - 1/4" (1,5 x 8,8 x 150,4 cm)

PARTS LIST continued... OY 2 x 3 x 72" (5,1 x 7,6 x 182,8 cm) **x2** 19/32 x 3-1/2 x 80" (1,5 x 8,8 x 203,2 cm) BTA TRIM 19/32 x 2-1/2 x 91" (1,5 x 6,3 x 231,1 cm) BSA 2 x 3 x 96" (5,1 x 7,6 x 243,8 cm) PT ZX 19/32 x 3-1/2 x 96" (1,5 x 8,8 x 243,8 cm) TRIM 3/8 x 2 x 25-3/8" (0,9 x 5,1 x 64,4 cm) 3/8 x 2 x 68-3/4" (0,9 x 5,1 x 174,6 cm) CORNER/FREIZE 3/8 x 2 x 69-1/4" (0,9 x 5,1 x 175,8 cm) 3/8 x 2 x 69-1/4" (0,9 x 5,1 x 175,8 cm) **x2** 3/8 x 2 x 91-1/4" (0,9 x 5,1 x 231,7 cm) 3/8 x 2 x 93-1/4" (0,9 x 5,1 x 236,8 cm) 3/8 x 2 x 93-1/4" (0,9 x 5,1 x 236,8 cm) 3/8 x 2 x 96" (0,9 x 5,1 x 243,8 cm) **x1** 35-3/4 x 10-3/8 x 3/8" (90,8 x 26,3 x 1 cm) SOFFIT **x1** 95-3/8 x 10-3/8 x 3/8" (242,2 x 26,3 x 1 cm) 95-1/2 x 5-1/4 x 3/8" (242,5 x 13,3 x 1 cm) **x2** DOOR x1 EHT 19/32 x 2-1/2 x 26-5/8" (1,5 x 6,3 x 67,6 cm) AH 19/32" x 3-1/2" x 11-3/8" 00 69" Door Stiffener (175,2 cm) (1,5 x 8,9 x 28,9 cm) PANEL PARTS LIST Roof panels are 7/16" (1,1 cm) thick. Floor panels are 5/8" (1,6 cm) thick. 7/16 x 11-7/8 x 35-7/8" **x1** (1,1 x 30,2 x 91,1 cm) 7/16 x 11-7/8 x 96" **x1** (1,1 x 30,2 x 243,8 cm) 5/8 x 23-7/8 x 90" (1,5 x 60,6 x 228,6 cm) ROOF PANELS 7/16 x 35-7/8 x 96" FLOOR **x1** (1,1 x 91,1 x 243,8 cm) 5/8 x 42 x 96" (1,5 x 106,6 x 243,8 cm) **x2** 7/16 x 48 x 96" (1,1 x 121,9 x 243,8 cm) **x1** 5/8 x 48 x 96" (1,5 x 121,9 x 243,8 cm) NOTE: Panel parts are not stamped.



FLOOR LEVELING OPTIONS


There are multiple ways to level your floor frame. Our recommended leveling method is shown below. Leveling materials are not included in this kit.

PREFERRED METHOD - 4x4 TREATED RUNNERS • 3" Screws angled into 4x4. (2) at each point frame and 4x4 touch. (30,5 cm) Measurements to **MATERIAL REQUIRED** center of 4x4's. 12" (30,5 cm) **x2** 4 x 4 x 10' (10 x 10 x 304,8 cm)Treated Lumber Fasteners for Frame to 4 x 4.

(3" Screws shown as one option.) Minimum (40) 3" screws / exterior grade.

Use only wood treated for ground contact and fasteners approved for use with treated wood.

Always support frame seams.



- Level under 4x4 runners only.
- Locate leveling material 12" from ends of runners and no more than 48" apart.
- Asphalt shingles should be used between 4x4 runners and blocks or treated lumber. Never use shingles in direct contact with ground.
- For best results and aiding in water drainage use gravel under each concrete block.

LEVELING MATERIALS


<u>(1)</u>	Leveling higher than 16" not recommended
	Asphalt Shingles
	2x4 Treated Lumber
	Solid Masonry Blocks in 1", 2", 4" or 8" thickness
	Gravel

CONCRETE

If you are building your shed on a concrete foundation see the following page.

CONCRETE FOUNDATION

Your kit contains all materials to construct a wooden floor. If you choose to install your kit on a concrete slab refer to the diagram below.




- x2 2 x 4 x 10'-0" (5,1 x 10,2 x 304,8 cm) MUST be treated lumber.

 x2 2 x 4 x 7'-6" (5,1 x 10,2 x 229,6 cm) MUST be treated lumber.
- x1 Caulk <

Allow new concrete slabs to cure for at least seven (7) days.

- A treated 2 x 4 (5,1 x 10,2 cm) sill plate is required when installing your shed on concrete. **Hint: Use treated lumber in your kit or purchase full length treated lumber.**
- Use a high quality exterior grade caulk beneath all sill plates.
- Fasten 2 x 4 (5,1 x 10,2 cm) sill plates to slab using approved concrete anchors (fasteners not included).
- Check local code for concrete foundation requirements.

NOTES





LEVEL AND SQUARE FLOOR FRAME




or frame STOP!

Before attaching floor decking, it is important to level and square the floor frame.

A level and square floor frame is required to correctly construct your shed.

VBEGIN

- 1 See page 7 for the preferred floor leveling method.
- 2 Use level and check the frame is level before applying floor panels.
- Check for frame squareness by measuring diagonally across corners. If the measurements are the same, the frame is square. The diagonal measurement will be approximately 150" (381 cm).
- When the frame is level and square, secure one side of frame to the 4x4 runners using one fastener at ends of each runner. Move to the opposite end of the frame. Secure the frame to 4x4 runners with one fastener at ends of each runner. Ensure the frame remains square (Fig. A).







After the floor frame is level and square, fasten the frame to the 4x4 runners at each connection to the 4x4 runners.

FLOOR PANELS

PARTS REQUIRED:

√BEGIN







Ensure your floor frame is square by installing one panel and squaring frame.


Install the **48"** x **96"** panel with the rough side up (painted-grid lines side) with the 48" edge and corner flush to the floor frame (**Fig A**). Secure panel with (2) 2" nails in the corners.




- Move to the opposite side. Using the long edge of the panel as a lever, move the panel side-to-side until the top corner is flush to the floor frame (Fig. B). Secure panel with (2) 2" nails in the corners.
- Check the floor frame is square by measuring diagonally across the frame corners. If the measurements are the same your floor frame is square. The measurement will be approximately 150" (381 cm) (Fig. C).
- Continue securing the panel with 2" nails spaced 6" apart on edges and 12" apart inside panel. Use a chalk line or use pre-painted grid lines to nail into joists under panel.









FLOOR PANELS

PARTS REQUIRED:

(1,6 x 106,7 x 243,8 cm)

23-7/8"





2" (5,1 cm)

x91

Continue installing panels with rough side up (painted grid lines). Use grid lines on panel during installation.


(1,6 x 60,6 x 228,6 cm)


Secure with 2" nails spaced 6" apart on edges, and 12" apart inside panels.



Your floor panels are now installed.

Flush






IMPORTANT!




Check the floor frame is level after installing floor panels. Re-level if needed.






- The floor should be used as a stable work surface for wall construction.
- Organize your assembly procedure during the build process to avoid over-handling of the walls.



BACK WALL FRAME PARTS REQUIRED: x28 3" (7,6 cm) x2 SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm) x6 UX 2 x 4 x 64" (5,1 x 10,2 x 162,5 cm) x2 TM 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm) BEGIN Arrange parts on edge on floor. Measure and mark. Secure with 3" nails at each mark and (4) 3" nails at seams. HINT: For easier nailing stand on frame. 120" (304,8 cm) 96" (243,8 cm) 48" (121,9 cm) (182,9 cm) (121,9 cm) 24" (61 cm) 1-1/2" (3,8 cm) TM SP 64" 1-1/2" (162,5 cm) (3,8 cm) UX x6 SP **TM** 1-1/2" (3,8 cm) 48"

(121,9 cm)



Install all wall panels with the primed side facing up.



x1

PARTS REQUIRED:

Ensure your wall frame is square by installing one panel and squaring frame.


Install 48 x 72" panel onto wall frame flush to top of frame, as shown. Use the gauge block to mark the 3/4" measurement on the wall stud. Secure panel with (2) 2" nails in the corners (Fig. A).

48 x 72"

(121,9 x 213,4 cm)




Move to the opposite end. Using the long edge of the panel as a lever, move the panel side-to-side until you have a 3/4" measurement on the wall stud. Secure corner with (2) 2" nails (Fig. B). Secure the panel using 2" nails spaced 6" apart on edges and 12" apart inside panel.




Install center 48" x 72" panel on frame flush to installed panel.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.



Install 23-7/8" x 72" panel on frame, flush to installed panel.


Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.




Carefully flip the wall over.



Your back wall is now installed.







FRONT WALL FRAME

PARTS REQUIRED:

x3 RD 2 x 4 x 16" (5,1 x 10,2 x 42 cm)







2

Install parts **RD** on edge as shown. Measure and mark.

Secure with (2) 3" nails at each mark.








Your front wall frame is now assembled.

FRONT WALL PANELS **PARTS REQUIRED:** x40 2" (5,1 cm) 3/8 x 48 x 96" **x1** (1 x 121,9 x 243,8 cm) **3/4" GAUGE BLOCK**

Install all wall panels with the primed side facing up.



Handle panels with care to avoid breakage.




Install 48" x 96" left panel primed side up onto wall frame centered in door opening, as shown.


• Ensure top of panel is overhanging the top of frame by 5-1/2".



Hold the 3/4" measurement along left edge of panel. Use a gauge block.

Secure panel with (2) 2" nails spaced 6" apart. Maintain 64" (162,5 cm) measurement between studs and square frame.






Install 48 x 96" right panel flush to left panel.

Hold the 3/4" measurement along right edge of panel. Use a gauge block. Secure panel with (2) 2" nails spaced 6" apart. Maintain 64" (162,5 cm) measurement between studs and square frame.



Install **OO** as a brace to maintain 64" (162,6 cm) opening. Secure with (2) 3" screws.




FRONT WALL PANELS

PARTS REQUIRED:

x2

3/8 x 11-7/8 x 96" (1 x 30,5 x 243,8 cm)






Install 11-7/8 x 96" panel onto wall frame flush to installed panel.

• Ensure top of panel is overhanging the top of frame by 5-1/2".

Secure the panel with 2" nails spaced 6" apart on edges.




Repeat step 5 to install the right panel.





Your front wall is now assembled.


Carefully flip the wall over.






BACK WALL INSTALLATION






√BEGIN

1 Center back wall assembly on the 120" floor dimension.






- Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nail into floor frame (Fig. A).
- 3 Secure side wall bottom plate to floor with 3" nails (Fig. A).



FINISH

Your back wall is now standing.


FRONT WALL INSTALLATION



1 Center front wall assembly on the 120" front floor dimension.

2 Use (2) BOA as temporary braces. Level wall and secure BOA with (2) 3" screws.

Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nail into floor frame (Fig. A).



FINISH

Your front wall is now standing.


WALL DOUBLERS

PARTS REQUIRED: x1 BMA 2 x 4 x 45-5/8" (5,1 x 10,2 x 115,8 cm) 3" (7,6 cm) x1 SP 2 x 4 x 48" (5,1 x 10,2 x 122 cm) x1 TM 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm) x1 BNA 2 x 4 x 74-1/4" (5,1 x 10,2 x 188,6 cm)

BEGIN

Orient parts on flat side, on top of back wall frame. Secure with (2) 3" nails at each stud and (4) 3" nails at seam.

PENSURE DOUBLERS ARE FLUSH.




3" (7,6 cm)

Orient parts on flat side, on top of front wall frame.

Secure with (2) 3" nails an shown and (4) 3" nails at seam.

PENSURE DOUBLERS ARE FLUSH.



BNA



Your doublers are now installed.


OUTER RAFTER INSTALLATION

PARTS REQUIRED:

x2 √

BOA


2 x 4 x 93-3/16" (5,1 x 10,2 x 236,7 cm)






BEGIN

- Rest one outer rafter on front and back wall doublers. Ensure rafter is flush to back wall panel (Fig. A) and flush to end of back wall doubler (Fig. B).
- Secure back of outer rafter with (1) 3" screw installed centered into outer rafter end (Fig. A). Secure rafter with another 3" screw angled into inside of rafter (Fig. B).



- Orient front of outer rafter flush to front wall panel (Fig. C) and flush to end of front wall doubler (Fig. D).
- Secure front of outer rafter with (1) 3" screw installed centered into outer rafter end (Fig. C). Secure rafter with another 3" screw angled into inside of rafter (Fig. D).




Remove all temporary braces.

RAFTERS

PARTS REQUIRED:

x7 BOA


2 x 4 x 93-3/16" (5,1 x 10,2 x 236,7 cm)



BEGIN

- Measure and mark location of each rafter.
- Place rafter on front and back wall doublers. Line up rafter centered with marks. Ensure rafter is flush to back wall panel (Fig. A) and flush down on top of back wall doubler (Fig. B).
- 3 Secure back of rafter with 3" screw installed centered into outer rafter end (Fig. A).

 1 DO NOT OVER-DRIVE SCREW THROUGH PANEL.
- Line up rafter centered with marks on front doubler. Ensure rafter is flush to front wall panel (Fig. C). and resting flush on top of front doubler (Fig. C). Secure front of rafter with 3" screw installed centered into outer rafter end (Fig. C).
- Secure each end of rafter into doubler with 3" screws driven-in at an angle (Fig. B, Fig. D).




RAFTER EXTENSIONS

PARTS REQUIRED:

x9 BRA

2 x 3 x 10-1/2" (5,1 x 7,6 x 26,7 cm)




VBEGIN

- Locate rafter extension above top of front wall panels (Fig B). Use another rafter extension (BRA) as a guide to line-up rafter extension with top of main rafter (Fig A).
- Secure rafter extension with (2) 3" screws angled through front wall panel into **BRA** (Fig. B).



Repeat steps to install remaining (8) rafter extensions.





Your rafter extensions are now installed.

SIDE WALL PANELS

PARTS REQUIRED: x1 3/8 x 48 x 96" (1 x 121,9 x 243,8 cm) x1 x1 x1 3/8 x 42 x 83" 3/8 x 42 x 83" 3/8 x 42 x 83" (1 x 106,7 x 210,9 cm) (1 x 106,7 x 210,9 cm) x3 2" (5,1 cm) x12 1-1/2" (3,2 cm) (1 x 106,7 x 210,9 cm)


Install all wall panels with the primed side facing out.

√BEGIN


Place **48 x 96"** panel onto side wall flush with front wall stud and flush to bottom front wall sheathing, with 1" overhang, as shown. Secure panel with (2) 2" nails in the corners (**Fig. A**). Ensure the measurement between the panel edges are the same along the entire length (**Fig. B**). Angle nails into floor frame (**Fig. C**).



Move to the top of panel. Using the long edge of the panel as a lever move the panel side-to-side until top of panel is flush with front wall stud. Secure upper corner with (1) 1-1/2" nail into rafter (Fig. D). Ensure 1" panel overhang at bottom of panel (Fig. D).




Place **42** x **83**" panel onto side wall flush with bottom of 48 x 96" panel, as shown. Secure panel with 2" nails in three corners (**Fig. E**). Ensure the measurement between the panel edges are the same along the entire length (**Fig. B**). Angle nails into floor frame (**Fig. C**).



4 Repeat steps 1, 2 and 3 to install panels on the opposite side.

SIDE WALL PANELS (continued) x45 1-1/2" (3,2 cm) x16 2" (5,1 cm)

- Secure lower edge of panel to floor with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).
- 6 Secure side wall panels to rafter and wall studs with 1-1/2" nails spaced 6" apart.



Repeat steps 1 and 2 to install the opposite side panels.

Fig. A


7 You have TEMPORARILY finished installing your side panels. Proceed to install SIDE WALL STUDS.

SIDE WALL STUDS PARTS REQUIRED: x2 BFA 2 x 4 x 72-5/8" (5,1 x 10,2 x 184,5 cm) x2 BJA 2 x 4 x 79-1/8" (5,1 x 10,2 x 201,3 cm) x2 BKA

VBEGIN

2 x 4 x 85-1/2" (5,1 x 10,2 x 217,2 cm)

Install **BJA** centered at seam of side wall panels (**Fig A**). Use a square to ensure 90 degree squareness of studs (**BKA**, **BFA** and **BJA**).



Mark locations of studs and ensure 90 degrees angle at top of each stud.


Secure side wall studs with 3" screws into end rafters and floor frame (Fig B).

Repeat steps 1 and 2 to install the opposite side's side wall studs.



Your side wall studs are now installed.

Proceed to completely secure the side wall panels.



SIDE WALL PANELS (continued)

PARTS REQUIRED:






Measure, align and mark side wall studs 24" from center of panel seam, and as shown.

Secure side wall panels to inside wall studs with 1-1/2" nails spaced 6" apart along panel seam and 12" apart in middle of panels as shown.





Repeat step 8 to secure the opposite side's panels.



Your side wall panels are now secured.


ROOF PANELS

PARTS REQUIRED:



7/16 x 48 x 96" (1,1 x 121,9 x 244 cm)





Install all roof panels with the rough side up (painted grid lines).



Roof panels may cause serious injury until securely fastened.


You must square the roof by attaching one panel first. You will use the panels' long edge as a lever to bring your roof into square. Commonly known as "racking".

BEGIN

1

Install the **48 x 96"** panel with 1/2" measurement overhanging the rafter extension **(Fig B)** and the panel is 3/4" along the the length of the rafter **(Fig. A)**.

Secure panel with (2) nails as shown.




Move to the opposite end. Using the long edge of the panel as a lever move the panel side-to-side until the top corner is at 1/2" measurement overhanging the rafter extension (Fig B).



You may need to move your entire roof frame to make panel line up with 1/2" overhang measurement (Fig. B).


Secure panel with (2) 2" nails into rafters.



ROOF PANELS

Secure the first **48 x 96"** roof panel with 2" nails spaced 6" apart on edge and 12" apart inside panel.

Install the second 48×96 " roof panel flush to first panel along edge and at both corners (Fig. C, D). Repeat nailing pattern.



Install the **36-3/8 x 96"** roof panel flush to installed panels.

Secure with 2" nails spaced 6" apart on edge and 12" apart inside panel.


Ensure the **36-3/8 x 96"** roof panel overhang is at 1/2" (Fig. B, E).

Secure the 11-7/8 x 96" roof panel flush to installed panels (Fig. E).

Secure with 2" nails spaced 6" apart on edges.


6 Install the 11-7/8 x 36-3/8" roof panel flush to installed panels (Fig. E).

Secure with 2" nails spaced 6" apart on edges.



ROOF PANELS

PARTS REQUIRED:






Line up each rafter extension 90 degrees square with roof rafters as shown. Secure rafter extensions with screws through roof panels (Fig. A).



Use 4 screws at roof panel seams (Fig. B).







Your roof panels are now installed.




GABLE RAKE FRAMING

PARTS REQUIRED:

x2 BPA / 1 x 3 x 33 - 1/8" (2,5 x 7,6 x 84,1 cm)


x2 HJ 1 x 3 x 72" (2,5 x 7,6 x 182,8 cm)



Install all trim with the primed side facing out.

VBEGIN

- Align **BPA** edge flush with **BRA** (**Fig A**). Secure with (3) 2" finishing nails (**Fig B**).
- Install HJ flush with BPA.
 Secure with (5) 2" finishing nails (Fig A, Fig. B).




Repeat Steps 1-2 on opposite side.



Your gable rake framing is now installed.

FRONT EAVE FASCIA TRIM

PARTS REQUIRED: x1 BUA 19/32 x 3-1/2 x 52 - 3/8" (1,5 x 8,8 x 133 cm) x1 BTA x20 [2" (5,1 cm)



SIDE FASCIA TRIM ASSEMBLY

PARTS REQUIRED:


- **x2** BQA / 2 x 3 x 33-1/8" (5,1 x 7,6 x 84,1 cm)
- **x2** 2T 19/32 x 3-1/2 x 48" (1,5 x 8,8 x 121,9 cm)
- **x1** BXL 19/32 x 3 1/2 x 59 1/4" (1,5 x 8,8 x 150,4 cm)
- **X1** SXR 19/32 x 3 1/2 x 59 1/4" (1,5 x 8,8 x 150,4 cm)
- **X2** OY 2 x 3 x 72" (5,1 x 7,6 x 182,8 cm)



Install all trim with the primed side facing out.


BEGIN

Build rear fascia assembly on a flat surface. Place **BQA** and **OY** end to end **(Fig. A)**.





Place BXR and ZT flush with BQA and OY.
Secure with 2" finishing nails, as shown (Fig. B, Fig. C).




Repeat steps for the opposite side using BXL and ZT.



You have now finished assembling the side fascia trim.

SIDE FASCIA TRIM INSTALL


PARTS REQUIRED:



Install all trim with the primed side facing out.

√BEGIN


Hold the side fascia assembly flush with roof sheathing and front fascia trim (Fig. B).



Install side fascia assembly underneath roof panels, flush with front fascia board. Secure with 2" screws through roof sheathing (Fig. C).



Ensure there is a 5-1/4" space as shown (Fig. C).





Secure front fascia to side fascia with (2) 2" finished nails (Fig. D).

Repeat steps on opposite side.




Your side fascia trim is installed.







Install all trim with the primed side facing out.



Secure PT and FS with 2" screws through roof sheathing, and with (1) 3" screw at OY, on both ends (Fig. B, Fig. C).







Secure BYA and ZX to PT. Secure FS to ZT. Secure parts with 2" nails (Figures A, D, E).




Your rear fascia trim is now installed.



Install all trim with the primed side facing out.



- BEGIN
- Install 35-3/4" soffit board under BRA. Secure with (6) 2" finishing nails (Fig. A, B).
- Align 95-3/8" soffit board flush with 35-3/4".
 Secure soffit board with (14) 2" finished nails underneath BRA (Fig. D).



SOFFIT continued......

PARTS REQUIRED:

x28 [2" (5,1 cm)

x2


95-1/2 x 5-1/4 x 3/8" (242,5 x 13,3 x 1 cm)




3

Install **95-1/2"** soffit board under fascia backer and side rake framing **(Fig. C, D)**. Secure with (14) 2" nails.








Repeat Step 3 on the opposite side.



Your soffit panels are now installed.


DOORS




BEGIN

- 1 Arrange parts as shown on flat surface. 13/8" offset is to top. Look for red (right) and green (left) on hinge board.
- 2 Secure temporary support **OO** with 3" screws in middle and at ends, as shown.
- 3 Secure temporary support GAA with (2) 1-1/4" screws.








Screw hinge boards into wall frame and floor with (10) 3" screws, as shown.

(I) Make sure screws go into framing and floor (Fig. C, D).




DOOR RAILS - OPTION 1

See next page for door rails Option 2.

BEGIN

- Secure (2) horizontal door rails **AH** at measurements shown. Use **EHT** as a spacer. Secure door rails from inside with 3/4" screws (**Fig. A**).
- Reinforce the door trim with 3/4" screws through door panel into trim (Fig. A). Locate screws as shown (Fig. B).



46

DOOR RAILS - OPTION 2

PARTS REQUIRED:

x1 EHT 19/32" x 3-1/2" x 11-3/8" (1,5 x 8,9 x 28,9 cm) 19/32 x 2-1/2 x 26-5/8" (1,5 x 6,3 x 67,6 cm)





x56)


√BEGIN

AH

Secure (4) horizontal door rails AH at measurements shown. Use **EHT** as a spacer. Install bottom rail first. Secure door rails from inside with 3/4" screws (Fig. A).

Your door and trim are now secured.

Reinforce the door trim with 3/4" screws through door panel into trim (Fig. A). Locate screws as shown (Fig. B).



47


DOOR WEATHERSTRIPPING

PARTS REQUIRED:

x2

00

69" Door Stiffener (175,3 cm)




√BEGIN

1

With left door closed, center a weatherstrip **OO** vertically on the left door in the door opening **(Fig. A)**.

OO will offset the left door 1" *OUT* past the door trim 1" **(Fig. B)**. Secure **OO** with (5) 3" screws through outside trim into **OO** (**Fig. B**)

On the right door, center OO vertically in door opening (Fig. A).
OO will offset the right door 1" *IN* from the door trim (Fig. C).
Secure OO with (5) 3" screws through outside trim into OO (Fig. B)




oor weatherstripping is now installed.

DOOR HARDWARE

PARTS REQUIRED:

x8 () 1" (2,5 cm)





BEGIN

Install upper spring bolt onto **OO** in open position with bolt end 3/8" down from frame. Bolt is open when loop is contacting base **(Fig A)**.


Mark and pre-drill holes for screws.

Secure bolt with screws supplied. Drill a 5/16" hole for bolt to extend into.

Install lower spring bolt onto **OO** in open position with bolt end 1/2" up from floor. Bolt is open when loop is contacting base (**Fig B**).

Mark and pre-drill holes for screws.

3 Install bolt with screws supplied and drill 5/16" hole for bolt to extend into.






DOOR HARDWARE

PARTS REQUIRED:





1/2" (1,3 cm) Drill Bit 1/4" (0,6 cm) Drill Bit



BEGIN




Measure and mark location of hole on outside of right door **(Fig. A)**. Pre-drill hole with 1/4" drill.

Re-drill hole with 1/2" drill.




Keep drilled hole square to trim to avoid breaking edge of 2x3".



2 Insert handle in hole and secure with 1-1/2" screws.

Install inside handle and secure with set screw, as shown.





Your door handle is now installed.

WINDOWS

PARTS REQUIRED:






x6) 3/4" (1,9 cm)

√BEGIN

Apply high quality exterior-grade caulk behind frame near edge before installing to seal window.

From outside of shed, install window in center of opening and level. Secure with (2) screws at top of windows.


Do not fully tighten screws.



/Iackslash You must caulk around windows to validate warranty.


WINDOWS PARTS REQUIRED: x2 BSA 19/32 x 2-1/2 x 91" (1,5 x 6,3 x 231,1 cm) x4 EY 19/32 x 2-1/2 x 9" (1,5 x 6,4 x 22,9 cm)

Install all trim with the primed side facing out.




Flush

Install EY at ends and in between window frame, as shown. Secure with (8) 2" finishing nails. Remove the 1-1/4" screws.



Install **BSA** centered on window frame, as shown. Secure with (4) 2" finishing nails.



WINDOWS

PARTS REQUIRED:






Working inside, secure trim with(12) 3/4" screws, as shown.




Do not screw into window flange.





You must caulk completely around window frame and all exposed door panel edges and trim to validate your warranty.
Use a paintable exterior rated caulk.



Your windows are now installed.

BACK CORNER TRIM

PARTS REQUIRED: x24 [2" (5,1 cm) 3/8 x 2 x 68-3/4" (0,9 x 5,1 x 174,6 cm) **x1** 3/8 x 2 x 69-1/4" (0,9 x 5,1 x 175,8 cm) **x1** 3/8 x 2 x 69-1/4" (0,9 x 5,1 x 175,8 cm)

Install all trim with the primed side facing out.

BEGIN


Place 68-3/4" back corner trim flush to bottom of back soffit board (Fig. A, B, F) and flush with side panel along the length (Fig. A).


Secure with (6) 2" finishing nails into corner wall framing (Fig. A, C). Space nails equally (Fig. C).


Install 69-1/4" back side corner trim angled end up (Fig. E), flush up under side soffit panel and flush with back corner trim along the length (Fig. E).

Secure trim with (6) 2" finishing nails into corner wall stud (Fig. D, C).

Space nails equally (Fig. C).









Repeat installation for other side.


Your back corner trim is now installed.

FRONT FRIEZE TRIM

PARTS REQUIRED:

x1 3/8 x 2 x 25-3/8" (0,9 x 5,1 x 64,4 cm)

x1 3/8 x 2 x 96" (0,9 x 5,1 x 243,8 cm)




BEGIN

FINISH

Install **25-3/8"** and **96"** front horizontal frieze boards. Leave 3/8" (9,5 mm) overhang on both ends **(Fig. B)**. Secure with 2" finishing nails as shown **(Fig. A)**.






Your front frieze trim is now installed.

FRONT CORNER TRIM x12 2" (5,1 cm)

Install all trim with the primed side facing out.



Your front corner trim boards are now installed.


PARTS REQUIRED:

3/8 x 2 x 91-1/4" (0,9 x 5,1 x 231,7 cm)

x2

FRONT SIDE TRIM x12 2" (5,1 cm)

Install all trim with the primed side facing out.



FINISH

PARTS REQUIRED:

3/8 x 2 x 93-1/4" (0,9 x 5,1 x 236,8 cm)

3/8 x 2 x 93-1/4" (0,9 x 5,1 x 236,8 cm)


x1

x1

Your front side trim boards are now installed.

VENTS

PARTS REQUIRED:







Locate and mark for two vents in side walls, as shown; (1) at top and (1) at bottom.


Cut out marked openings.


Caulk behind vent flanges.

2 Secure with 1/2" screws.



Your vents are now installed.





PAINT & CAULK - NOT INCLUDED -










- Use acrylic latex caulk that is paintable. Caulk at all horizontal and vertical seams, between the trim and walls, and all around the door trim.
- Use a high quality exterior acrylic latex paint. When painting your building, there are a few key areas that can be easily overlooked that must be painted:
 - · Bottom edge of all siding and trim
 - Inside of doors and all 4 edges

Note:

Prime all un-primed exterior wood before painting. (Follow directions provided by manufacturer.)

ROOF FELT- NOT INCLUDED -

• Install felt flush to all roof edges overlapping 3". Use minimal amount of roofing nails to hold in place.






You must install roof felt to validate warranty.

DRIP EDGE- NOT INCLUDED -



- Install drip edge over roof felt on side of shed and under roof felt on back side (Fig. A).
- Do not use nails on side of drip edge that hangs over side of building.
- Only nail top of drip edge as shown.




SHINGLES - NOT INCLUDED -

• Follow directions provided by manufacturer and these instructions.



<u>/</u>!\


Familiarize yourself with a 3-Tab Shingle.




/!\ NEVER DRIVE FASTENERS INTO OR ABOVE SEALING STRIPS.

BEGIN

Install first starter row upside down, color up and flush to drip edge at bottom of roof panel. Use (4) nails per shingle. Starter row must be straight and level all the way across with lower edge of roof deck.




Begin where indicated on image below, install first row of shingles with notch flush with drip edge.




SHINGLES

continued..


Install second row of shingles flush at top of first row's rain slots. Ensure flush to drip edge at front side, stagger each row.







Continue installing rows of shingles to the front of the shed. At the front edge of the shed make sure there is a maximum of 5" or less to the rain slot, as shown below. If shingles overlap at front roof edge cut to roof edge with a utility knife.

5"




• If more than 5" to rain slot you must install another row of shingles.






SHINGLES - DRIP EDGE


7 Install drip edge over top shingle row with 1" overhang over roof edge.



Using your shingle hooked blade carefully cut shingles on a flat surface along the rain slots, using a chalk line for reference.



9 Align remaining shingles with edge of the front drip edge.



FINISH

You have finished shingling your roof.

16572-A 10' x 8' Order Form

CATEGORY	PART DESCRIPTION	PART SIZE	PART ITEM#	BUILDING QTY.	PART ID
2 X 3	Gable Fascia Backer	LUM SPF 2 X 3 X 72 #2&BTR	Q 72000000000	2	OY
	Gable Fascia Backer	2 X 3 X 33 1/8" 15* O/E 2 X 3 X 10-1/2" EAVE EXTENSIO	Q 33021500000 Q 10081515000	2	BQA BRA
	Front Eave Extensions Back Wall Filler	LUM SPF 2X3X96 #2&BTR	12115	9	PT
	Back Wall Filler	2 X 3 X 35 1/4" CONNECTOR	Q 35040000000	1	FS
_					1 119
2 X 4	Back Wall Studs Back Wall Top & Bottom Plates	2 X 4 X 64" PRE-CUT & PART *LUM SPF 2X4X72 #2&BTR	O 6400000000 O 72000000000	<u>6</u> 3	UX TM
	Back Wall Top & Bottom Plates	2X4X48" DOUBLER/ PLATE/ CRATE	O 48000000000	3	SP
	Side Wall Studs	2 X 4 X 72-5/8" 15* O/E STUD	O 72100000150	2	BFA
	Side Wall Studs Side Wall Studs	2 X 4 X 79 1/8" 15* O/E STUD 2 X 4 X 85 1/2" 15* O/E STUD	O 79020000150 O 85080000150	2 2	BJA BKA
	Front Wall Framing Bottom plate	2 X 4 X 28" CONNECTOR	O 28000000000	2	RR
	Front Wall Framing	2 X 4 X 86" CRATE LONG SIDE	O 86000000000	4	BLA
	Front Wall Framing Front Wall Framing Header	2 X 4 X 68" STUD 2 X 4 X 94 1/2" DOUBLER	O 6800000000 O 94080000000	2	UM
	Front Wall Framing Top Plate	2 X 4 X 45 5/8" TOP PLATE	O 45100000000	2	BMA
	Front Wall Framing Top Plate	2 X 4 X 74-1/4" STUD	O 74040000000	2	BNA
	Front Wall Framing Cripplers Rafters	2 X 4 X 16-1/2" 2 X 4 X 93 3/16" 15* 15* RAFT	O 16080000000 O 93031515000	9	RD BOA
	Nations	2 X 4 X 93 3/10 13 13 RAF1	0 93031313000	9	DOA
	Floor Bonds	LUM TRTD 2 X 4 X 72 #2&BTR	P 72000000000	2	
2 X 4 TREATED FLOOR FRAME	Floor Bonds	LUM TRTD 2 X 4 X 48 #2&BTR	P 48000000000	2	
	Floor Joists	LUM TRTD 2 X 4 X 87 #2&BT	P 87000000000	9	
	Side Rake Framing	LUM SPF 1X3 X72" SQ EDGE PET	U 7200000000	2	HJ
1 X 3 PINE	Side Rake Framing	1 X 3 X 33-1/8" 15* O/E TRIM	U 33021500000	2	BPA
	Gauge Block	1 X 3 X 5" PINE FILLER	U 05000000000	1	GAA
	lu p (5 ::::	000 -1/101 1/1 1/1			
7/16 OSB	Upper Roof Panel "A" Upper Roof Panel "B"	OSB 7/16" x 4' x 8' 7/16" OSB 35-7/8" X 96" ROOF P	11110 C 96003514000	2 1	
	Small Roof Panel "C"	7/16" OSB 33-7/6 X 96 ROOF P	C 96003514000 C 96001114000	1	
	Small Roof Panel "D"	7/16" OSB 11 7/8" X 35-7/8"	C 35141114000	1	
	I				
5/8 OSB	Floor Panel "A" Floor Panel "B"	OSB 5/8" X 4' X 8' 5/8" OSB 42" X 96" FLOOR PANEL	11117 E 96004200000	<u>1</u> 1	
	Floor Panel "C"	5/8" OSB 23 7/8" X 90" FLOOR P	E 90004200000	1	
	•				
NO GROOVE SIDING	Frontwall Panels	NG METROPOLITAN RGT FRONTWALL	K 96004800135	11	
	Frontwall Panels Backwall Panels	NG METROPOLITAN LFT FRONTWALL SIDING NGSE 3/8X4'X6'	K 96004800235 11509	1 2	
	Backwall Panels	3/8"NG 23 7/8" X72"PANEL OR	K 72002314000	1	
	Side Walls Long Panel- Right	NG METROPOLITAN RGT SIDEWALL	K 96004800100	1	
	Side Walls Long Panel- Left	NG METROPOLITAN LFT SIDEWALL	K 96004800200	1	
	Side Walls Short Panel-Right Side Walls Short Panel-Left	NG METROPOLITAN RGT SIDEWALL NG METROPOLITAN LFT SIDEWALL	K 83024200100 K 83024200200	<u>1</u> 1	
	Front Wall Panel	3/8" NG 11 7/8" X 96" FRONT	K 96001114000	2	
	Side Soffit Panels	3/8" NG 5 1/4" X 95 1/2" SOF	K 95080504000	2	
	Front Wall Soffit Front Wall Soffit	3/8" NG 10 3/8" X 95 3/8" SO 3/8" NG 10 3/8" X 35 3/4" SO	K 95061006000 K 35121006000	<u>1</u> 1	
	Front Wall Frieze	3/8"NG2"X96"FRIEZE OR PRECUT	K 96000200000	1	
	Front Wall Frieze	3/8" NG 2" X 25 3/8" FRIEZE	K 25060200000	11	
	Corner Trim Back Corner Trim Back	3/8" NG 2" X 69 1/4" 15* O/E 3/8" NG 2" X 69 1/4" 15* O/E	K 69040200150 K 69040200250	1 1	
	Corner Trim Back	3/8" NG 2" X 68 3/4" CORNER	K 68120200000	2	
	Corner Trim Front	3/8" NG 2" X 91 1/4" CORNER	K 91040200000	2	
	Corner Trim Front Corner Trim Front	3/8" NG 2" X 93 1/4" 15* O/E 3/8"NG 2" X 93 1/4" 15* O/E	K 93040200150 K 93040200250	1 1	
	Comer mini Front	3/8 NG 2 X 93 1/4 13 U/E	K 93040200250	I	
	Horizontal Door Rail	19/32 TST 2 1/2" X 26 5/8"	UT26100208000	8	AH
19/32 X 3 SMART TRIM	Transom Window Trim & Above Door	19/32 TST 2 1/2" X 91"	UT91000208000	2	BSA
	Transom Window Trim	19/32 TST 2 1/2" X 9" TRIM	UT09000208000	4	EY
19/32 X 4 SMART TRIM	Front Eave Trim	19/32 TST 3 1/2" X 80"	UT80000308000	1	ВТА
	Front Eave Trim	19/32 TST 3 1/2" X 52 3/8" EAV	UT52060308000	1	BUA
	Gable Trim - Right	19/32 TST 3 1/2" X 59-1/4" 15*	UT59040308150	1	BXR
	Gable Trim -Left Gable Trim	19/32 TST 3 1/2" X 59-1/4" 15* 19/32 TST 3 1/2" X 48"	UT59040308250 UT48000308000	1 2	BXL ZT
	Back Eave Trim	19/32 TST 3 1/2" X 46"	UT96000308000	1	ZX
	Back Eave Trim	19/32 TST 3 1/2" X 35 1/4" BA	UT35040308000	1	BYA
	Door Trim Gauge Block	19/32 TST 3 1/2" X 11 3/8"	UT11060308000	1	EHT
	•				
	Door Stiffener	I SI 1-1/4 X 2-1/4 X 60 DET	12715	2	ററ
	Door Stiffener Single Point Locking Handle	LSL 1-1/4 X 2-1/4 X 69 PET HANDLE - T 5-1/2" SHAFT & "D"	12715 15375	2	
DUDOU	Single Point Locking Handle Hardware Kit	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8	15375 15879	1 1	
PURCHASED COMPONENTS	Single Point Locking Handle Hardware Kit Exterior Vent- white	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE)	15375 15879 15002	1 1 2	
PURCHASED COMPONENTS	Single Point Locking Handle Hardware Kit	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8	15375 15879	1 1	
PURCHASED COMPONENTS	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX	15375 15879 15002 15105	1 1 2 3	
PURCHASED COMPONENTS	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single)	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX	15375 15879 15002 15105 15109 15235	1 1 2 3 2 3	
PURCHASED COMPONENTS PACKAGING	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single)	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX	15375 15879 15002 15105 15109 15235	1 1 2 3 2	
	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single)	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX	15375 15879 15002 15105 15109 15235	1 1 2 3 2 3	
	Single Point Locking Handle Hardware kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE	15375 15879 15002 15105 15109 15235 16572-A 16572-FP	1 1 2 3 2 3	
	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L Left Door Panel	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE LEFT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" LEFT DOOR	15375 15879 15002 15105 15109 15235 16572-A 16572-FP	1 1 2 2 3 2 3 1 1	
	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L Left Door Panel Left Hinge Assembly	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10XB VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE LEFT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" LEFT DOOR HINGE LEFT (GREEN) 19/32x3 THIN TRIM	15375 15879 15002 15105 15109 15235 16572-A 16572-FP	1 1 2 3 2 3 2 3	
PACKAGING	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L Left Door Panel	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10X8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE LEFT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" LEFT DOOR	15375 15879 15002 15105 15109 15235 16572-A 16572-FP	1 1 2 2 3 2 3 1 1	
PACKAGING	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L Left Door Panel Left Hinge Assembly Vertical Door Stiles Horizontal Lower Door Rail	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10x8 VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE LEFT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" LEFT DOOR HINGE LEFT (GREEN) 19/32x3 THIN TRIM 19/32 TST 2 1/2" X 71 5/8" 19/32 TST 2 1/2" X 26 5/8"	15375 15879 15002 15105 15109 15235 16572-A 16572-FP K 70083104200 30131-TT UT71100208000	1 1 2 2 3 2 3 1 1	
PACKAGING	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L Left Door Panel Left Hinge Assembly Vertical Door Stiles Horizontal Lower Door Rail	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10XB VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE LEFT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" LEFT DOOR HINGE LEFT (GREEN) 19/32X3 THIN TRIM 19/32 TST 2 1/2" X 71 5/8" RIGHT DOOR ASSEMBLY	15375 15879 15002 15105 15109 15235 16572-A 16572-FP K 70083104200 30131-TT UT71100208000 UT26100208000	1 1 2 2 3 2 3 1 1	1 11 GY 2 AH
PACKAGING Left Door Assembly	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L Left Door Panel Left Hinge Assembly Vertical Door Stiles Horizontal Lower Door Rail 30145-R Right Door Panel	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10XB VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE LEFT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" LEFT DOOR HINGE LEFT (GREEN) 19/32x3 THIN TRIM 19/32 TST 2 1/2" X 71 5/8" RIGHT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" RIGHT DOO	15375 15879 15002 15105 15109 15235 16572-A 16572-FP K 70083104200 30131-TT UT71100208000 UT26100208000	1 1 2 2 3 2 3 1 1	
PACKAGING	Single Point Locking Handle Hardware Kit Exterior Vent- white 6d Nails 10d Nails Transom window (single) Instructions Instructions 30145-L Left Door Panel Left Hinge Assembly Vertical Door Stiles Horizontal Lower Door Rail	HANDLE - T 5-1/2" SHAFT & "D" H/K METROPOLITAN 10XB VENT 16" X 8" EXTERIOR (WHITE) NAIL 6D 2" BOX HDG BOX NAIL 10D 3" BOX HDG BOX WINDOW 9 X 27 TRANSOM (SINGLE LEFT DOOR ASSEMBLY NG 31 1/4" X 70 1/2" LEFT DOOR HINGE LEFT (GREEN) 19/32X3 THIN TRIM 19/32 TST 2 1/2" X 71 5/8" RIGHT DOOR ASSEMBLY	15375 15879 15002 15105 15109 15235 16572-A 16572-FP K 70083104200 30131-TT UT71100208000 UT26100208000	1 1 2 2 3 2 3 1 1	1 11 GY 2 AH

LIMITED CONDITIONAL WARRANTY*

Backyard Storage Solutions, LLC warrants the following:

- Every product is warranted from defects in workmanship and manufacturing for 1 year.
- 2. All accessories, hardware and metal components are warranted for 2 years.
- 3. All Oriented Strand Board (OSB) is warranted for 2 years
- 4. Siding and Trim is warranted for 10 years.
- 5. Solar Shed windows are warranted for 1 year.
- 6. Cedar lumber is warranted for 15 years.
- 7. Preserved Pine is warranted for 10 years.
- 8. Redwood is warranted for 10 years.

Backyard Storage Solutions, LLC will repair, replace or pay for the affected part. In no event shall Backyard Storage Solutions, LLC pay the cost of labor or installation or any other costs related thereto. All warranties are from date of purchase. If a cash refund is paid on an affected part, it will be prorated from the date of purchase.

CONDITIONS

The warranty is effective only when:

- 1. The unit has been erected in accordance with the assembly instructions.
- 2. The unit has been properly shingled and painted or stained and reasonably and regularly maintained thereafter.
- 3. The failure occurs when the unit is owned by the original purchaser.
- 4. Backyard Storage Solutions, LLC has received the warranty registration card within thirty (30) days of purchase and notification of the failure in writing within the warranty period specified above.
- 5. Backyard Storage Solutions, LLC has had reasonable opportunity during the sixty (60) days following receipt of notification to inspect and verify the failure prior to commencement of any repair work.

REQUIREMENTS

Storage Buildings

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit; shingle the roof and paint or solid-colored stain the siding using quality, 100% acrylic latex exterior product with a minimum of two (2) coats within thirty (30) days of assembly; caulk above all doors and all horizontal and vertical trim boards; paint and seal all exposed edges, sides and faces of siding/trim and OSB siding to include all exterior walls and all edges of doors.

Gazebos & Pergolas

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit. This includes treating all of the exposed cedar and pine surfaces on your gazebo or pergola structure with an exterior grade wood preservative, an exterior oil-based semi-transparent stain, an acrylic latex exterior paint or an acrylic latex solid color exterior stain within 30 days of assembly and as needed thereafter to maintain your warranty.

Keep vegetation trimmed away from building and make sure siding panels and trim do not come in contact with masonry or cement. The minimum ground clearance for siding must be one half inch (½ inch) from concrete slab or two and one half inches (2 ½") from the ground when building is erected or constructed on a treated wood floor kit. Water from sprinklers must be kept off unit. In no event will Backyard Storage Solutions, LLC be responsible for any indirect, incidental, consequential or special damages nor for failure(s) that are caused by events, acts or omissions beyond our control including, but not limited to, misuse or improper assembly, improper maintenance (which eventually leads to rot or decay) and acts of God. Backyard Storage Solutions, LLC will not be held responsible for any labor costs incurred to construct your unit.

This warranty gives you certain specific rights that vary from state to state.

CLAIM PROCEDURE

To make a claim under this warranty, you can either call 1-888-827-9056 or email: customerservice@backyardproducts.com. Please have ready the information below when you call or include the information in your email:

- 1. The model and size of the product.
- 2. A list of the part(s) for which the claim is made.
- 3. Proof of purchase of the Backyard Storage Solutions, LLC item, as shown on the original invoice or receipt.
- 4. Run code: found on exterior product label or assembly instructions enclosed in the product package.

All other inquiries can be mailed to:

Backyard Storage Solutions, LLC Attn: Customer Service 1000 Ternes Monroe, MI 48162