


# Assembly Instructions




# General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are: wood dowels, screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.



- VI. A Phillips head screwdriver is required for the assembly of this product.









- VII. Power tools should not be used to assemble this product.






- VIII. Drill may be needed for securing product to wall.

# Parts List



# Hardware List


A		M 4	Hex Key	1 pc
B		Ø6x15mm	Bolt	48 pcs



Philips head screwdriver required for assembly  
(not included)



*The hardware quantities listed above are required for proper assembly.  
Some extra hardware may also have been included.*

# Step 1





Using bolt (B) attach part (2) into part (1) with hex key (A) as per diagram.  
Note: Do not tighten all bolts.

## Step 2



Using bolt (B) attach part (4) into part (3) with hex key (A) as per diagram.

## Step 3



Using bolt (B) attach part (6) into part (5) with hex key (A) as per diagram.

Note : Tighten all bolts .

## Step 4



**Final Assembly**