




С	©	Right Stool Leg	2
D		Short Stretcher	2
E		Long Stretcher	2


Hardware					
Label	Picture	Description	QTY		
1		Bolt (M8x60mm)	5		
2	< <u>(*)</u>	Screw (M4x38mm)	9		
3		Spring Washer	5		
4	0	Washer	5		
5		Allen Key	1		
6		Screwdriver (Not provided)	1		
Assembly Preparation					
Before Beginning Assembly:					
 Read instructions, cover to cover- Have 2 adults on hand for assembly- Do not assemble on flooring or carpet- Assemble on a clean non-marring surface (packing foam)- Save all packaging until finished- 					







Please ensure that all the drill holes on the Stretcher are facing upwards as shown in the figure.



Place the Stool on a Level Surface to check if it wobbles.

If it wobbles, lift the Stool up some 30cm to 50cm from the ground, keep your feet and toes well away from the drop zone, and drop the Stool freely and vertically with the four legs, hitting the ground at the same time.

This Drop Test will help ensure that all parts and gaps reach full alignment. Test again for evenness on a Level Surface.

If no wobbles are found, proceed to tighten all the Bolts.

When tightening the Bolts, tighten sequentially.

Do not tighten any Bolt fully and then move on to the next one, as this could cause the frame to warp. Rather in a sequential manner, gradually tighten each Bolt until all are evenly secured. This methodology will ensure maximum evenness once all Bolts are fully tightened.

If the Stool still wobbles, loosen the Bolts and execute the same drop test, then proceed to tighten the bolts again in a sequential manner.

