


WALL MOUNT
JEWELRY ARMOIRE
Assembly Instructions








For assistance with assembly contact
us by phone or email.



WALL MOUNT JEWELRY ARMOIRE

Parts List

Please review all parts and hardware before disposing of any packaging.
 Call Customer Service if missing hardware. Do not return to store/retailer.
 Using a screw that is too long will cause damage. Before beginning assembly, separate each type of screw. Carefully study the screw diagrams below.

<p>A</p>  <p>Quantity of 1</p> <p>Wall Mount Jewelry Armoire</p>	<p>1</p>  <p>Quantity of 3</p> <p>Plastic Anchor</p>
<p>2</p>  <p>Quantity of 3</p> <p>Screw</p>	<p>3</p>  <p>Quantity of 1</p> <p>Knob</p>
<p>4</p>  <p>Quantity of 1</p> <p>Blot</p>	<p>5</p>  <p>Quantity of 1</p> <p>Levels</p>
<p>Care and Cleaning Instructions: Before using, wipe with a clean, dry cloth. Avoid rubbing or scratching the surface with rough or abrasive objects.</p>	<p>For replacement parts or questions, please call our Customer Service. Do not return product to store. Please call manufacturer for assistance, questions or parts.</p>
<p>Assembly Tool Required No.2 Phillips Screwdriver (Not Included)</p>	

Tool List: 3/16" drill bit, drill, tape measure and pencil.

WALL MOUNT JEWELRY ARMOIRE

Assembly Instructions




Figure 1

Step 1

Unpack and lay parts on clean, padded surface like carpet or blanket. Check that you have all parts indicated on the front page.

Step 2

Find a desired location. Mark 3 locations for screws on wall.

Step 3

Drill two 3/16" holes. The distance between the three holes must be the same as figure 1 shows. One screw must be attached directly into a wall stud. Wall anchor is not needed when mounting to wall stud

Insert plastic anchors (1) into the 2 holes on wall as shown. (When doing this, you will need a hammer help you).




Figure 2

Step 4

Open the Wall Mount Jewelry Armoire (A).




Figure 3

Step 5

Attach the Knob (3) to door with Bolt (4). Tighten Bolt (4) by using Phillips head screwdriver (not included).




Figure 4

Step 6

Connect the Wall Mount Jewelry Armoire (A) and plastic anchor (1) with screw (2). Tighten screw (2) by using Phillips head screwdriver (not included). and last check if Jewelry Armoire (A) is attached on the wall firmly.

Step 7

place levels on top to insure product is level

Now your new Wall Mount Jewelry Armoire is ready to use.

Parts Replacement Form

Customer Information

Name

Address

City/State/Zip Code

Phone Number

Please indicate where you purchased this item: Store/Website/Catalog

Please indicate color/size/style number:

Style No
Needed

Parts Letter

Parts Description

Quantity

Please immediately examine this product carefully. Any request for missing parts or damage replacement must be received within 90 days of your receipt of the product. Replacement, if available, will be honored within this time frame. Parts will not be available for items arriving fully assembled. We do not recommend modifying product(s) and we are not responsible for any damages due to product modification(s). If damages or missing parts are not reported within 90 days of your receipt, we are under no obligation to provide parts or replacement merchandise.

Please contact us by phone or email if you have product issues. Please ask for customer service representative for issues involving damages or replacement parts. Please ask for technical assistance representative for any issues with product and assembly/construction.

Please contact the retailer that you purchased from for returns.