


Product Instructions for:

SLIPPER CHAIR




SLIPPER CHAIR


Before beginning assembly, separate all parts and carefully study the parts diagrams below. Review all parts and hardware before disposing of any packaging. You may receive extra hardware with your unit. Call Customer Service for missing hardware. Please see care and cleaning label attached to bottom of chair seat.

Parts List

A: Chair Back (1)




B: Chair Seat (1)




C: Front Leg (2)




D: Allen Wrench (1)




E : Spring Washer (10)




F: Flat Washer (10)




G:Bolt: 5/16" * 2"L (2)



H: Bolt: 5/16" * 2-1/4"L (4)



I: Bolt: 5/16" * 3-1/2"L (4)



SLIPPER CHAIR

Assembly Instructions




Figure 1

Unpack and lay parts on clean, padded surface like carpet or blanket. Check that you have all parts indicated on the front page.

Step 1

Lift the Velcro strip from the bottom of the Seat Frame (B).

Insert Front Legs (C) into Chair Seat (B).




Figure 2

Step 2

Insert Bolts (H) through Spring Washers (E) and Flat Washers (F) to connect Front Legs (C) to Chair Seat (B) using pre-drilled holes, then tighten Bolts (H) with Allen Wrench (D).




Figure 3

Step 3

Attach Chair Seat (B) to Chair Back (A) until they meet.

Insert Bolts (G) and (I) through Spring Washers (E) and Flat Washers (F) to connect Chair Seat (B) to Chair Back (A) using pre-drilled holes, then tighten Bolts (G) and (I) with Allen Wrench (D).





Figure 4

Step 4

Close Velcro strip on the bottom of seat as shown.



Step 5

Turn over the chair.

Now your new Slipper Chair is ready to use!

Figure 5